


Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3801$ $y=0.3830$ $u'=0.2224$ $v'=0.5043$

CCT=4055K(Duv=0.0030) Dominant WL:Ld =577.3nm WL:Lc = --nm Purity=29.0%

Ratio:R=17.8% G=78.9% B=3.3% Peak WL:Lp=594.2nm FWHM=150.9nm

Render Index:Ra=81.5

R1 =79	R2 =86	R3 =93	R4 =83	R5 =80	R6 =82	R7 =86	
R8 =64	R9 =5	R10=68	R11=82	R12=67	R13=80	R14=96	R15=72

Photo Parameters:

Flux = 1045 lm Eff. : 101.50 lm/W Fe = 3.180 W

Electrical parameters:

V = 230.62 V I = 0.07734 A P = 10.30 W PF = 0.5772


Status: Integral T = 200 ms Ip = 1802 (3%)

GBT5702

Model:
Tester:
Temperature:25.3Deg
Manufacturer:

Number:T8-10W-4000K-2
Date:2023-02-08 08:44:16
Humidity:65.0%
Remarks:

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3118$ $y=0.3354$ $u'=0.1949$ $v'=0.4716$

CCT=6503K(Duv=0.0069) Dominant WL:Ld =492.9nm WL:Lc = --nm Purity=7.1%

Ratio:R=13.2% G=81.5% B=5.3% Peak WL:Lp=448.6nm FWHM=25.9nm

Render Index:Ra=82.8

R1 =81	R2 =85	R3 =88	R4 =84	R5 =82	R6 =81	R7 =89	
R8 =73	R9 =17	R10=65	R11=83	R12=63	R13=81	R14=94	R15=76

Photo Parameters:

Flux = 1004 lm Eff. : 101.64 lm/W Fe = 3.341 W

Electrical parameters:

V = 230.64 V I = 0.07489 A P = 9.878 W PF = 0.5719


Status: Integral T = 200 ms Ip = 1806 (3%)

GBT5702

Model:
Tester:
Temperature:25.3Deg
Manufacturer:

Number:T8-10W-6500K-1
Date:2023-02-08 08:49:33
Humidity:65.0%
Remarks:

Spectrum Test Report

**Color Parameters:**

Chromaticity Coordinate: $x=0.3750$ $y=0.3720$ $u'=0.2234$ $v'=0.4987$

CCT=4116K(Duv=-0.0006) Dominant WL:Ld =579.0nm WL:Lc = --nm Purity=24.2%

Ratio:R=17.9% G=78.5% B=3.6% Peak WL:Lp=449.6nm FWHM=25.1nm

Render Index:Ra=82.3

R1 =81	R2 =88	R3 =94	R4 =82	R5 =81	R6 =84	R7 =86	
R8 =64	R9 =5	R10=72	R11=81	R12=64	R13=82	R14=97	R15=75

Photo Parameters:

Flux = 2047 lm Eff. : 110.32 lm/W Fe = 6.293 W

Electrical parameters:

V = 230.72 V I = 0.1455 A P = 18.56 W PF = 0.5528


Status: Integral T = 200 ms Ip = 3545 (5%)

GBT5702

Model:
Tester:
Temperature:25.3Deg
Manufacturer:

Number:T8-20W-4000K-3
Date:2023-02-07 09:15:27
Humidity:65.0%
Remarks:

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3138$ $y=0.3313$ $u'=0.1977$ $v'=0.4697$

CCT=6430K(Duv=0.0038) Dominant WL:Ld =490.4nm WL:Lc = --nm Purity=6.7%

Ratio:R=13.4% G=81.3% B=5.3% Peak WL:Lp=448.6nm FWHM=23.7nm

Render Index:Ra=82.6

R1 =81	R2 =86	R3 =89	R4 =84	R5 =82	R6 =81	R7 =88	
R8 =71	R9 =10	R10=66	R11=83	R12=62	R13=82	R14=94	R15=76

Photo Parameters:

Flux = 2073 lm Eff. : 109.78 lm/W Fe = 6.779 W

Electrical parameters:

V = 230.74 V I = 0.1455 A P = 18.89 W PF = 0.5627

Status: Integral T = 200 ms Ip = 4117 (6%)

GBT5702

Model:
Tester:
Temperature:25.3Deg
Manufacturer:

Number:T8-20W-6500K-2
Date:2023-02-06 15:27:31
Humidity:65.0%
Remarks: