	Document Owner Department: QC	MBD-BT-SPEC-0108
		Page 1 of 3
OXOID QUALITY ASSURANCE PRODUCT SPECIFICATION		
BISMUTH SULPHITE AGAR CM0201		

BISMUTH SULPHITE AGAR

CM0201

Typical Formula*

	grams per litre
Peptone	5.0
'Lab-Lemco' powder	5.0
Glucose	5.0
Di-sodium phosphate	4.0
Iron (II) sulphate	0.3
Bismuth sulphite indicator	8.0
Brilliant green	0.016
Agar	12.7

* adjusted as required to meet performance standards

Directions

Suspend 20g in 500ml of distilled water in a 1 litre flask. With frequent agitation, bring to the boil to dissolve completely. Cool to 50°C. Mix well to ensure even dispersion of the medium and pour 25ml into sterile Petri dishes. Allow the medium to solidify with the dish uncovered. Larger volumes may be prepared if great care is taken and adequate headspace is provided. DO NOT AUTOCLAVE. DO NOT OVERHEAT.

Physical Characteristics

Light green, free-flowing powder
 Colour on reconstitution - light green
 Moisture level - less than or equal to 7%
 pH - 7.6 ± 0.2 at 25°C
 Clarity - opaque
 Gel strength - firm, comparable to 12.7g/litre of agar


Microbiological Tests Using Optimum Inoculum Dilution

Control Medium: Tryptone Soya Agar

Reactions after incubation at 37°C for 48 hours

Medium is challenged with 10-100 colony-forming units

<i>Salmonella typhi</i>	ATCC®19430	0.5-2mm black 'rabbit-eye' colonies with sheen
<i>Salmonella typhimurium</i>	ATCC®14028	0.25-2mm black colonies with sheen
<i>Salmonella virchow</i>	NCTC5742	0.25-2mm black colonies with sheen

	Document Owner Department: QC	MBD-BT-SPEC-0108
		Page 2 of 3
OXOID QUALITY ASSURANCE PRODUCT SPECIFICATION		
BISMUTH SULPHITE AGAR CM0201		

<i>Salmonella abony</i>	NCTC6017	0.25-2mm black colonies with sheen
<i>Salmonella poona</i>	NCTC4840	0.25-2mm black colonies with sheen
<i>Salmonella enteritidis</i>	ATCC®13076	0.25-1.5mm green colonies

A satisfactory result is represented by recovery of positive strains equal to or greater than 70% of the control medium.

Medium is challenged with 50-200 colony-forming units

<i>Escherichia coli</i>	ATCC®25922	No growth to 1.5mm green colonies
<i>Escherichia coli</i>	ATCC®8739	No growth to 1.5mm green colonies
<i>Klebsiella pneumoniae</i>	ATCC®13883	No growth to 3.5mm green colonies
<i>Citrobacter freundii</i>	ATCC®8090	0.5-1.5mm dark green colonies


A satisfactory result is represented by recovery equal to or less than 100% of the control medium.

Medium is challenged with 1E+04 to 1E+06 colony-forming units

<i>Staphylococcus aureus</i>	ATCC®6538	No growth
<i>Enterococcus faecalis</i>	ATCC®29212	No growth
<i>Pseudomonas aeruginosa</i>	ATCC®9027	No growth to 1.0mm green colonies

Negative strains are inhibited. For *Pseudomonas aeruginosa* ATCC®9027, a satisfactory result is represented by a negative diagnostic reaction.

Equivalent results are obtained after incubation at 30-35°C for 48 hours.

	Document Owner Department: QC	MBD-BT-SPEC-0108
		Page 3 of 3
OXOID QUALITY ASSURANCE PRODUCT SPECIFICATION		
BISMUTH SULPHITE AGAR CM0201		

Revision History

Section / Step	Description of Change	Reason for Change	Reference
Reactions after incubation at 37°C for 48 hours'	Clarifying acceptable colony sizes for <i>Klebsiella pneumoniae</i> ATCC®13883	Change Control	MOC-2022-1108