





Chemila, spol. 370., Za Dráhou 4386/3, Hodonín 69501, Phone +420518340919, chemila@chemila.cz Chemical and Microbiological Laboratory, Testing Laboratory No. 1273 certified by Czech Accreditation Institute according to ČSN EN ISO/IEC 17025.

CONFIDENTIAL

Copy No.: 1 Issue No.: 1

# Test report No. D89-2/2017

# DETERMINATION OF VIRUCIDAL (EN 14476+A1) ACTIVITY OF THE PRODUCT GLOBACID SF 0.25%

Sample ID: D89/2017

Sample name: GLOBACID SF 0.25%

Page: 1

From pages: 8

Client: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404 Producer: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404

Sampling point: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404

Incoming date: 11.5.2017

Delivery date: 8.12.2017

Hodonín, 8.12.2017

Chemila, spol. s.r.o.

ZaOráhou 4286/3
635.01 Holonín

Ing. Jana Štitrová, Head of Laboratory

The report may be reproduced only as a whole, in parts only upon written permission of the laboratory. The test results relate only to the samples stated in the Test Report. The Lab does not take any guarantee for the identity of samples not taken by the lab personnel.

Sample ID: D89/2017

Rep No: 130

Sample name: GLOBACID SF 0.25%

Sampled: by client

Delivered amount: 11 Sampling point: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404

Client: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404 Page: 2

Batch No: 20042017

Subject of testing:

Determination of virucidal activity of the product.

Sampling date: 5.5.2017

Sample delivered: 11.5.2017

Testing date: 27.10. - 8.12.2017

Identification of the sample:

Name of the product:

Batch number: Date of manufacture:

Expiry date:

Manufacturer:

Incoming date:

Experiment conditions:

Storage conditions:

Active compounds in 100 g:

**GLOBACID SF 0.25%** 

20042017 20.04.2017

19.04.2020

Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa,

Estonia 76404 11.5.2017

stated by the manufacturer

N-(3-aminopropyl)-N-dodecyl propane-1,3-diamine <1%

DDAC <1%

Testing of disinfecting efficiency of chemical disinfecting and

(EN 14476:2013 +A1:2015)

Period of analysis:

Test temperature:

Method of titration:

Appearance of the product:

Test concentration:

Contact time:

Interfering substances:

Reference product:

antiseptic agents by suspension method SOP-M-19-00

27.10. - 2.11.2017

20 °C ± 1 °C

virus titration on monolayers of cells on microtitre plates

colourless liquid

100% (concentrated)\*/\*\* 5 min, 15 min, 30 min

0.3 g/l BSA (clean conditions)

Formaldehyde 36 – 38% solution p.a., CAS: 50-00-0, Batch No:

K47740803613, expiry date: 31.3.2018

Vaccinia virus strain Elstree CAMP V-160 (3rd passage)

Test virus: VERO cells Cell lines:

36 °C  $\pm$  1 °C, 5 % CO2, 96 h, and additional period of 48 hours. After

Incubation: incubation, the titre infectivity is calculated according to Spearman-Kärber method.

Preparation of the test

1. Determination of the number of the microorganisms CFU/ml in the product

2. Preparation of cell culture

Preparation of ten culture
 Preparation of the test virus suspension
 Test of viral infectivity
 Virus titration with interfering substance
 Cytotoxicity of the product

- 7. Reference virus inactivation test
- 8. Test procedure for virucidal activity of product

Virucidal activity - the capability of a product to produce a reduction in the number of infectious virus particles Note: under defined conditions by at least 4 (lg) orders. The test for virucidal activity against enveloped virus Vaccinia virus will cover all enveloped viruses only (Annex A, standard EN 14476:2013+A1:2015).

\* Product can only be tested at a concentration of 97% (RTU) or less, as some dilution is always produced by adding the test organisms and interfering substance.

\*\* The test was performed by using MicroSpin<sup>TM</sup> S 400 HR

Sample ID: D89/2017

Rep No: 130

Sample name: GLOBACID SF 0.25%

Sampled: by client

Sampling date: 5.5.2017 Sample delivered: 11.5.2017 Testing date: 27.10. – 8.12.2017

Delivered amount: 11

Page: 3

Sampling point: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404

Client: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404

Batch No: 20042017

CONFIDENTIAL

#### The standard:

EN 14476:2013 +A1:2015 Chemical disinfectants and antiseptics – Quantitative suspension test for the evaluation of virucidal activity in the medical area – Test method and requirements (Phase 2/Step 1) August 2013 + September 2015

## The Number of CFU in the tested product: 0 CFU/ml

1. Testing the efficacy of chemical disinfectant GLOBACID SF 0.25% on Vaccinia virus strain Elstree CAMP V-160

Tab No. 1.1 Table of results of product GLOBACID SF 0.25% on Vaccinia virus strain Elstree CAMP V-160

Product	Concentration	Interfering	Level of	- log <sub>10</sub> TCID <sub>50</sub>	- log <sub>10</sub> TCID <sub>50</sub>	- log <sub>10</sub> TCID <sub>50</sub>
	**	substances	cytoxicity	after 5 min	after 15 min	after 30 min
GLOBACID SF 0.25%	100%*	clean	≤3.50	4.50	3.83	3.83
Formaldehyde	0.7 % (w/v)	PBS	≤1.50	7.17	5.67	-
			Virus titration, time = 0			
Virus control	-	PBS	9.50	9.50	9.50	-
Virus control	-	clean	9.50	9.50	9.50	9.33

Tab No. 1.2 Testing the efficacy of chemical disinfectant GLOBACID SF 0.25% on *Vaccinia virus* strain Elstree CAMP V-160

Test	concentration**	Titre of the virus suspension - log <sub>10</sub> TCID <sub>50</sub>	Interfering substances	Contact time	- log <sub>10</sub> TCID <sub>50</sub> after test procedure	Δlog <sub>10</sub> TCID <sub>50</sub>
	100%*	9.50	clean	5 min	4.50	5.00
	100%*	9.50	clean	15 min	3.83	5.67
	100%*	9.50	clean	30 min	3.83	5.67

# 2. Evaluation of virucidal activity of the product GLOBACID SF 0.25%

Tab No. 2.1 The efficacy of chemical disinfectant GLOBACID SF 0.25% on test viruses - virucidal activity

	Virucida	al activity of the	e product (EN 14476	5:2013+A1:2015)		
Strain	Test temperature [°C]	Contact time [min]	Product test concentrations [%]**	Interfering substances - conditions	Δlog <sub>10</sub> TCID <sub>50</sub> EN 14476:2013+ A1:2015	Δlog <sub>10</sub> TCID <sub>50</sub>
Vaccinia virus strain Elstree CAMP V-160	20	5	100*	clean	≥ 4	>4
Vaccinia virus strain Elstree CAMP V-160	20	15	100*	clean	≥ 4	>4
Vaccinia virus strain Elstree CAMP V-160	20	30	100*	clean	≥ 4	> 4

#### Note:

 $TCID_{50}$ - 50% infecting dose of a virus suspension or that dilution of the virus suspension that induce a CPE in 50% of cell culture units

Prepared by:

Bc. Iva Čížová, Lab Technician

<sup>\*</sup> Product can only be tested at a concentration of 97% (RTU) or less, as some dilution is always produced by adding the test organisms and interfering substance.

<sup>\*\*</sup> The test was performed by using MicroSpin<sup>TM</sup> S 400 HR

Sample ID: D89/2017

Rep No: 130

Sample name: GLOBACID SF 0.25%

Sampled: by client

Sample delivered: 11.5.2017 Testing date: 27.10. - 8.12.2017

Delivered amount: 11

Sampling date: 5.5.2017

Sampling point: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404

Client: Goodpoint Chemicals, Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404

Batch No: 20042017

**Experiment conditions:** 

Testing of disinfecting efficiency of chemical disinfecting and

antiseptic agents by suspension method SOP-M-19-00

(EN 14476:2013 +A1:2015)

29.11. - 8.12.2017

Period of analysis: Test temperature:

Method of titration:

Appearance of the product: Test concentration:

Contact time:

Interfering substances:

Reference product:

20 °C ± 1 °C virus titration on monolayers of cells on microtitre plates

colourless liquid 100% (concentrated)\*/\*\*

5 min, 15 min, 30 min

0.3 g/l BSA (clean conditions)

Formaldehyde 36 – 38% solution p.a., CAS: 50-00-0, Batch No:

K47740803613, expiry date: 31.3.2018

BVDV strain NADL ATCC-VR-534 (6th passage)

Test virus: Cell lines:

MDBK cells 36 °C  $\pm$  1 °C, 5 % CO<sub>2</sub>, 96 h, and additional period of 96 hours, and

Incubation: additional period of 24 hours. After incubation, the titre infectivity is calculated according to Spearman-Kärber

# Preparation of the test

1. Determination of the number of the microorganisms CFU/ml in the product

2. Preparation of cell culture

3. Preparation of the test virus suspension

4. Test of viral infectivity

5. Virus titration with interfering substance

6. Cytotoxicity of the product

7. Reference virus inactivation test

8. Test procedure for virucidal activity of product

Virucidal activity - the capability of a product to produce a reduction in the number of infectious virus particles Note: under defined conditions by at least 4 (lg) orders.

\* Product can only be tested at a concentration of 97% (RTU) or less, as some dilution is always produced by adding the test organisms and interfering substance.

\*\* The test was performed by using MicroSpin<sup>TM</sup> S 400 HR

EN 14476:2013 +A1:2015 Chemical disinfectants and antiseptics – Quantitative suspension test for the evaluation of virucidal activity in the medical area - Test method and requirements (Phase 2/Step 1) August 2013 + September 2015

Sample ID: D89/2017

Rep No: 130

Sample name: GLOBACID SF 0.25%

Sampled: by client

Sampling date: 5.5.2017 Sample delivered: 11.5.2017 Testing date: 27.10. – 8.12.2017

Delivered amount: 11

Page: 5

Sampling point: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404

Client: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404

Batch No: 20042017

3. Testing the efficacy of chemical disinfectant GLOBACID SF 0.25% on BVDV strain NADL ATCC-VR-534

Tab No. 3.1 Table of results of product GLOBACID SF 0.25% on BVDV strain NADL ATCC-VR-534

Product	Concentration **	Interfering substances	Level of cytoxicity	- log <sub>10</sub> TCID <sub>50</sub> after 5 min	- log <sub>10</sub> TCID <sub>50</sub> after 15 min	- log <sub>10</sub> TCID <sub>50</sub> after 30 min
GLOBACID SF 0.25%	100%*	clean	≤3.50	4.17	3.83	3.50
Formaldehyde	0.7 % (w/v)	PBS	≤1.50	6.50	5.33	-
			Virus titration, time = 0			,
Virus control	-	PBS	9.00	9.00	9.00	-
Virus control	-	clean	9.00	9.00	9.00	9.17

Tab No. 3.2 Testing the efficacy of chemical disinfectant GLOBACID SF 0.25% on BVDV strain NADL ATCC-VR-534

Test concentration**	Titre of the virus suspension - log <sub>10</sub> TCID <sub>50</sub>	Interfering substances	Contact time	- log <sub>10</sub> TCID <sub>50</sub> after test procedure	Δlog <sub>10</sub> TCID <sub>50</sub>
100%*	9.00	clean	5 min	4.17	4.83
100%*	9.00	clean	15 min	3.83	5.17
100%*	9.00	clean	30 min	3.50	5.50

## 4. Evaluation of virucidal activity of the product GLOBACID SF 0.25%

Tab No. 4.1 The efficacy of chemical disinfectant GLOBACID SF 0.25% on test viruses - virucidal activity

-	Virucida	al activity of the	e product (EN 14476	5:2013+A1:2015)		
Strain	Test temperature [°C]	Contact time [min]	Product test concentrations [%]**	Interfering substances - conditions	Δlog <sub>10</sub> TCID <sub>50</sub> EN 14476:2013+ A1:2015	Δlog <sub>10</sub> TCID <sub>50</sub>
BVDV strain NADL ATCC- VR-534	20	5	100*	clean	≥4	>4
BVDV strain NADL ATCC- VR-534	20	15	100*	clean	≥ 4	> 4
BVDV strain NADL ATCC- VR-534	20	30	100*	clean	≥ 4	> 4

Note

 $TCID_{50}$ - 50% infecting dose of a virus suspension or that dilution of the virus suspension that induce a CPE in 50% of cell culture units

Prepared by:

Bc. Iva Čížová, Lab Technician

<sup>\*</sup> Product can only be tested at a concentration of 97% (RTU) or less, as some dilution is always produced by adding the test organisms and interfering substance.

<sup>\*\*</sup> The test was performed by using MicroSpin<sup>TM</sup> S 400 HR

Sample ID: D89/2017

Rep No: 130

Sample name: GLOBACID SF 0.25%

Sampled: by client

Sampling date: 5.5.2017 Sample delivered: 11.5.2017 Testing date: 27.10. - 8.12.2017

Delivered amount: 11

Sampling point: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404

Client: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404

Batch No: 20042017

**Experiment conditions:** 

Testing of disinfecting efficiency of chemical disinfecting and

Page: 6

antiseptic agents by suspension method SOP-M-19-00

(EN 14476:2013 +A1:2015)

23.11. - 1.12.2017Period of analysis:

20 °C ± 1 °C Test temperature: virus titration on monolayers of cells on microtitre plates

Method of titration:

colourless liquid Appearance of the product: Test concentration:

100% (concentrated)\*/\*\* 5 min, 15 min, 30 min Contact time:

0.3 g/l BSA (clean conditions) Interfering substances:

Formaldehyde 36 - 38% solution p.a., CAS: 50-00-0, Batch No: Reference product:

K47740803613, expiry date: 31.3.2018

Adenovirus type 5, strain Adenoid 75, ATCC VR-5 (3rd passage) Test virus:

HeLa cells Cell lines:

36 °C  $\pm$  1 °C, 5 % CO<sub>2</sub>, 96 h, and additional period of 96 hours. After Incubation:

incubation, the titre infectivity is calculated according to Spearman-Kärber method.

Preparation of the test

1. Determination of the number of the microorganisms CFU/ml in the product

2. Preparation of the cell culture

3. Preparation of the test virus suspension

4. Test of the viral infectivity

5. Virus titration with the interfering substance

6. Cytotoxicity of the product

Reference virus inactivation test

8. Test procedure for the virucidal activity of the product

Note:

Virucidal activity - the capability of a product to produce a reduction in the number of infectious virus particles under defined conditions by at least 4 (lg) orders.

\* Product can only be tested at a concentration of 97% (RTU) or less, as some dilution is always produced by adding the test organisms and interfering substance.

\*\* The test was performed by using MicroSpin<sup>TM</sup> S 400 HR

EN 14476:2013 +A1:2015 Chemical disinfectants and antiseptics – Quantitative suspension test for the evaluation of virucidal activity in the medical area - Test method and requirements (Phase 2/Step 1) August 2013 + September 2015

Sample ID: D89/2017

Rep No: 130

Sample name: GLOBACID SF 0.25%

Sampled: by client

Sampling date: 5.5.2017 Sample delivered: 11.5.2017 Testing date: 27.10. – 8.12.2017

Delivered amount: 11

Page://

Sampling point: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404

Client: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404

Batch No: 20042017

5. Testing the efficacy of chemical disinfectant GLOBACID SF 0.25% on Adenovirus type 5, strain Adenoid 75, ATCC VR-5

Tab No. 5.1 Table of results of product GLOBACID SF 0.25% on *Adenovirus* type 5, strain Adenoid 75, ATCC VR-5

Product	Concentration **	Interfering substances	Level of cytoxicity	- log <sub>10</sub> TCID <sub>50</sub> after 5 min	- log <sub>10</sub> TCID <sub>50</sub> after 15 min	- log <sub>10</sub> TCID <sub>50</sub> after 30 min	- log <sub>10</sub> TCID <sub>50</sub> after 60 min
GLOBACID SF 0.25%	100%*	clean	≤3.50	5.50	4.83	4.83	-
Formaldehyde	0.7 % (w/v)	PBS	≤1.50	-	-	6.50	5.00
280			Virus titration, time = 0				
Virus control		PBS	9.50			9.50	9.50
Virus control	-	clean	9.50	9.50	9.50	9.33	-

Tab No. 5.2 Testing the efficacy of chemical disinfectant GLOBACID SF 0.25% on Adenovirus type 5, strain Adenoid 75, ATCC VR-5

Test concentration**	Titre of the virus suspension - log <sub>10</sub> TCID <sub>50</sub>	Interfering substances	Contact time	- log <sub>10</sub> TCID <sub>50</sub> after test procedure	Δlog <sub>10</sub> TCID <sub>50</sub>
100%*	9.50	clean	5 min	5.50	4.00
100%*	9.50	clean	15 min	4.83	4.67
100%*	9.50	clean	30 min	4.83	4.67

# 6. Evaluation of virucidal activity of the product GLOBACID SF 0.25%

Tab No. 6.1 The efficacy of chemical disinfectant GLOBACID SF 0.25% on test viruses - virucidal activity

	Virucida	al activity of the	e product (EN 14476	5:2013+A1:2015)		
Strain	Test temperature [°C]	Contact time [min]	Product test concentrations [%]**	Interfering substances - conditions	Δlog <sub>10</sub> TCID <sub>50</sub> EN 14476:2013+ A1:2015	Δlog <sub>10</sub> TCID <sub>50</sub>
Adenovirus type 5, strain Adenoid 75, ATCC VR-5	20	5	100*	clean	≥4	4
Adenovirus type 5, strain Adenoid 75, ATCC VR-5	20	15	100*	clean	≥ 4	> 4
Adenovirus type 5, strain Adenoid 75, ATCC VR-5	20	30	100*	clean	≥ 4	> 4

#### Note:

 $TCID_{50}$ - 50% infecting dose of a virus suspension or that dilution of the virus suspension that induce a CPE in 50% of cell culture units

\*\* The test was performed by using MicroSpin<sup>TM</sup> S 400 HR

Prepared by:

Bc. Iva Čížová, Lab Technician

<sup>\*</sup> Product can only be tested at a concentration of 97% (RTU) or less, as some dilution is always produced by adding the test organisms and interfering substance.

Sample ID: D89/2017

Rep No: 130

Sample name: GLOBACID SF 0.25%

Sampled: by client

Sampling point: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 7640 Client: Goodpoint Chemicals Ltd, Urda tee 3, Jälgimäe, Saku vald, Harjumaa, Estonia 76404

Batch No: 20042017

Sampling date: 5.5.2017

Za Dráhou -386/3

695 G1 Hadonin

č. 1273

Sample delivered: 11.3.2017
Testing date: 27.10. – 8.12.2017

Page: 8

Interpretation:

Results of tests are in Tabs.

According to EN 14476:2013+A1:2015 the tested concentrated\*/\*\* product GLOBACID SF 0.25%, batch No. 20042017, in the contact times 5 min, 15 min and 30 min under clean conditions at temperature 20 °C  $\pm$  1 °C proved by the method of virus titration on monolayers of cells on microtitre plates to reduce the number of infectious Vaccinia virus strain Elstree CAMP V-160 particles under defined conditions by at least 4 (lg) orders. The test for virucidal activity against enveloped virus Vaccinia virus will cover all enveloped viruses only (Annex A. standard EN 14476:2013+A1:2015).

The tested concentrated\*/\*\* product GLOBACID SF 0.25%, batch No. 20042017, in the contact times 5 min, 15 min and 30 min under clean conditions at temperature 20 °C ± 1 °C proved by the method of virus titration on monolayers of cells on microtitre plates to reduce the number of infectious BVDV strain NADL ATCC-VR-534 particles under defined conditions by at least 4 (lg) orders (EN 14476:2013+A1:2015).

According to EN 14476:2013+A1:2015 the tested concentrated\*/\*\* product GLOBACID SF 0.25%, batch No. 20042017, in the contact times 5 min, 15 min and 30 min under clean conditions at temperature 20 °C  $\pm$  1 °C proved by the method of virus titration on monolayers of cells on microtitre plates to reduce the number of infectious Adenovirus type 5, strain Adenoid 75, ATCC VR-5 particles under defined conditions by at least 4 (lg) orders.

\* Product can only be tested at a concentration of 97% (RTU) or less, as some dilution is always produced by adding the test organisms and interfering substance.

\*\* The test was performed by using MicroSpin<sup>TM</sup> S 400 HR

The product GLOBACID SF 0.25% is capable of reducing the number of infectious Vaccinia virus and BVDV under defined conditions to the declared values, and consequently, may be called virucidal against enveloped

The product GLOBACID SF 0.25% is capable of reducing the number of infectious Adenovirus under defined conditions to the declared values, and consequently, may be called virucidal on Adenovirus.

8.12.2017, Hodonín

Ing. Barbora Stoklasková, Leader

Macen

695 01 Hodonín

....Chemila: sii