

Specificații tehnice (F4.1)

LICITAȚIE pentru atribuirea contractului de achiziție publică având ca obiect Achiziționarea de Echipament și accesorii pentru computer la data de 14.07.20, organizată de JUDECĂTORIA CHIȘINĂU

Ofertantul: ALEXION STAR S.R.L., str. Testemiteanu 37, of.20

Denumirea bunurilor și/sau a serviciilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
2	3	4	5	6	7	8
Bunuri/Servicii:						
Lotul 1						
Calculatoare de birou	M800 SFF	China	Lenovo & Philips	- Bloc de Sistemă Brand name international Small Form Factor Processor: minim CPU Intel Core i7 sau analog 14 nm, 4 core, cash 8MB, Frecvența procesor: min 3.4 Ghz. Placa de baza cu minim 4 RAM sockets Hard discul – min 500Gb, SSD – min 240Gb Tip rețea: GLAN RAM Min 12Gb DDR4 Soft : S.O. Windows 10 Home sau 10 PRO + Office Home & Bussines 2016 sau 2019 licențiat. Monitor diagonală min 23.8 " 1920 x 1080 (Full HD), 5ms,250cd, LED10M:1, D-Sub+HDMI+DVI, Speakers Keyboard En/RU USB , Mouse Optical 1000 dpi USB cu fir + Mouse Pad Power filter: Length: 5 m, 5 sockets Garanție min 24 luni	Bloc de Sistemă Brand name international Small Form Factor Lenovo M800 SFF Processor: Intel Core Intel® Core™ i7-6700 14 nm, 4 core, cash 8MB, Frecvența procesor: min 3.4-4.0 Ghz, Placa de baza cu 4 RAM sockets Hard discul – 500Gb, SSD 240Gb Tip rețea: GLAN RAM Min 12Gb DDR4 Soft : S.O. Windows 10 Home + Office Home & Bussines 2016 licențiat. Monitor "23.8" Philips "243V7QDAB", Black (IPS) 1920x1080, 5ms, 250cd, LED10M:1, D-Sub+HDMI+DVI, Speakers Logitech Desktop MK120 USB, Keyboard + Mouse, Retail + Mouse Pad Power filter SVEN: Length: 5 m, 5 sockets Garanție 24 luni	ISO
LOT 2						
				Workgroup document A4 flatbed scanner and integrated ADF. Scanning documents, booklets, passports, ID cards, envelope and mixed-size documents.Daily Duty Cycle min. 6.000 sheets Paper-feeding capacity min. 100 originals (80g/m2) Scanning Resolution min. 100 - 600 dpi (1 dpi step), 1,200dpi interpolated	Workgroup document A4 flatbed scanner and integrated ADF. Scanning documents, booklets, passports, ID cards, envelope and mixed-size documents.Daily Duty Cycle min. 6.000 sheets Paper-feeding capacity min. 100 originals (80g/m2) Scanning Resolution min. 100 - 600 dpi (1 dpi step), 1,200dpi interpolated	



<p>Scanere informatic</p>	<p>KV-SL3056-U</p>	<p>China</p>	<p>Panasonic</p>	<p>Automatic switch Optical Resolution - 300 dpi or 600 dpi Scanning Speed ADF A4 Binary / Color, 300dpi min. 45 ppm/90 ipm Flatbed Scanning Speed A4 Binary / Color, 300dpi max. 1.6 s/page Ultrasonic Double Feed Detection ADF Documents Weight min. 0.05 - 410 g/m2 ADF Documents Thickness min. 0.05 - 0.5 mm, ISO Card min. 0.75 mm, Bound documents min. 2.5 mm ADF Documents Size min. 50x55 mm to 215 mm x 215 mm x No Limited Background colour switching: black or white Features: scanning can be started by simply opening and closing the flatbed cover, without needing to press the start button or operate the scanner via PC, Single-touch recall previous settings, Auto Preview, Double feed skip, Barcode detection, Automatic Brightness Adjustment Supported ISIS, TWAIN, Patchcode Detection Roller Replacement Life min. 240,000 sheets Interface - min. USB 2.0</p> <p>Garantie min 24 luni</p>	<p>Automatic switch Optical Resolution - 300 dpi or 600 dpi Scanning Speed ADF A4 Binary / Color, 300dpi min. 45 ppm/90 ipm Flatbed Scanning Speed A4 Binary / Color, 300dpi max. 1.6 s/page Ultrasonic Double Feed Detection ADF Documents Weight min. 0.05 - 410 g/m2 ADF Documents Thickness min. 0.05 - 0.5 mm, ISO Card min. 0.75 mm, Bound documents min. 2.5 mm ADF Documents Size min. 50x55 mm to 215 mm x 215 mm x No Limited Background colour switching: black or white Features: scanning can be started by simply opening and closing the flatbed cover, without needing to press the start button or operate the scanner via PC, Single-touch recall previous settings, Auto Preview, Double feed skip, Barcode detection, Automatic Brightness Adjustment Supported ISIS, TWAIN, Patchcode Detection Roller Replacement Life min. 240,000 sheets Interface - min. USB 2.0</p> <p>Garantie 24 luni</p>	<p>ISO</p>
<p>LOT 3</p>	<p>Imprimante multifunctionale Laser A4</p>	<p>China</p>	<p>Canon</p>	<p>Printer/Copier/Scanner/Fax. Alimentator automat de documente (35-sheet), Ecran tactil LCD alb-negru cu 6 linii. Memorie 256Mb, 1200x1200dpi, 23 ppm, 60-163t/m2, Scan 9600x9600 dpi-24 bit, 250sheet tray, Timp de imprimare a primei pagini in 6 sec sau mai puţin, Reducere/mărire 25-400% în trepte de 1%, USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g/n, Wireless Direct Connection, USB 2.0, Cartridge 737 sau analog (2400 pages*), Cablu USB +2 cartus original de rezerva</p> <p>Garantie min 24 luni</p>	<p>Printer/Copier/Scanner/Fax. Alimentator automat de documente (35-sheet), Ecran tactil LCD alb-negru cu 6 linii. Memorie 256Mb, 1200x1200dpi, 23 ppm, 60-163t/m2, Scan 9600x9600 dpi-24 bit, 250sheet tray, Timp de imprimare a primei pagini in 6 sec sau mai puţin, Reducere/mărire 25-400% în trepte de 1%, USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g/n, Wireless Direct Connection, USB 2.0, Cartridge 737 (2400 pages*), Cablu USB +2 cartus original de rezerva</p> <p>Garantie 24 luni</p>	<p>ISO</p>
<p>LOT 4</p>	<p>Copiator A4</p>	<p>China</p>	<p>Canon</p>	<p>A4 monochrome laser All-in-One printer - Print, Copy, Scan, Send Automatic Double sided printing Double side Print speed min. 48ppm (A4) , Print resolution 1200 dpi x 1200 dpi, Direct printing JPEG, TIFF, PDF available from USB memory, and Web Access Paper input min. 1100 sheets (80 gsm) + min. 100-sheet(80 gsm) multi purpose tray , Optional expand paper feed to a minimum of 2200 pages.Paper output min. 250 sheets (80 gsm)</p>	<p>A4 monochrome laser All-in-One printer - Print, Copy, Scan, Send Automatic Double sided printing Double side Print speed min. 48ppm (A4) , Print resolution 1200 dpi x 1200 dpi, Direct printing JPEG, TIFF, PDF available from USB memory, and Web Access Paper input min. 1100 sheets (80 gsm) + min. 100-sheet(80 gsm) multi purpose tray , Optional expand paper feed to a minimum of 2200 pages.Paper output min. 250 sheets (80 gsm)</p>	<p>ISO</p>



				Supported Plain paper, Recycled paper, Colour paper, Heavy paper, Pre-punched paper. Page Description Language - PCL5e/6, Adobe Postscript Level 3 Copy Reduction/Enlargement - Zoom: 25-400 % in 1 % increments Fixed Zoom Ratio: 25 %, 50 %, 70 %, 100 %, 141 %, 200 %, 400 % FCOT max. 6 seconds Scan resolution - from 100 dpi to 600 dpi Automatic Double sided scanning - 2-sided to 2-sided TWAIN/WIA scanning available, Scan to USB Memory, Send destinations - E-Mail/Internet FAX (SMTP), PC (SMB, FTP, WebDAV) for TIFF, JPEG, PDF, XPS, PDF/XPS (compact), PDF/A-1b, Searchable PDF/XPS, Office Open XML (PowerPoint). Security min. IP/Mac Address Filtering, IPSEC, SNMP V3.0, IEEE 802.1X, Trusted Platform Module (TPM), Secure Print, HDD Password Lock, Data Erase, Department ID, SSO-H, Access Management System. Optional supported Encryption, User and Device signatures, Secure Watermarks, Data Loss Prevention. Memory min. 1.5 GB, min. 150 GB Hard Disk Drive. Min. 6 inch WVGA Colour TFT LCD Tiltable Touch MFP should come with a floor stand and a supply of original consumables for printing at least 30,000 pages. Interface min. USB 2.0, 2 x USB Host, 1000BaseT Ethernet. No wireless. Operating System compatibility - Win XP, Win 7, Win 10, Win Server 2003/ 2008/ 2012 or later. Cassette Feeding Module-AA1 Pedestal +2 cartus original de rezerva
				Supported Plain paper, Recycled paper, Colour paper, Heavy paper, Pre-punched paper. Page Description Language - PCL5e/6, Adobe Postscript Level 3 Copy Reduction/Enlargement - Zoom: 25-400 % in 1 % increments Fixed Zoom Ratio: 25 %, 50 %, 70 %, 100 %, 141 %, 200 %, 400 % FCOT max. 6 seconds Scan resolution - from 100 dpi to 600 dpi Automatic Double sided scanning - 2-sided to 2-sided TWAIN/WIA scanning available, Scan to USB Memory, Send destinations - E-Mail/Internet FAX (SMTP), PC (SMB, FTP, WebDAV) for TIFF, JPEG, PDF, XPS, PDF/XPS (compact), PDF/A-1b, Searchable PDF/XPS, Office Open XML (PowerPoint). Security min. IP/Mac Address Filtering, IPSEC, SNMP V3.0, IEEE 802.1X, Trusted Platform Module (TPM), Secure Print, HDD Password Lock, Data Erase, Department ID, SSO-H, Access Management System. Optional supported Encryption, User and Device signatures, Secure Watermarks, Data Loss Prevention. Memory min. 1.5 GB, min. 150 GB Hard Disk Drive. Min. 6 inch WVGA Colour TFT LCD Tiltable Touch MFP should come with a floor stand and a supply of original consumables for printing at least 30,000 pages. Interface min. USB 2.0, 2 x USB Host, 1000BaseT Ethernet. No wireless. Operating System compatibility - Win XP, Win 7, Win 10, Win Server 2003/ 2008/ 2012 or later. Cassette Feeding Module-AA1 Pedestal +2 cartus original de rezerva
LOT 5				Garantie min 24 luni.
SSD	AS350	China	Apacer	SSD 128 GB scriere-560 mb/s citire-540MB/s, 65/82K IOPS
Bloc de alimentare ATX 500 W	Soho ATX	China	Soho	Bloc de alimentare ATX 500 W
Tastatura	RX-110	China	SVEN	
Mouse	KB-S300	China	SVEN	
				Power Supply ATX 500W Soho, 12cm Fan, Bulk Mouse Optical, 1000 dpi, 3 buttons, Ambidextrous, Black, USB Keyboard Traditional layout, Quiet, Splash proof, Black, USB+PS/2
				Garantie min 24 luni.
				ISO

Semnat: 

Numele, Prenumele: Ion Plăcintă

În calitate de:

