

Quality design for durability

Our most consolidated court, which combines construction systems of pillars and frames, so that once installed, large 120x80mm pillars reinforced with buttresses are formed.

In addition to being super-strong, in the VISION model the glass is flush with the mesh, which is continuous between frames. Both, the metallic mesh and the glass, rest on a frame around its entire perimeter, guaranteeing high quality aesthetic and robust finishes.


Design

Structure

Glass

Versions

Customization



INTERNATIONAL
PADEL
FEDERATION

Quality design for durability

Our most consolidated court, which combines construction systems of pillars and frames, so that once installed, large 120x80mm pillars reinforced with buttresses are formed.

In addition to being super-strong, in the VISION model the glass is flush with the mesh, which is continuous between frames. Both, the metallic mesh and the glass, rest on a frame around its entire perimeter, guaranteeing high quality aesthetic and robust finishes.


Design

Structure


Glass

Versions

Customization



INTERNATIONAL
PADEL
FEDERATION



Technical specifications

Performance needs technology

Reinforced electrowelded wire mesh

—

Homologated by the EU

—

S235 steel galvanized

—

Active perimeter

—

Anti-injury system

Durability and reinforcements

—

WPT type entrances

—

Highly customizable

Structure



Structural system homologated
by Eurocodes standards.


Design

Structure 1.1

Glass

Versions

Customization



Active perimeter

Wire mesh and glass rest on its entire perimeter on a frame built with 40 x 40 x 2 mm tube, to ensure maximum stability, better bounce of the ball and safety during the game.

Electrowelded wire mesh

The frames of 50x50x4mm electrowelded wire mesh are internally reinforced with two extra 40 x 40 x 2 mm tubes, to ensure the long-term stability of the wire mesh. Injury prevention: meshes aligned between frames and the wire mesh flush with the glass (no edges).

Structure



Structural system homologated by Eurocodes standards.

Galvanized steel

the metallic structure of the padel court is carbon steel S235 and hot galvanized Z275.

Design

Structure 1.1

Glass

Versions

Customization

Support of the structure


24 pillars 80 x 80 x 2 mm thick of 3 meters high, with anchorplates measuring 26 x 16 x 1 cm thick which are reinforced with 10 cm tall buttresses. Each pillar is positioned every 2 metres to reinforce and brace the whole structure.

A4 stainless steel screws

& 144 metallic anchors bolts homologated by the EU.

Certified paint

Qualisteelcoat® C4H and C5VH (ISO 12944).



Structure



Structural system homologated by Eurocodes standards.



Design

Structure 1.1

Glass

Versions

Customization



Net posts matching the structure

Rounded shape without corners, with an internal tensioning system accessible with a hinged lid and hidden anchor plate to avoid injuries.

World Padel Tour type open entrances.

2 large open entrances in the centre of the court to facilitate players' quick and safe access and exit.


Tempered Glass

— EN 12150

According to the standards of the International Padel Federation for tempered glass, 12 mm thick with flat polished edge, with perfect planimetry and fully homologated according with the WPT, Premier Padel and APT designs: 18 glasses of 2995 x 1995 mm, with countersunk holes (108 m²).

Rubber joints of the highest quality, with the same thickness as the metal section, to absorb shock and vibration of the glass against the metal structure.

Anchoring of tempered glass with M10 countersunk screws A4 stainless steel.



Structural system homologated by Eurocodes standards.

Choose the structural system you need

Depending on the weather conditions to which the padel court is subjected, or if it needs to be a fixed or temporary installation, but always enjoy the same performance, maintaining maximum elegance and the best design, regardless of whether you play indoors or on the roof of a skyscraper

Design

Structure

Glass


Versions

Customization



vision

Strength and resistance to be able to withstand normal weather conditions. Patented structural system designed to obtain the best game performance, at all levels and intensively. The recommended option for most facilities, padel clubs, hotels and private homes.



vision POP-UP

Designed to be able to assemble and disassemble the court without losing quality and playability. With portable kit to avoid anchoring to the ground. Suitable for temporary or fixed installations, it's the an ideal option for events.

All you need, we can do it

Customize your padel court according to your needs, fully customizable in colors, branding, lighting, protections and complementary accessories.

Design

Structure

Class

Versions

Customization



Structure / Colour

Structure colour

Choose any colour on the RAL chart or combine them in the padel court.

— MOST POPULAR COLOURS



Zinc primer

For places with very humid or corrosive atmospheres or climates.

Customizable corner trims

The four corners are customizable with the brand or name of your choice.



Design

Structure

Glass

Versions

Customization

Efficient lighting


We use LED ultra slim floodlights, 150W or 200W of power with high luminosity, high efficiency heatsink, and highquality driver. (EN 12193).



Lighting & illumination

Choose the shape of the pillars and the number and power of the LED floodlights for personal, commercial or tournament use.

- Design
- Structure
- Class
- Versions
- Customization



Customization

Benches & bin

High quality complements that provide greater comfort to the player.

Scoreboard

Manual scoreboard or digital scoreboard with tactile push button behind the padel glass and optional live broadcast.

Hangers



Design

Structure

Glass

Versions

Customization

Ball-stop nets

Void losing balls by installing protective nets on the upper section of the padel court.



Design

Structure

Glass

Versions

Customization

Doors

Open entrances without doors (WPT design), sliding doors or hinged doors (access control devise).

Protectors


Cushioned covers on the net posts and entrances, with space to insert advertising.



**You have the vision.
We have the know-how.**

Club projects

In JUBO Padel we have a long experience in the management of padel and sports clubs in general, since they have been our clients for more than 25 years. We always share 100% of our knowledge with our customers to create the perfect project, together.





AVIZ DE VERIFICARE Nr.05.04

la documentatia de deviz pentru obiectul
"Amenajarea terenului de padel 22x12m în parcul Rășcani, mun. Chișinău,
pe teren cu nr. cad. 0100424037"

1. **Beneficiar:** Pretura Sectorului Rășcani, mun. Chișinău, str. Kiev, 3, MD-2068
2. **Proiectant:** Elaborator de devize: Corsan Ion (cert. nr.152 din 15.07.2020)
3. **Baza de întocmire:**

- Borderoul cu cantitatile de lucrări necesare de executat aprobata de Beneficiar;
- Documentatia de deviz (formularele 3,5,7).

4. **Date privind verificarea documentației de deviz:**

Verificarea a fost executată de **Vatamanu Iurie, Verificator de proiecte 12a,b, Certificat de atestare tehnico-profesională seria VP-2022 nr.126.**

Costul de deviz supus verficării în conformitate cu documentația de deviz prezentată (Devizul Local), constituie **1 448,80 mii lei.**

5. **Date privind rezultatele verificării documentației de deviz:**

Documentația de deviz a fost întocmită prin metoda de resurse, în corelare cu CP_L.01.01-2012 "Instrucțiuni privind întocmirea devizelor pentru lucrările de construcții-montaj prin metoda de resurse", cu utilizarea IND și a reglementărilor tehnico-economice actuale din domeniul construcțiilor.

Documentația de deviz a fost întocmită în baza documentației de proiect, cu utilizarea prețurilor la nivelul Trimestrului II, anul 2025 ale resurselor materiale, forței de muncă, al utilajelor, mecanismelor de construcții incluse în calculi și valorilor cheltuielilor limitate: cotei cheltuielilor de asigurări sociale, cheltuielilor de transport, cheltuielilor de regie, beneficiului de deviz și TVA, valabile pentru perioada dată.

Documentația de deviz este elaborată pentru "Amenajarea terenului de padel 22x12m în parcul Rășcani, mun. Chișinău, pe teren cu nr. cad. 0100424037" și este structurată pe următoarele etape și categorii de lucrări:

- Deviz Local Nr.2-1-1 Teren padel 22x12m – 1 buc

La obiectul menționat se prevede de executat următoarele lucrări de bază:

- a) Lucrări de amenajare a terenului de padel, cu executarea îmbrăcămintei sportive specializate, incastrarea liniilor de trasare, executarea îngrădirilor la terenul de padel.

Verificării a fost supusă documentația de deviz (formularele 3,5,7), întocmită pentru determinarea costului de deviz al Investitorului/Beneficiarului, respectiv valoarea investiției necesare pentru lucrările stabilite.

Responsabilitatea respectării soluțiilor tehnice și tehnologice acceptate, precum și de volumele de lucrări necesare executării ține de membrii comisiei și autorul documentației de deviz.

6. **Concluzii:**

Documentația de deviz la obiectul "Amenajarea terenului de padel 22x12m în parcul Rășcani, mun. Chișinău, pe teren cu nr. cad. 0100424037" se recomandă spre aprobare cu costul de deviz estimativ, determinat de prețurile curente ale Trimestrului II anul 2025, în valoare totală, cu TVA de **1 448,80 mii lei**, inclusiv: a) Lucrările de construcție montaj 287,05 mii lei, b) Utilaj 1 161,75 mii lei, c) Alte cheltuieli 0,00 mii lei;

Verificator de proiecte 12a,b
Vatamanu Iurie



02.04.2025