



Pereu
sc. 1:10
1200



Specificatia materialelor pentru pereu

Pozitia	Denumirea	Cantitate	Unitate de masura	Nota
	Beton cl. C15, rezistenta la inghet F100, sub inclinare, $\delta = 100-130$ mm	7,37	m ³	
	Plasa de consolidare Ø6 A-I, pas 150x150	170,8	kg	
	Piatra sparta M400 (20-40 mm), $\delta = 100$ mm	6,4	m ³	
	Bordura BP 100.20.8	67,0	m	
	Placi pavare din beton $\delta=40$ mm	64,1	m ²	

1. Plansa data se citeste cu pl.- 15

OBIECTIV NR. - 12.04-D/21-SAC							
Reconstructia cladirii in oficiul medicilor de familie din s.Ruseni, r-ul Edinet							
Mod.	Can.	Foia	Nr.d.	Semnat.	Data		
ASP	Mihaila V.				06.21		
ISP	Hihlat E.				06.21		
Elaborat	Ciobanu V.				06.21		
Reconstructia cladirii					faza	plansa	planse
					PE	16	
Nod I, II; Pereu; Specificatia materialelor pentru pereu					SRL "Geo-Cad-Proiect" mun. Balti		

Nr.inve.a.orig. Data si semnatura Nr.inve.schim.