ANNOUNCEMENT OF PARTICIPATION

regarding the purchase	IT Equipment, for the needs of Project no. 609656-EPP-1-2019-1- MD-EPPKA2-CBHE-SP "Moldova Higher Education Leadership and Management / MHELM", funded under the ERASMUS + program
through the procurement procedure	Open Tender

1. Name of the contracting authority: Technical University of Moldova, Public Esteblishment

- 2. Fiscal Code: 1007600001506
- 3. Address: 168 Ștefan cel Mare Street, Chișinău Mun.
- 4. Telephone/Fax number: 022-23-35-03
- 5. E-mail and Internet address of the contracting authority: olga.gherman@adm.utm.md; https://www.utm.md
- 6. The E-mail or Internet address from which the access to the award documentation can be obtained: The award documentation is attached in the procedure in SIA RSAP (The Automated Information System "The State Register of Public Procurement")
- 7. Type of contracting authority and main object of activity (If applicable, the statement that the contracting authority is a central purchasing authority or that the acquisition involves or could involve another form of joint procurement): Public Higher Education Institution.
- 8. The buyer invites interested economic operators, who can meet their needs, to participate in the procurement procedure for the delivery of the following goods:

No.	CPV Code	Name of the goods / services / works required	Quantity, unit of measure	Full technical specification required, Reference standards	Estimated value, net af VAT (MD lei) (for each lot individually)
1.1	30231310-3	Interactiv flat panel display	14 pieces	Display: Back light Direct type LED Size (diagonal) minimum 75" Resolution minimum 3840(H)*2160(V) Pixel (UHD 4K) Brightness minimum 350 cd/m2 Contrast ratio minimum 1,200:1 Contrast ratio (dynamic) minimum 4,000:1 Viewing angle minimum 178° Response time maximum 8ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W Surface hardness minimum 7H Glass Toughened Anti-glare glass, blue light filter and wide viewing angle Connections:	1097650,00

	1	[1		
				Inputs minimum 3 x HDMI 2.0, 1 x	
				VGA, 1 x Audio 3.5mm	
				Outputs minimum 1 x HDMI, 1 x Audio	
				RCA L&R, 1 x Audio 3.5mm	
				Control minimum 6 x USB-A, 1 x	
				RS232	
				Touch system:	
				System Windows / Linux/ Mac/ Android	
				Touch point: minimum 10 points writing	
				and 20 points touch	
				Touch tool Finger, Finger covered by	
				glove, Opaque objects	
				Power:	
				Power supply 100-240V~ 50/60Hz	
				Power consumption (standby) ≤ 0.5 W	
				Power consumption (standby) <u>50.5</u> W	
				Operation System	
				1 0	
				Android CPU minimum Dual Core	
				RAM minimum 2 GB	
				ROM minimum 16 GB	
L				3 Years Warranty	
				The supplied items must be delivered, installed, mounted, tested and	
				configured representing a fully	
		Installation,		functional.	
1.0	5100000-9	configuration and	1	The Supplier must provide on the job	
1.2	5030000-8	maintenance	1 pieces	training for operations and technical staff	
	50500000 0	maintenance		in the use of the installed hardware.	
				The Supplier must provide a 1 year of	
				The Supplier must provide a 1 year of tech support after installing	
Lat) Intono atin			The Supplier must provide a 1 year of tech support after installing	
Lot	2 Interactiv	e whiteboard with	projector	tech support after installing	
Lot	2 Interactiv	e whiteboard with	projector	tech support after installing Interactive whiteboard:	638430,00
Lot	2 Interactiv	re whiteboard with	projector	tech support after installing Interactive whiteboard: Size minimum 77"	638430,00
Lot	2 Interactiv	e whiteboard with	projector	tech support after installing Interactive whiteboard:	638430,00
Lot	2 Interactiv	e whiteboard with	projector	tech support after installing Interactive whiteboard: Size minimum 77"	638430,00
Lot	2 Interactiv	re whiteboard with	projector	tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3	638430,00
Lot	2 Interactiv	e whiteboard with	projector	tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant	638430,00
Lot	2 Interactiv	e whiteboard with	projector	tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x	638430,00
Lot	2 Interactiv	e whiteboard with	projector	tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH)	638430,00
Lot	2 Interactiv	re whiteboard with	projector	tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel -	638430,00
Lot	2 Interactiv	e whiteboard with	projector	tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection	638430,00
Lot	2 Interactiv		projector	tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch	638430,00
Lot	2 Interactiv	e whiteboard with	projector	tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch Touch operation Any opaque object,	638430,00
Lot 2.1	2 Interactiv 30195200-4		projector 15 pieces	tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch Touch operation Any opaque object, including finger, stylus etc.	638430,00
		Interactive whiteboard with		tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch Touch operation Any opaque object, including finger, stylus etc. Touch recognition: Finger, stylus or any	638430,00
		Interactive		tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch Touch operation Any opaque object, including finger, stylus etc. Touch recognition: Finger, stylus or any other pen or finger shaped object	638430,00
		Interactive whiteboard with		tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch Touch operation Any opaque object, including finger, stylus etc. Touch recognition: Finger, stylus or any other pen or finger shaped object Touch point minimum 20 simultaneous	638430,00
		Interactive whiteboard with		tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch Touch operation Any opaque object, including finger, stylus etc. Touch recognition: Finger, stylus or any other pen or finger shaped object Touch point minimum 20 simultaneous touches Resolution minimum 32767×32767	638430,00
		Interactive whiteboard with		tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch Touch operation Any opaque object, including finger, stylus etc. Touch recognition: Finger, stylus or any other pen or finger shaped object Touch point minimum 20 simultaneous touches	638430,00
		Interactive whiteboard with		tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch Touch operation Any opaque object, including finger, stylus etc. Touch recognition: Finger, stylus or any other pen or finger shaped object Touch point minimum 20 simultaneous touches Resolution minimum 32767×32767 Power supply USB Wall mount included	638430,00
		Interactive whiteboard with		tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch Touch operation Any opaque object, including finger, stylus etc. Touch recognition: Finger, stylus or any other pen or finger shaped object Touch point minimum 20 simultaneous touches Resolution minimum 32767×32767 Power supply USB Wall mount included Weight max 21 kg	638430,00
		Interactive whiteboard with		tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch Touch operation Any opaque object, including finger, stylus etc. Touch recognition: Finger, stylus or any other pen or finger shaped object Touch point minimum 20 simultaneous touches Resolution minimum 32767×32767 Power supply USB Wall mount included Weight max 21 kg Operating temperature -15 ~ 50 °C	638430,00
		Interactive whiteboard with		tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch Touch operation Any opaque object, including finger, stylus etc. Touch recognition: Finger, stylus or any other pen or finger shaped object Touch point minimum 20 simultaneous touches Resolution minimum 32767×32767 Power supply USB Wall mount included Weight max 21 kg Operating temperature -15 ~ 50 °C (5~122F)	638430,00
		Interactive whiteboard with		tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch Touch operation Any opaque object, including finger, stylus etc. Touch recognition: Finger, stylus or any other pen or finger shaped object Touch point minimum 20 simultaneous touches Resolution minimum 32767×32767 Power supply USB Wall mount included Weight max 21 kg Operating temperature -15 ~ 50 °C (5~122F) Operating humidity 20 ~ 90 %	638430,00
		Interactive whiteboard with		tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch Touch operation Any opaque object, including finger, stylus etc. Touch recognition: Finger, stylus or any other pen or finger shaped object Touch point minimum 20 simultaneous touches Resolution minimum 32767×32767 Power supply USB Wall mount included Weight max 21 kg Operating temperature -15 ~ 50 °C (5~122F) Operating humidity 20 ~ 90 % Storage temperature -40 ~ 50 °C (-40 ~	638430,00
		Interactive whiteboard with		tech support after installing Interactive whiteboard: Size minimum 77" Display Aspect Ratio 4:3 Dust resistant Dimensions active area minimum 1577 x 1186 mm - 62" x 46.7" (WxH) Writing surface White Enameled steel - anti reflection Touch technology Multi-touch Touch operation Any opaque object, including finger, stylus etc. Touch recognition: Finger, stylus or any other pen or finger shaped object Touch point minimum 20 simultaneous touches Resolution minimum 32767×32767 Power supply USB Wall mount included Weight max 21 kg Operating temperature -15 ~ 50 °C (5~122F) Operating humidity 20 ~ 90 %	638430,00

 1	1	1		
			Power consumption ≤ 350 mA	
			Projector:	
			Display/Image:	
			Display technology DLP	
			Resolution XGA minimum (1024x768)	
			Brightness minimum 3,500 lumens	
			Contrast ratio minimum 22,000:1	
			Native aspect ratio 4:3	
			Aspect ratio - compatible 16:9	
			Keystone correction - vertical +/-40°	
			Horizontal scan rate 15.38 ~ 91.15Khz	
			Vertical scan rate 50 ~ 85(120 for 3D)Hz	
			Uniformity minimum 75%	
			Screen size minimum 0.81m ~ 6.28m	
			(31.9" ~ 247.3") diagonal	
			Lamp:	
			Lamp watts minimum 203	
			Lamp life hours (up to) 6000 (Bright),	
			12000 (Dynamic), 10000 (Eco), 15000	
			(Eco+)	
			Optical:	
			Throw ratio 0.617:1	
			Projection distance (m) 0.4m - 3.1m	
			Focal length (mm) 7.15	
			Native offset 115%	
			Connectivity:	
			Inputs minimum 1 x HDMI 1.4a 3D	
			support, 1 x VGA (YPbPr/RGB), 1 x	
			Composite video, 1 x Audio 3.5mm	
			Outputs minimum 1 x VGA, 1 x Audio	
			3.5mm, 1 x USB-A power 1A	
			Control minimum 1 x RS232	
			General:	
			Noise level (max) 28dB	
			PC compatibility FHD, UXGA, SXGA,	
			WXGA, HD, XGA, SVGA, VGA, Mac	
			2D compatibility NTSC M/J, 3.58MHz,	
			4.43MHz PAL B/D/G/H/I/M/N,	
			4,43MHz SECAM B/D/G/K/K1/L,	
			4.25/4.4MHz 480i/p, 576i/p,	
			720p(50/60Hz), 1080i(50/60Hz),	
			1080p(50/60Hz)	
			3D compatibility Side-by-Side:1080i50 /	
			60, 720p50 / 60 Frame-pack: 1080p24,	
			720p50 / 60 Over-Under: 1080p24,	
			720p50 / 60	
			3D Full 3D	
			Security Security bar, Kensington Lock,	
			Password protected interface OSD /	
			display languages	
			$5^{\circ}C \sim 40^{\circ}C$, Max. Humidity 85%, Max.	
			$3 \text{ C} \sim 40 \text{ C}$, Max. Humidity 85% , Max. Altitude 3000m	
			Speaker count minimum 1 Watta per speaker minimum 10W	
			Watts per speaker minimum 10W	
			Power supply $100 \sim 240V$, $50 \sim 60Hz$	
			Power consumption (standby) 0.5W	
			Power consumption (max) 225W	

				3 Years Warranty	
2.2	51000000-9 50300000-8	Installation, configuration and maintenance	1 piece	The supplied items must be delivered, installed, mounted, tested and configured representing a fully functional. The Supplier must provide on the job training for operations and technical staff in the use of the installed hardware. The Supplier must provide a 1 year of	
Lot	3 Smart Po			tech support after installing	
LOU	5 Smart Po			Succhar Courses minimum 22// Malti	442/00.00
3.1	42967100-3	Smart Podium	7 pieces	Speaker Screen minimum 22" Multi touch Front Screen minimum 32" with built-in signage media player Built-in PC for Speaker Screen minimum intel i3 4GB Ram, 120 GB SSD, Win 10 Embedded ioT Microphone minimum 1 pcs 18" Gooseneck Condenser Microphone Front Screen Specifications: Resolution minimum 1920×1080 FHD Brightness minimum 350 cd/m2 Aspect ratio 16:9 Panel Type IPS Front Panel Player Built-in Digital Signage Media Player Front Panel Content Management Speaker Screen Specifications: Resolution minimum 1920×1080 FHD Brightness minimum 250 cd/m2 Panel Type IPS Aspect ratio 16:9 Touch Technology Capacitive Touch Points minimum 10 points Lecturer Panel PC Specifications: CPU minimum 4th Generation Intel Core i3 RAM minimum 4 GB DDR4 HDD minimum 120 GB SSD Operating System Windows Embedded 10 IoT Microphone: Length minimum 18" No of microphone minimum 1 pc Output Connector 3-way XLR (Male) Microphone Type Cardioid Frequency Response 50 -18 kHz Sensitivity (at 1,000Hz) -60dB \pm 3dB Impedance 220Ω Power ON indicator LED Power requirement Phantom Power (48V) Timer & Chronometer: Screen size minimum 3,5" Clock Available	442680,00

				Timer Available	
				Stopwatch Available	
				Touch minimum Single touch	
				Inputs (on Speaker Panel):	
				Minimum 1xUSB 2.0; 1xUSB 3.0	
				Outputs (Bottom of Podium):	
				HDMI minimum 1	
				Ethernet minimum 1	
				XLR for microphone minimum 1	
				Minimum 1x USB 2.0 (for internal PC)	
				Power:	
				Power Input 230V 50Hz	
				Power Consumption 450W (max)	
				Mechanical Specs:	
				Dimension max. (mm): 697 X 744 X	
				1157	
				Weight max. (kg): 62 kg	
				3 Years Warranty	
				The supplied items must be delivered,	
				installed, mounted, tested and	
				configured representing a fully	
	51000000	Installation,		functional.	
3.2	5100000-9	configuration and	1 piece	The Supplier must provide on the job	
5.2	5030000-8	maintenance	1 piece	training for operations and technical staff	
		maintenance		in the use of the installed hardware.	
				The Supplier must provide a 1 year of	
				tech support after installing	
T (teen support arter instanning	
Lot 4	4 Interactiv	e table			
				Display:	1047680,00
				Back light Direct type LED	
				Size (diagonal) minimum 65"	
				Resolution minimum 3840(H)*2160(V)	
				Pixel (UHD 4K)	
				Brightness minimum 350 cd/m2	
				Brightness minimum 350 cd/m2 Contrast ratio minimum 1,200:1	
				•	
				Contrast ratio minimum 1,200:1	
				Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum	
				Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1	
				Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178°	
				Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours	
				Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W Surface hardness minimum 7H	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W Surface hardness minimum 7H Glass Toughened Connections:	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W Surface hardness minimum 7H Glass Toughened Connections: Inputs minimum 3 x HDMI 2.0, 1 x	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W Surface hardness minimum 7H Glass Toughened Connections: Inputs minimum 3 x HDMI 2.0, 1 x VGA, 1 x Audio 3.5mm	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W Surface hardness minimum 7H Glass Toughened Connections: Inputs minimum 3 x HDMI 2.0, 1 x VGA, 1 x Audio 3.5mm Outputs minimum 1 x HDMI, 1 x Audio	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W Surface hardness minimum 7H Glass Toughened Connections: Inputs minimum 3 x HDMI 2.0, 1 x VGA, 1 x Audio 3.5mm Outputs minimum 1 x HDMI, 1 x Audio RCA L&R, 1 x Audio 3.5mm	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W Surface hardness minimum 7H Glass Toughened Connections: Inputs minimum 3 x HDMI 2.0, 1 x VGA, 1 x Audio 3.5mm Outputs minimum 1 x HDMI, 1 x Audio RCA L&R, 1 x Audio 3.5mm Control minimum 6 x USB-A, 1 x	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W Surface hardness minimum 7H Glass Toughened Connections: Inputs minimum 3 x HDMI 2.0, 1 x VGA, 1 x Audio 3.5mm Outputs minimum 1 x HDMI, 1 x Audio RCA L&R, 1 x Audio 3.5mm Control minimum 6 x USB-A, 1 x RS232, 1 x RJ45	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W Surface hardness minimum 7H Glass Toughened Connections: Inputs minimum 3 x HDMI 2.0, 1 x VGA, 1 x Audio 3.5mm Outputs minimum 1 x HDMI, 1 x Audio RCA L&R, 1 x Audio 3.5mm Control minimum 6 x USB-A, 1 x RS232, 1 x RJ45 Touch system:	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W Surface hardness minimum 7H Glass Toughened Connections: Inputs minimum 3 x HDMI 2.0, 1 x VGA, 1 x Audio 3.5mm Outputs minimum 1 x HDMI, 1 x Audio RCA L&R, 1 x Audio 3.5mm Control minimum 6 x USB-A, 1 x RS232, 1 x RJ45 Touch system: System Windows10 / Windows8 /	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W Surface hardness minimum 7H Glass Toughened Connections: Inputs minimum 3 x HDMI 2.0, 1 x VGA, 1 x Audio 3.5mm Outputs minimum 1 x HDMI, 1 x Audio RCA L&R, 1 x Audio 3.5mm Control minimum 6 x USB-A, 1 x RS232, 1 x RJ45 Touch system: System Windows10 / Windows8 / Windows7 / WindowsVista /	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W Surface hardness minimum 7H Glass Toughened Connections: Inputs minimum 3 x HDMI 2.0, 1 x VGA, 1 x Audio 3.5mm Outputs minimum 1 x HDMI, 1 x Audio RCA L&R, 1 x Audio 3.5mm Control minimum 6 x USB-A, 1 x RS232, 1 x RJ45 Touch system: System Windows10 / Windows8 / Windows7 / WindowsVista /	
4.1	30195200-4	Interactive table	8 pieces	Contrast ratio minimum 1,200:1 Contrast ratio (dynamic)minimum 4,000:1 Viewing angle minimum 178° Response time max. 6ms Life minimum 50,000 hours Speaker count minimum 2 Watts per speaker minimum 16W Surface hardness minimum 7H Glass Toughened Connections: Inputs minimum 3 x HDMI 2.0, 1 x VGA, 1 x Audio 3.5mm Outputs minimum 1 x HDMI, 1 x Audio RCA L&R, 1 x Audio 3.5mm Control minimum 6 x USB-A, 1 x RS232, 1 x RJ45 Touch system: System Windows10 / Windows8 / Windows7 / WindowsVista /	

	1			120	1
				and 20 points touch	
				Touch tool Finger, Finger covered by	
				glove, Opaque objects	
				Power:	
				Power supply 100-240V~ 50/60Hz	
				Power consumption (standby) ≤ 0.5 W	
				Power consumption (max) 300W	
				Operation System:	
				Android	
				Minimum Dual Core CPU	
				RAM minimum 2GB	
				ROM minimum 16GB Stand:	
				Minimum length 660 mm	
				Maximum length 1320 mm (table height) Colour Black	
				Maximum load 60 kg	
				Screen position Landscape	
1				Height adjustment Electrical	
				minimum 660 mm, speed up to 38 mm/s	
				Bracket/interface Included	
				Type bracket/interface VESA	
				Range bracket/interface VESA 200,	
				400, 600-400	
				Tilt function 90°	
				Mobility: wheels	
				3 Years Warranty	
				5	
				The supplied items must be delivered,	
				installed, mounted, tested and	
		Installation		configured representing a fully	
	5100000-9	Installation,		functional. The Supplier must provide on the job	
4.2	5000000 0	configuration and	1 piece	training for operations and technical staff	
	5030000-8	maintenance		in the use of the installed hardware.	
				The Supplier must provide a 1 year of	
				tech support after installing	
Lot	5 Conferen	ceCam			
				Minimum 1080p HD up to 30 fps,	44870,00
				Autofocus, 78-degree FOV, H.264 UVC	
1				1.1 / AVC, PTZ, 1.2x HD zoom, 228 mm	
				extender stem for elevation / eye-level	
				camera angle,	
				Integrated full duplex speakerphone with	
				echo and noise cancellation	
				Controls for call answer/end, volume,	
E 1	2000000	Conference	7	mute, and camera movement	
5.1	32232000-8	ConferenceCam	7 pieces	Omnidirectional microphone with 2.4 m	
				diameter range	
				Frequency response: 200Hz – 8KHz IR 3 m range	
1				Plug-and-play USB connectivity	
				Certified for Skype for Business and	
				ready for Teams	
				Zoom Certified	
				Fuze Certified	
1					
				Compatible with Google Meet	

5.2	5100000-9 5030000-8	Installation, configuration and maintenance	1 pieces	Cisco Jabber® and WebEX Compatible Compatible with BlueJeans, BroadSoft, GoToMeeting, Vidyo, and other video conferencing, recording, and broadcasting applications that support USB cameras 3 Years Warranty The supplied items must be delivered, installed, mounted, tested and configured representing a fully functional. The Supplier must provide on the job training for operations and technical staff in the use of the installed hardware. The Supplier must provide a 1 year of tech support after installing	
Lot	6 Desktop (Computer All-in-Or	ne		
6.1	30213300-8	Desktop Computer All-in- One	42 pieces	Operating Systems: Windows 10 PRO CPU minimum: Base Frequence 2.00GHz, Tubro Frequence 4.30GHz, 8 cores, 8 threads, 35W, 12MB cache, TDP 35W, Bus speed 8GT/s RAM minimum: 16 GB DDR4 2666 SODIMM Memory Storage minimum: 256GB M.2 2280 PCIe NVMe Solid State Drive and 1TB 7200RPM 2.5in HDD Display minimum: 23.8" diagonal FHD IPS widescreen WLED-backlit anti- glare (1920 x 1080); Brightness 250 nits Form factor: All-in-one with adjustable height stand (min 100mm) Audio minimum: 2 W internal stereo speaker Ports and Connectors minimum: Side: 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C TM ; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging); Rear: 1 DisplayPort TM 1.2; 1 power connector; 1 RJ-45; 2 USB 3.1 Gen 1 Communications minimum: 1x LAN 1 GbE ; WLAN Dual Band Wireless 802.11ac (2x2) and Bluetooth 5 Camera: minimum 2 MP FHD IR webcam with integrated dual array digital microphone, resolution 1920 x 1080 Power Supply: 120 Watt External USB Keyboard and mouse included Intrusion Detection system 3 Years Warranty	820710,00
Lot '	7 Laptop T	ype 1	ſ		110000.00
7.1	30213100-6	Laptop Type 1	6 pieces	Operating Systems: Windows 10 PRO CPU minimum: Base Frequence 1.60GHz, Tubro Frequence 3.90GHz, 4 cores, 8 threads, 6MB cache, TDP 15W, Bus speed 4GT/s RAM minimum: 16 GB DDR4 2400 SODIMM Memory Storage minimum: 512GB PCIe NVMe	118900,00

				Solid State Drive Display minimum - 14" diagonal FHD IPS widescreen LED-backlit anti-glare (1920 x 1080), 1000 nits, built-in privacy screen filter Audio minimum: dual stereo speakers, 3 multi array microphone Ports and Connectors minimum: 2 USB 3.1 Gen 1; 1 Thunderbolt TM (USB Type-C TM connector); 1 RJ-45; 1 headphone/microphone combo; 1 HDMI 1.4b; 1 docking connector Communications minimum: WLAN Dual Band Wireless 802.11ac (2x2) and Bluetooth 5 Camera minimum: 720p HD camera with physical shutter Power maximum: 65 W External AC power adapter Battery type minimum: 3 Cell 50 WHr Long Life Input devices: Backlit Keyboard Weight: max 1.5 kg 3 Years Warranty	
Lot	8 Laptop T	ype 2	•		
8.1	30213100-6	Laptop Type 2	3 pieces	Operating Systems: Windows 10 PRO CPU minimum: Base Frequence 1.60GHz, Tubro Frequence 3.90GHz, 4 cores, 8 threads, 6MB cache, TDP 15W, Bus speed 4GT/s RAM minimum: 16 GB LPDDR3- 2133 SDRAM Storage minimum: 256GB PCIe NVMe Solid State Drive Display minimum: 13.3" FHD IPS eDP + PSR BrightView WLED-backlit Ultraslim direct bonded touch screen with Corning Gorilla Glass 5 NTSC , 1000 nits, built-in privacy screen filter Audio minimum: 4 Premium stereo speakers, multi array world-facing microphone Ports and Connectors minimum: 2 USB 3.1 Type-C; 1 USB 3.1 Gen 1; 1 headphone/microphone combo; 1 HDMI 1.4; 1 External Nano SIM slot Communications minimum: WiFi 6 and Bluetooth 5; 4G LTE Camera minimum: 720p HD camera with physical shutter Power max: 65 W USB Type-C Battery type: 4 Cell 56 WHr Long Life Input devices: Spill-resistant backlit Keyboard, Accelerometer; Magnetometer; Gyroscope Weight: max 1 kg 3 Years Warranty	82710,00
Lot	9 Access Po	int			
9.1	32413100-2	Access Point	7 pieces	Small dual-band 2.4 / 5GHz white weatherproof wireless access point for mounting on a ceiling, wall or pole CPU core count minimum 1 CPU nominal frequency minimum 720 MHz	17230,00

9.2	5100000-9 5030000-8	Installation, configuration and maintenance	1 piece	Size of RAM minimum 64 MB Storage size minimum 16 MB PoE in 802.3af/at PoE in input Voltage 11-57 V Number of DC inputs minimum 1 (PoE-IN) Max power consumption 12 W 10/100/1000 Ethernet ports minimum 1 Protocols 802.11a/n/ac Triple-chain; 802.11b/g/n Dual-chain Antenna gain minimum 2 dBi Antenna beam width 360° The supplied items must be delivered, installed, mounted, tested and configured representing a fully functional. The Supplier must provide on the job training for operations and technical staff in the use of the installed hardware. The Supplier must provide a 1 year of	
Lot	10 Security	LITIB		tech support after installing	
10.1	35120000-1	Security HUB	7 pieces	CPU: minimum Dual Core 1.2 Ghz RAM: minimum 1 GB of DDR3 memory Sorage: minimum 4 GB Concurrent Dual band Wireless 2.4Ghz & 5Ghz with MU-MIMO 3x3 antenna configuration IEEE 802.11a/b/g/n/ac Wave-2 Minimum 1 x LAN port 10/100/1000BASE-T Ethernet Minimum 1 x WAN port 10/100/1000BASE-T Ethernet DATA PROTECTION: Anti-Malware protection; Phishing & Fraud prevention; Sensitive data protection; Safe Browsing NETWORK SECURITY: Vulnerability Assessment; Exploit Prevention; Brute Force Protection; Anomaly Detection PRIVACY: Content filtering; VPN; Advanced Parental Controls; Network Intrusion Prevention Pre-installed software with minimum 1 year subscription 3 Years Warranty for hardware	47650,00
10.2	5100000-9 5030000-8	Installation, configuration and maintenance	1 piece	The supplied items must be delivered, installed, mounted, tested and configured representing a fully functional. The Supplier must provide on the job training for operations and technical staff in the use of the installed hardware. The Supplier must provide a 1 year of tech support after installing	
Lot	11 Wireless	microphone			
11.1	32342300-5	Wireless microphone	7 pieces	General Specifications Working range minimum 100 m (Line of Sight)	96500,00

				Transmitters per receiver minimum 2 Frequency band DECT / DECT 6.0 (1.8 / 1.9 GHz band) Max radio output power 100 to 200 mW Signal type Digital Antenna diversity Yes Audio latency One transmitter: 14 ms, Two transmitters: 18ms Operating temperature range 0 °C (32 °F) to 30 °C (86 °F) Storage temperature range 0 °C (32 °F) to 50 °C (122 °F) Receiver: Weight max 200 g Dimensions max 130 × 130 × 40 mm Power supply 5V 1A USB-C Audio outputs minimum 6.3 mm / 1/4 in jack socket - unbalanced, Line level; XLR - balanced, Mic level; USB-C - digital output; Gain offset range 30 dB in steps of 3 dB Transmitter Weight max 370 g Dimensions max 180 × 180 × 180 mm Built-in Automute technology Yes Microphone element Electret condenser, omni-directional Gain adjustment range 8 dB in steps of 2 dB Audio frequency response 50 to 11000 Hz Battery type Li-ion, rechargeable Battery life minimum 12h Wireless charger compatible Yes	
Lot	12 Multifur	octional black and y	white locar p	3 Years Warranty	
12.1	30232110-8	Multifunctional black and white laser printer	7 pieces	Machine type: Mono Laser All-In-One Available functions: Print, Copy, Scan and Fax Printer Print speed Single sided : Up to 38 ppm (A4); Up to 63.1 ppm(A5-Landscape); Double sided : Up to 31.9 ipm (A4) Printing method: Monochrome laser beam printing Print Resolution: 600 x 600 dpi Print Quality with Image Refinement Technology: Up to 1200 x 1200 dpi Warm-up Time: 14 seconds or less from power on First Print Out Time: 5.5 seconds or less Printer Languages: UFRII, PCL 5c, PCL6, Adobe PostScript Fonts: 45 PCL fonts; 136 PostScript fonts Print margin: 5 mm-top, bottom, left and right; 10 mm-top, bottom, left and right (Envelope) Toner saver mode Yes Advanced printing features: Secure Print, Print from USB memory key	77200,00

r	· · ·	T		
			(JPEG/TIFF/PDF), Google Cloud Print	
			Ready, iOS: AirPrint, Android; Mopria	
			certified	
			Copier	
			Copy Speed Single sided (A4): Up to	
			38 ppm; Double sided (A4): Up to 30.3	
			ipm	
			First Copy Output Time (FCOT): ADF	
			(A4): 6.6 seconds or less; Platen (A4):	
			6.4 seconds or less	
			Copy resolution: Up to 600 x 600 dpi	
			Copy modes: Text, Text/Photo	
			(Default),Text/Photo (High Quality),	
			Photo Double sided copying 2 sided to 2	
			Double sided copying 2-sided to 2- sided (Automatic)	
			sided (Automatic)	
			Multiple Copy Up to 999 copies	
			Reduction/Enlargement 25-400% in	
			1% increments	
			Other features Frame Erase, Collate, 2	
			on 1, 4 on 1, ID card copy	
			Scanner	
			Type Colour	
			Scan Resolution Optical: Up to 600 x	
			600 dpi; Enhanced: Up to 9600 x 9600	
			dpi	
			Scan speed Single sided mono: 38ipm	
			(300x600dpi); Single sided colour:	
			13ipm (300x600dpi); Double sided	
			mono: 70ipm (300x600dpi;) Double	
			sided colour: 26ipm (300x600dpi)	
			Colour scanning depth 24 bit/24 bit	
			(input/output)	
			Greyscales 256 levels	
			Compatibility TWAIN , WIA, ICA	
			Scan to E-mail	
			TIFF/JPEG/PDF/Compact	
			-	
			PDF/Searchable PDF Scan to Cloud TIFF/JPEG/PDF/PNG	
			Media Handling	
			Scanner Type Platen, 2-sided ADF	
			(single pass)	
			Paper input 250-sheet cassette; 100-	
			sheet multi-purpose tray; 50-sheet ADF	
			Paper output 150-sheet	
			Media types Plain paper, Recycled	
			paper, Heavy Paper, Thin paper, Label,	
			Post card, Envelope	
			Interface & Software	
			Interface USB 2.0 Hi-Speed, 10BASE-	
			T/100BASE-TX/1000Base-T, Wireless	
			802.11b/g/n, Wireless Direct	
			Connection	
			Operating System compatibility	
			Windows® 10 / Windows® 8.1 /	
			Windows® 7 / Server® 2019 / Server®	
			$2016 / \text{Server} \otimes 2012\text{R2} / \text{Server} \otimes$	
			2012 / Server® 2008R2 / Server®	
			2008 / Mac OS X version 10.9.5 & up /	
			Mac OS 10.14 / Linux	
			General features	
			Processor Speed 800MHz x 2 Momory 1CP	
			Memory 1GB	
			Control Panel 12.7 cm LCD Colour	
			Touch Screen	
			3 Years Warranty	

- **9.** If the contract is divided into lots, an economic operator may submit the offer: 1) For a single lot OR 2) For several lots OR 3) For all lots.
- 10. Admission or prohibition of alternative offers: Alternative offers will not be accepted.
- **11. Terms and conditions of delivery requested**: Delivery within 90 calendar days after signing the contract.

Delivery requirements:

Hereby, we inform the intereseted parts participating in the tender procedure regarding the purchase of the above-mentioned Equipment that IP Technical University of Moldova is the coordinator within the Project no. 609656-EPP-1-2019-1-MD-EPPKA2-CBHE-SP "Moldova Higher Education Leadership and Management / MHELM", financed from the ERASMUS + program, and the delivery will be made at the headquarters of each partner-university according to the following table:

No	Names of Universities	Name Short (MD)	Addresses
1.	Academy of Economic Studies of Moldova	ASEM	61 Bănulescu Bodoni Street, Chișinău Mun.
2.	"Nicolae Testemitanu" State University of Medicine and Pharmacy of the Republic of Moldova	USMF	165 Ștefan cel Mare Street, Chișinău Mun.
3.	State Agrarian University of Moldova	UASM	44 Mircești Street, Chișinău Mun.
4.	The Bogdan Petriceicu Hasdeu State University of the Cahul city	USC	1 Piața Independenței Street, Cahul Mun.
5.	The Moldova State University	USM	60 A. Mateevici Street, Chișinău Mun.
6.	Technical University of Moldova	UTM	168 Ștefan cel Mare Street, Chișinău Mun.
7.	"Alecu Russo" State University of Balti	USARB	38 Puşkin Street, Bălți Mun.

The following table indicates the distribution of the goods for each university separately within the project:

	ity s)	Name Universities						
Name LOT	Quantity (pieces)	ASEM	USMF	UASM	USC	USM	UTM	USARB
	Total (Ç	Quantity fo	iversity s	separately (pieces)			
Lot 1 Interactiv flat panel display	14	2	2	2	2	2	2	2
Lot 2 Interactive whiteboard with projector	15	2	2	2	2	2	3	2
Lot 3 Smart Podium	7	1	1	1	1	1	1	1
Lot 4 Interactive table	8	1	1	1	1	1	2	1
Lot 5 ConferenceCam	7	1	1	1	1	1	1	1
Lot 6 Desktop Computer All-in-One	42	6	6	6	6	6	6	6
Lot 7 Laptop Type 1	6	1	1	1	1	1	-	1
Lot 8 Laptop Type 2	3	-	-	-	-	-	3	-
Lot 9 Access Point	7	1	1	1	1	1	1	1
Lot 10 Security HUB	7	1	1	1	1	1	1	1
Lot 11 Wireless microphone	7	1	1	1	1	1	1	1
Lot 12 Multifunctional black and white laser printer	7	1	1	1	1	1	1	1

- **12.** The term of validity of the contract: 31.12.2020
- **13.** Purchase contract reserved for protected workshops or that it can be executed only in protected employment programs (as the case may be): *It does not apply*
- 14. The provision of the service is reserved to a certain profession on the basis of legal acts or administrative acts (as the case may be): *It does not apply.*
- 15. Brief description of the criteria regarding the eligibility of the economic operators that can determine their elimination and of the selection criteria; the minimum level (s) of the imposed requirements; the requested information is mentioned (DUAE (European Single Procurement Document ESPD), documentation):

No.	Name of the document / requirements	Demonstration of compliance with the requirement		Compulsory Yes / No	
1.	European Single Procurement Document - ESPD	ORIGINAL - confirmed by applying the electronic signature of the bidder		Obligatory	
2.	Offer	ORIGINAL - confirmed by applying the tenderer's electronic signature: Offer form (Form F3.1), Technical specifications (Form F4.1), Price specifications (Form F4.2).		Obligatory	
3.	Guarantee for the offer - 1% of the value of the offer, without VAT	signature of the bid a) The offer will be for the offer (issued according to form I Documentation". OR b) Transfer to the c according to the fol Beneficiary of payment Name of the bank A	e accompanied by a Guarantee d by a commercial bank) F3.2 of the "Standard contracting authority's account, llowing bank details: echnical University of foldova, Public Esteblishment C'MOLDOVA- GROINDBANK SA., chisinau Center Branch	Obligatory	
		IBAN M	007600001506 1D32AG00000022512015310		
4.	Performance guarantee (at the conclusion of the contract awarded)	ORIGINAL - confirmed by applying the electronic signature of the bidder. Transfer to FDA-listed university accounts from "Standard Documentation"		Obligatory	
	According to art. 20 paragraph 8, Law no. 131 of 03.07.2015 the following mandatory documents will be requested after the opening of tenders according to the requirements and deadlines indicated in the ESPD				
5.	Proof of registration of the legal person, in accordance with the legal provisions of the country where the bidder is established	Certificate / Decision of registration of the enterprise / Extract from the State Register of legal entities. Confirmed by applying the electronic signature of the bidder. The non-resident economic operator will present documents from the country of origin that prove the form of registration / attestation or membership from a professional point of view		Obligatory	

6.	Fulfillment of obligations to pay taxes, fees and social security contributions, in accordance with the legal provisions in force in the Republic of Moldova	Certificate of systematic payment of taxes, contributions issued by the Fiscal Inspectorate. (validity of the certificate - according to the requirements of the Fiscal Inspectorate of the Republic of Moldova). Original confirmed by applying the electronic signature of the bidder	Obligatory
7.	Bank account assignment certificate	Certificate of assignment of the bank account issued by the bank holding the account. Confirmed by applying the electronic signature of the bidder	Obligatory
8.	Financial report (for 2019)	Confirmed by applying the electronic signature of the bidder	Obligatory
9.	Demonstration of the experience of the economic operator regarding the delivery of goods in the field of activity related to the object of the contract to be awarded	Statement on the list of main deliveries of similar goods (IT field) in the last 3 years of activity. Confirmed by applying the electronic signature of the bidder.	Obligatory
10.	The minimum value of an individual contract fulfilled during the last 3 years of activity	Presentation of at least one individual Contract fulfilled during the last 3 years of activity, which should be similar in object and the value of which should not be less than the value of the offer presented in the given competition. Confirmed by applying the electronic signature of the bidder. * <u>Note</u> : If the Contract (s) are confidential, place on the platform pages of the Contract on which to be visible: The number and date, the names of the parties, indicate the nature of the goods delivered and the value of the Contract. If necessary, the entire Contract (s) will be requested.	Obligatory
11.	Demonstration of access to the infrastructure / means indicated by the contracting authority, which it considers strictly necessary for the proper performance of the Contract	entire Contract (s) will be requested.In order to prove the possibility of qualitative execution of the contract, the economic operator must have access to the Service Center of the proposed equipment with qualified specialists for installation, commissioning, maintenance and repair of the proposed equipment, with all costs, including transportation services.During the warranty period, the Participant who has obtained the right to conclude a contract (hereinafter the Seller) undertakes to ensure the finding (diagnosis) of a defect within a maximum of 8 working hours and repair of the defect within a maximum of 7 working days from the date of its claim by the Buyer (between 08: 00-17: 00, working days). The finding and remedy of the	

		the Bidder within the auction;	
		At the same time, the Participant will describe in his offer the conditions of maintenance and support for the guarantee period with the specification: a. The procedures of maintenance and support; b. Average reaction and repair time for the proposed equipment; c. Organizing and providing "hot-line" support for the proposed equipment.	
12.	Presentation of evidence regarding the right to deliver goods	Manufacturer Authorization Form (MAF) / Department Authorization Form (DAF) Certificate Confirmed by the electronic signature of the tenderer.	Obligatory
13.	Certificate of conformity regarding the ISO-9001 Quality Management System	Confirmed by applying the electronic signature of the bidder	Obligatory
14.	Demonstration of access to the personnel necessary for the proper fulfillment of the object of the contract (specialized personnel and / or experts who will have essential roles in its fulfillment)	Declaration regarding the disposition of certified specialists For LOT 1,2,3,4: at least 2 specialists authorized by the manufacturer for installation, configuration and technical assistance, with confirmation certificates attached. For LOT 9,10: at least one wireless, routing, security engineer, with the application of confirmation certificates that will ensure the installation and configuration of the requested goods. Confirmed by applying the electronic signature of the bidder	Obligatory

- 16. Reason for using the accelerated procedure (in the case of open, restricted and negotiated tender), as the case may be: *It does not apply*
- **17.** Specific awarding techniques and tools (if applicable, specify whether the framework agreement, dynamic purchasing system or electronic auction will be used): *It does not apply*
- 18. Special conditions on which the performance of the contract depends: It does not apply
- **19.** The evaluation criterion applied for the award of the contract: Lowest price, excluding VAT, and correspondence of the required technical parameters

According to art. 26 point. 18, Law no. 131 of 03.07.2015, regarding public procurement, if two or more offers are equivalent, an additional award criterion will be applied - technical and / or professional capacity (art. 18, letter d), Law 131/2015).

20.	Factors for evaluating the most economically advantageous offer, as well as their ratio:				
No. Name of the evaluation fact		Name of the evaluation factor	Ratio %		
		It does not apply			

21. Deadline for submission / opening of tenders:

- by: You can find the information in SIA RSAP.
- on: You can find the information in SIA RSAP.
- **22.** The address to which tenders or requests to participate must be submitted: *Offers or requests to participate will be submitted electronically through the SIA RSAP*
- 23. The term of validity of the offers: 60 days
- 24. Place of opening of tenders: SIA RSAP; Delayed offers will be rejected
- 25. Persons authorized to attend the opening of tenders:

The tenderers or their representatives have the right to participate in the opening of the bids, unless the bids were submitted through the "RSAP" SIA.

- **26.** Language or languages in which tenders or requests to participate must be drawn up: *State language* (*Romanian language*)
- 27. This contract relates to a project and / or program financed from EU funds: It does not apply
- **28.** Name and address of the body responsible for resolving the claims: *The National Agency for Settlement of Claims; Address: Chisinau municipality, 124 Stefan cel Mare si Sfant boulevard (floor 4), MD-2001; Tel / Fax / E-mail: 022-820 652, 022 820-651, contestatii@ansc.md*
- **29.** Date (s) and reference (s) of previous publications in the Official Journal of the European Union regarding the contract (s) to which the notice relates (if applicable): *It does not apply*
- **30.** In the case of periodic purchases, the estimated timeframe for the publication of future announcements: *It does not apply*
- **31.** Date of publication of the notice of intention or, as the case may be, the indication that no such announcement was published: Public Procurement Bulletin no. 40 from 03.07.2020.
- **32.** Date of submission of the announcement of participation: 07.07.2020

33. In the public procurement procedure, the following will be used / accepted:

Name of the electronic instrument	It will be used / accepted or not
electronic submission of tenders or requests to participate	It is accepted
electronic order system	It is not accepted
electronic invoicing	It is accepted
electronic payments	It is accepted

34. The contract is subject to the Agreement regarding the Government Procurement of the World Trade Organization (only in the case of announcements submitted for publication in the Official Journal of the European Union): *it does not apply*

The head of the working group Larisa Bugaian:L.Ş.