

ANUNȚ/INVITAȚIE DE PARTICIPARE la procedura de achiziție a bunurilor/serviciilor prin contract

privind achiziționarea : *Achiziția de Microfoane și seturi de portavoce pentru instituțiile din subordinea Direcției Cultură a Primăriei Mun.Chisinau*

prin procedura de achiziție CMV

Cod CPV: 32342300-5

1. Denumirea autorității contractante: Direcția Cultura a Primăriei Mun.Chisinau , MD-2012
2. IDNO: 1007601010585
3. Adresa mun.Chisinau , str.București 68
4. Numărul de telefon/fax: 067604022 / 022245562
5. Adresa de e-mail și pagina web oficială ale autorității contractante: dima_popa@bk.ru;
6. Adresa de e-mail sau pagina web oficială de la care se va putea obține accesul la documentația de atribuire: *documentația de atribuire este anexată în cadrul procedurii în SIA RSAP*
7. Cumpărătorul invită operatorii economici interesați, care îi pot satisface necesitățile, să participe la procedura de achiziție privind livrarea/prestarea următoarelor bunuri/servicii:

Nr. d/o	Cod CPV	Denumirea bunurilor/ serviciilor	Unitate a de măsură	Cantitatea	Specificarea tehnică deplină solicitată, Standarde de referință	Valoarea estimată
1	32342300-5	Allen & Heath M-SQ-WAVES3-A	bucată	1	64 × 64 Channel Interface Usable with 96 kHz or 48 kHz Can be integrated via Waves Plugin Server or Waves Native Multi-channel recording / playback 2 Ports with redundant and switch modes Internal Control Network Bridge Lockable Ethercon connector Available since October 2018 Item number 449259 Sales Unit 1 piece(s) Extension Card for Allen & Heath Type Waves Sound Garantie 36 luni	299 700,00

2	32342300-5	Allen & Heath SQ SLink	bucată	1	<p>Audio Network Expansion Card</p> <p>For installation in Allen & Heath SQ mixing consoles</p> <p>Extends the mixer by a SLink output with a maximum of 128x128 channels and 48 / 96kHz operation</p> <p>Note: The built-in SLink port and the then additional SLink Option Card port are operated independently of each other and can work in 3 different modes: dSnake / ME, DX or GigaACE</p> <p>Available since October 2018</p> <p>Sales Unit 1 piece(s)</p> <p>Extension Card for Allen & Heath</p> <p>Type SQ</p> <p>Garantie 36 luni</p>
3	32342300-5	Thon Case for Allen & Heath SQ6	bucată	1	<p>Mixer Case</p> <p>For Allen & Heath SQ6</p> <p>Material: 7 mm plywood</p> <p>30 x 30mm Aluminium edges</p> <p>Foam padding</p> <p>4 Spring-loaded butterfly latches</p> <p>4 Folding handles</p> <p>4 Steel ball corners</p> <p>4 Steel ball corners with integrated L-corner</p> <p>15 cm Cable duct</p> <p>External dimensions (W x D x H): 710 x 705 x 285 mm</p> <p>Weight: 12.8 kg</p> <p>Colour: Phenol Brown</p> <p>Available since December 2017</p> <p>Sales Unit 1 piece(s)</p> <p>made for Allen & Heath</p> <p>Type Case</p> <p>Material 7 mm Plywood</p> <p>Wheels No</p> <p>Dockhouse No</p> <p>Colour Phenol/Alu</p> <p>Weight 12,8 kg</p> <p>External Width 710 mm</p> <p>External Depth 705 mm</p> <p>External Height 285 mm</p> <p>Garantie 36 luni</p>

4	32342300-5	Sennheiser ew IEM G4 Twin A1-Band	bucată	3	<p><i>In Ear System</i> <i>Evolution Wireless Series</i> <i>Consisting of 2x UHF Bodypack receiver (EK IEM G4), 9.5" transmitter (SR IEM G4) and 2x IE4 earphones</i> <i>Frequency range A1 band: 470 - 516 MHz</i> <i>Stereo- / Focus- / Mono - Mode</i> <i>Up to 1680 frequencies in 42 MHz switching bandwidth</i> <i>20 Channel banks each with up to 16 presets</i> <i>Up to 16 compatible channels</i> <i>Frequency range: 25 - 15,000 Hz</i> <i>Frequency transmission via infrared interface</i> <i>Pocket receiver with charging contacts for optional BA 2015 rechargeable battery (NiMH) (battery not included)</i> <i>Pilot tone</i> <i>Auto tune to find free frequencies</i> <i>Audio Gain includes 60 dB</i> <i>4-Digit battery indicator on the transmitter and receiver</i> <i>HDX compander</i> <i>OLED display with NF level and channel display</i> <i>3.5 mm jack for earphones</i> <i>Adjustable limiter</i> <i>Switchable transmission power</i> <i>10/30/50 mW</i> <i>WSM support (Ethernet interface for frequency management)</i> <i>Adjustable 6.3 mm headphone jack on the transmitter</i> <i>1 BNC antenna jack</i> <i>2 x Jack/XLR female balanced combo jack inputs</i> <i>Power supply 10.5 - 16 V DC</i> <i>Including power supply unit NT 2-3 CW, 2 earphones IE 4, 4 x 1.5 V batteries and rack kit GA 3 for 19" installation</i> <i>Available since</i> <i>May 2018</i> <i>Sales Unit</i> <i>1 piece(s)</i> <i>Switchable Frequencies</i> <i>Yes</i> <i>Mono/Stereo</i> <i>Stereo</i> <i>Limiter</i> <i>Yes</i> <i>Incl. Earpieces</i> <i>Yes</i> <i>Focus, Mixed, Dual Mono</i> <i>Yes</i> <i>Frequency from</i> <i>470 MHz</i> <i>Frequency to</i> <i>516 MHz</i> <i>Garantie 36 luni</i></p>
---	------------	--------------------------------------	--------	---	--

5	32342300-5	Sennheiser EK IEM G4 A1- Band	bucată	10	<p><i>In-ear bodypack receiver</i> <i>Evolution Wireless Series</i> <i>Frequency range: A1-band, 470-516 MHz</i> <i>Charging contacts for optional BA 2015 (NiMH)</i> <i>rechargeable battery (battery is not included, must</i> <i>be purchased separately)</i> <i>Pilot tone</i> <i>4-Digit battery indicator</i> <i>LCD display with RF / AF level- and channel display</i> <i>3.5 mm Jack input for earphones</i> <i>Adjustable limiter</i> <i>Operates with 2x 1.5 V batteries or rechargeable</i> <i>battery</i> <i>Includes IE4 earphones</i> <i>Available since</i> <i>March 2019</i> <i>Item number</i> <i>436956</i> <i>Sales Unit</i> <i>1 piece(s)</i> <i>Incl. Earpieces</i> <i>Yes</i> <i>Type</i> <i>Receiver</i> <i>Frequency Range</i> <i>407 MHz – 516 MHz</i> <i>Garantie 36 luni</i></p>
6	32342300-5	Sennheiser AC41 Antenna Combiner	bucată	1	<p><i>Active antenna combiner for ew G4</i> <i>Up to 4 IEM transmitters</i> <i>Compatible with SR IEM G4, SR 300 IEM G3, SR</i> <i>2000 IEM and SR 2050 IEM</i> <i>Type: 9.5", / 1 U</i> <i>Includes power supply NT 3-1 and 4x BNC cable</i> <i>Available since</i> <i>May 2018</i> <i>Sales Unit</i> <i>1 piece(s)</i> <i>Device type</i> <i>Combiner</i> <i>Device type</i> <i>Active</i> <i>Frequency range up to - Frequency range from</i> <i>470 MHz – 870 MHz</i> <i>Width</i> <i>212 mm</i> <i>Height</i> <i>43 mm</i> <i>Depth</i> <i>168 mm</i> <i>Weight</i> <i>1,5 kg</i> <i>Garantie 36 luni</i></p>
7	32342300-5	Sennheiser GZL RG 8x - 10m	bucată	1	<p><i>BNC Cable</i> <i>Low damping</i> <i>With ultra-low resistance</i> <i>50 Ohm</i> <i>For connecting remote</i> <i>antennae</i> <i>Length: 10 m</i> <i>Available since</i> <i>October 2002</i> <i>Item number</i> <i>152574</i> <i>Sales Unit</i> <i>1 piece(s)</i> <i>Application</i> <i>Antenna</i></p>

					<p> <i>Input connector</i> <i>BNC male</i> <i>Output connector</i> <i>BNC male</i> <i>Length In cm</i> <i>10,00 m</i> <i>Connection</i> <i>BNC</i> <i>Cable type</i> <i>RG213</i> <i>Length</i> <i>10 m</i> </p>
8	32342300-5	<i>Sennheiser ADP UHF 470-1075 MHz</i>	bucată	1	<p> <i>Passive External</i> <i>Directional Antenna</i> <i>UHF range: 470 Hz - 1075 MHz</i> <i>BNC connection</i> <i>3/8" and 5/8" thread for microphone stands</i> <i>Available since</i> <i>June 2021</i> <i>Item number</i> <i>519465</i> <i>Sales Unit</i> <i>1 piece(s)</i> <i>Type</i> <i>Directional antenna</i> <i>Frequency range up to -</i> <i>Frequency range from</i> <i>470 MHz – 1075 MHz</i> <i>Connection</i> <i>BNC</i> <i>Connection 3/8"</i> <i>Yes</i> <i>5/8" Connection</i> <i>Yes</i> <i>Antenne type</i> <i>Passive</i> </p>

9	32342300-5	SKB Roto- Molded 4U Shallow Rack	bucată	1	<p>Double Door Rack Installation depth: 27.18 cm 4 Butterfly latches Dimensions: 56.9 x 23.1 x 41.2 cm Weight: 5.81 kg Colour: Black Available since June 2014 Item number 342315 Sales Unit 1 piece(s) Formfactor 19" Construction Type Double-Door Vertical Height Units 4 U Internal Depth [mm] 270 mm Horizontal Height Units 0 U with display stand No Rack rail at the back Yes Service flap No With Wheels No Trolley No Shock Mount No Clasps Butterfly Material Plastic Colour Black Weight 5,8 kg</p>
10	32342300-5	Thon Inlaycase BK Univ	bucată	2	<p><i>Custom-Made Case for Inlay System</i></p> <p><i>For the Thon Inlay System</i> Material: 7 mm coated plywood 22 x 22 mm Aluminium edges 2 Small butterfly latches 1 Suitcase handle 2 Locking hinges 8 Steel ball corners Convolutated foam in the lid Internal dimensions (W x D x H): 405 x 375 x 60 mm External dimensions (W x D x H): Approximately 445 x 415 x 130 mm Weight: Approximately 4.6 kg Colour: Black Milled foam inlay</p> <p><i>Suitable for 2 U rack with pullout drawers or Thon inlay system case</i> For 12 pockettransmitters Foam in two colours black/ red Accessory compartment</p>

					<p>Milled compartment for handheld transmitter (W x D x H): approx. 118 x 31 x 50 mm Dimensions (WxDxH): 405 x 375 x 60 mm Available since September 2018 Item number 449284 Sales Unit 1 piece(s) suitable for Bodypacks 12x Material 7 mm Plywood Wheels No IP Class No Colour Black Weight 4,8 kg External Width 445 mm External Depth 415 mm External Height 130 mm</p>
11	32342300-5	Thon Rack Drawer 2U short	bucată	1	<p>Rack Drawer 2 U Installation depth of rack drawer: 210 mm Material: Metal Black powder-coated Robust castor guide Inner dimensions (W x D x H): 404 x 210 x 74 mm Construction: 19" / 2 U Weight: 3.4 kg Available since November 2017 Item number 417809 Sales Unit 1 piece(s) Type 19" Height in Rack Units 2 U Depth 210 mm Lock No Material Steel Weight 3,4 kg</p>
12	32342300-5	Thon Case A&H Stagebox AB/DT/DX 168	bucată	2	<p>Transport Case Suitable for one A&H Stagebox AB168, DT168 and DX168 Made of plywood coated 25 x 25 mm Aluminium edge 1 Medium-sized butterfly latch V4 1 Medium folding handle 2 Locking hinges 8 Medium ball corners Foam padding Exterior dimensions (W x D x H): approx. 325 x 255</p>

					<i>x 515 mm</i> <i>Weight: approx. 4.8 kg</i> <i>Colour: Black</i> <i>Available since</i> <i>October 2020</i> <i>Item number</i> <i>504877</i> <i>Sales Unit</i> <i>1 piece(s)</i> <i>Profundità interna</i> <i>255 mm</i> <i>Locks And Catches</i> <i>1x Fluturaș</i> <i>Strap Handles</i> <i>No</i> <i>Flip Handles</i> <i>1</i> <i>Material</i> <i>6,8 mm Plywood</i> <i>Wheels</i> <i>No</i> <i>Weight</i> <i>4,8 kg</i> <i>Speacial Features / Options</i> <i>None</i> <i>External Width [mm]</i> <i>325 mm</i> <i>External Depht [mm]</i> <i>255 mm</i> <i>External Heigh [mm]</i> <i>515 mm</i>
--	--	--	--	--	--

În cazul în care contractul este împărțit pe loturi un operator economic poate depune oferta (se va selecta):

- 1) Pentru un singur lot; **V**
- 2) Pentru mai multe loturi;
- 3) Pentru toate loturile;
- 4) Alte limitări privind numărul de loturi care pot fi atribuite aceluiași ofertant _____

8. Admiterea sau interzicerea ofertelor alternative: **nu se admite**
(indicați se admite sau nu se admite)

9. Termenii și condițiile de livrare/prestare solicitați: 2 zile.

10. Termenul de valabilitate a contractului: 30.12.2024

11. Scurta descriere a criteriilor privind eligibilitatea operatorilor economici care pot determina eliminarea acestora și a criteriilor de selecție/de preselecție; nivelul minim (nivelurile minime) al (ale) cerințelor eventual impuse; se menționează informațiile solicitate (DUAE, documentație):

Nr. d/o	Criteriile de calificare și de selecție (Descrierea criteriului/cerinței)	Mod de demonstrare a îndeplinirii criteriului/cerinței:	Nivelul minim/Obligativitatea
1	Dovada înregistrării persoanei juridice, în conformitate cu prevederile legale.	copie - confirmată prin aplicarea semnăturii și ștampilei participantului	Obligatoriu
2	Certificat de atribuire a contului bancar	original - confirmată prin aplicarea semnăturii și ștampilei participantului	Obligatoriu

3	Certificat de atribuire a TVA.	copie - confirmată prin aplicarea semnăturii și ștampilei participantului	Obligatoriu
4	Oferta specificatiilor de pret	original - confirmată prin aplicarea semnăturii și ștampilei participantului, Formularul anexa nr. 23 din DOCUMENTAȚIA STANDARD	Obligatoriu
5	Oferta specificatiilor tehnice	original - confirmată prin aplicarea semnăturii și ștampilei participantului anexa nr. 22 din DOCUMENTAȚIA STANDARD	Obligatoriu
6	DUAЕ	original - confirmată prin aplicarea semnăturii și ștampilei participantului	Obligatoriu
7	Cerere de participare	original - confirmată prin aplicarea semnăturii și ștampilei participantului Formularul (anexa nr. 7) din DOCUMENTAȚIA STANDARD	Obligatoriu
8	Declaratie pe propria răspundere că toate produsele vor fi noi, impachetate	original - confirmată prin aplicarea semnăturii și ștampilei participantului	Obligatoriu
	de producător și corespund cu datele de marcat de pe cutie cu produsul .		
9	Declarația privind transportarea, descărcarea produselor din contul agentului economic.	original - confirmată prin aplicarea semnăturii și ștampilei participantului	Obligatoriu
10	Garanția pentru ofertă cuantumul 2%	a) Oferta va fi însoțită de o Garanție pentru ofertă (emisă de o bancă comercială) conform formularului F3.2 din secțiunea a 3-a – Formulare pentru depunerea ofertei sau b) Garanția pentru ofertă prin transfer la contul autorității contractante, conform următoarelor date bancare: Beneficiarul plății: Direcția Cultură a Primăriei Municipiului Chișinău Denumirea Băncii: Ministerul finanțelor-Trezoreria de Stat. Codul fiscal: 1007601010585 Contul de decontare; MD88TRPCDV518410A00778AA Contul trezorerial: Contul bancar: TREZMD2X cu nota “Pentru setul documentelor de atribuire” sau “Pentru garanția pentru ofertă la procedura de achiziție publică nr. din ”	Obligatoriu

12. Garanția de bună execuție a contractului emisă de o banca comerciala, cuantumul 15%. Originalul va fi prezentat la sediul autorității dupa desemnarea câștigătorului concursului.

13. Ofertele se prezintă în valuta MDL

Criteriul de evaluare aplicat pentru atribuirea contractului: *corespunderea parametrilor tehnici solicitați, prețul cel mai scăzut și documentele/cerințele de calificare/selectie sa corespunda cerintelor, termenul de livrare*

14. Termenul limită de depunere/deschidere a ofertelor:

până la: [ora exactă] indicată în SIA RSAP. _____

pe: [data] indicată în SIA RSAP. _____

15. Adresa la care trebuie transmise ofertele sau cererile de participare:

Ofertele sau cererile de participare vor fi depuse electronic prin intermediul SIA RSAP

16. Termenul de valabilitate a ofertelor: pe durata executării contractului

17. Locul deschiderii ofertelor: SIA RSAP

Ofertele întârziate vor fi respinse.

18. Persoanele autorizate să asiste la deschiderea ofertelor:
Ofertanții sau reprezentanții acestora au dreptul să participe la deschiderea ofertelor, cu excepția cazului când ofertele au fost depuse prin SIA RSAP.

19. Limba sau limbile în care trebuie redactate ofertele sau cererile de participare: de stat

20. Denumirea și adresa organismului competent de soluționare a contestațiilor:

Agenția Națională pentru Soluționarea Contestațiilor

Adresa: mun. Chișinău, bd. Ștefan cel Mare și Sfânt nr.124 (et.4), MD 2001;

Tel/Fax/email:022-820 652, 022 820-651, contestatii@ansc.md

21. n cadrul procedurii de achiziție publică se va utiliza/accepta:

Denumirea instrumentului electronic	Se va utiliza/accepta sau nu
Depunerea electronică a ofertelor sau a cererilor de participare	+
Sistemul de comenzi electronice	+
Facturarea electronică	+
Plățile electronice	+

22. Alte informații relevante: Pentru indentificarea produsului solicitat , vor fi solicitate mostre (pentru a identifica corespunderea parametrilor tehnici solicitați)

Conducătorul grupului de lucru: _____ Alina Tabacari .