

**ANUNȚ/INVITAȚIE DE PARTICIPARE**  
**la procedura de achiziție a bunurilor/serviciilor prin contract**

privind achiziționarea : *Achiziția de Microfoane și seturi de portavoce pentru instituțiile din subordinea Direcției Cultură a Primăriei Mun.Chisinau*

prin procedura de achiziție **CMV**

Cod CPV: 32342300-5

1. Denumirea autorității contractante: **Directia Cultura a Primăriei Mun.Chisinau , MD-2012**
2. IDNO: **1007601010585**
3. Adresa mun.Chişinău , str.Bucureşti 68
4. Numărul de telefon/fax: **067604022 / 022245562**
5. Adresa de e-mail și pagina web oficială ale autorității contractante: **dima\_popa@bk.ru;**
6. Adresa de e-mail sau pagina web oficială de la care se va putea obține accesul la documentația de atribuire: *documentația de atribuire este anexată în cadrul procedurii în SIA RSAP*
7. Cumpărătorul invită operatorii economici interesați, care îi pot satisface necesitățile, să participe la procedura de achiziție privind livrarea/prestarea următoarelor bunuri/servicii:

Nr. d/o	Cod CPV	Denumirea bunurilor/ serviciilor	Unitate a de măsură	Cantitatea	Specificarea tehnică deplină solicitată, Standarde de referință	Valoarea estimată
1	32342300-5	<i>Allen &amp; Heath M-SQ-WAVES3-A</i>	bucată	1	<i>64 × 64 Channel Interface Usable with 96 kHz or 48 kHz Can be integrated via Waves Plugin Server or Waves Native Multi-channel recording / playback 2 Ports with redundant and switch modes Internal Control Network Bridge Lockable Ethercon connector Available since October 2018 Item number 449259 Sales Unit 1 piece(s) Extension Card for Allen &amp; Heath Type Waves Sound Garantie 36 luni Sau analogic și compadibile intre ele</i>	299 700,00

2	32342300-5	Allen & Heath SQ SLink	bucată	1	<p>Audio Network Expansion Card For installation in Allen &amp; Heath SQ mixing consoles Extends the mixer by a SLink output with a maximum of 128x128 channels and 48 / 96kHz operation Note: The built-in SLink port and the then additional SLink Option Card port are operated independently of each other and can work in 3 different modes: dSnake / ME, DX or GigaACE Available since October 2018 Sales Unit 1 piece(s) Extension Card for Allen &amp; Heath Type SQ Garantie 36 luni Sau analogic și compadibile între ele</p>
3	32342300-5	Thon Case for Allen & Heath SQ6	bucată	1	<p>Mixer Case For Allen &amp; Heath SQ6 Material: 7 mm plywood 30 x 30mm Aluminium edges Foam padding 4 Spring-loaded butterfly latches 4 Folding handles 4 Steel ball corners 4 Steel ball corners with integrated L-corner 15 cm Cable duct External dimensions (W x D x H): 710 x 705 x 285 mm Weight: 12.8 kg Colour: Phenol Brown Available since December 2017 Sales Unit 1 piece(s) made for Allen &amp; Heath Type Case Material 7 mm Plywood Wheels No Dockhouse No Colour Phenol/Alu Weight 12,8 kg External Width 710 mm External Depth 705 mm External Height 285 mm Garantie 36 luni Sau analogic și compadibile între ele</p>

4	32342300-5	Sennheiser ew IEM G4 Twin A1-Band	bucată	3	<p><i>In Ear System</i>  <i>Evolution Wireless Series</i>  <i>Consisting of 2x UHF Bodypack receiver (EK IEM G4), 9.5" transmitter (SR IEM G4) and 2x IE4 earphones</i>  <i>Frequency range A1 band: 470 - 516 MHz</i>  <i>Stereo- / Focus- / Mono - Mode</i>  <i>Up to 1680 frequencies in 42 MHz switching bandwidth</i>  <i>20 Channel banks each with up to 16 presets</i>  <i>Up to 16 compatible channels</i>  <i>Frequency range: 25 - 15,000 Hz</i>  <i>Frequency transmission via infrared interface</i>  <i>Pocket receiver with charging contacts for optional BA 2015 rechargeable battery (NiMH) (battery not included)</i>  <i>Pilot tone</i>  <i>Auto tune to find free frequencies</i>  <i>Audio Gain includes 60 dB</i>  <i>4-Digit battery indicator on the transmitter and receiver</i>  <i>HDX compander</i>  <i>OLED display with NF level and channel display</i>  <i>3.5 mm jack for earphones</i>  <i>Adjustable limiter</i>  <i>Switchable transmission power</i>  <i>10/30/50 mW</i>  <i>WSM support (Ethernet interface for frequency management)</i>  <i>Adjustable 6.3 mm headphone jack on the transmitter</i>  <i>1 BNC antenna jack</i>  <i>2 x Jack/XLR female balanced combo jack inputs</i>  <i>Power supply 10.5 - 16 V DC</i>  <i>Including power supply unit NT 2-3 CW, 2 earphones IE 4, 4 x 1.5 V batteries and rack kit GA 3 for 19" installation</i>  <i>Available since</i>  <i>May 2018</i>  <i>Sales Unit</i>  <i>1 piece(s)</i>  <i>Switchable Frequencies</i>  <i>Yes</i>  <i>Mono/Stereo</i>  <i>Stereo</i>  <i>Limiter</i>  <i>Yes</i>  <i>Incl. Earpieces</i>  <i>Yes</i>  <i>Focus, Mixed, Dual Mono</i>  <i>Yes</i>  <i>Frequency from</i>  <i>470 MHz</i>  <i>Frequency to</i>  <i>516 MHz</i>  <i>Garantie 36 luni</i>  <i>Sau analogic și compadibile intre ele</i></p>
---	------------	--------------------------------------	--------	---	--

5	32342300-5	Sennheiser EK IEM G4 A1- Band	bucată	10	<p><i>In-ear bodypack receiver Evolution Wireless Series Frequency range: A1-band, 470-516 MHz Charging contacts for optional BA 2015 (NiMH) rechargeable battery (battery is not included, must be purchased separately) Pilot tone 4-Digit battery indicator LCD display with RF / AF level- and channel display 3.5 mm Jack input for earphones Adjustable limiter Operates with 2x 1.5 V batteries or rechargeable battery Includes IE4 earphones Available since March 2019 Item number 436956 Sales Unit 1 piece(s) Incl. Earpieces Yes Type Receiver Frequency Range 407 MHz – 516 MHz Garantie 36 luni Sau analogic și compadibile intre ele</i></p>
6	32342300-5	Sennheiser AC41 Antenna Combiner	bucată	1	<p><i>Active antenna combiner for ew G4 Up to 4 IEM transmitters Compatible with SR IEM G4, SR 300 IEM G3, SR 2000 IEM and SR 2050 IEM Type: 9.5", / 1 U Includes power supply NT 3-1 and 4x BNC cable Available since May 2018 Sales Unit 1 piece(s) Device type Combiner Device type Active Frequency range up to - Frequency range from 470 MHz – 870 MHz Width 212 mm Height 43 mm Depth 168 mm Weight 1,5 kg Garantie 36 luni Sau analogic și compadibile intre ele</i></p>
7	32342300-5	Sennheiser GZL RG 8x - 10m	bucată	1	<p><i>BNC Cable Low damping With ultra-low resistance 50 Ohm For connecting remote antennae Length: 10 m Available since October 2002 Item number 152574 Sales Unit 1 piece(s)</i></p>

					<i>Application</i> <i>Antenna</i> <i>Input connector</i> <i>BNC male</i> <i>Output connector</i> <i>BNC male</i> <i>Length In cm</i> <i>10,00 m</i> <i>Connection</i> <i>BNC</i> <i>Cable type</i> <i>RG213</i> <i>Length</i> <i>10 m</i> <i>Sau analogic și</i> <i>compadibile intre ele</i>
8	<b>32342300-5</b>	<i>Sennheiser ADP</i> <i>UHF 470-</i> <i>1075 MHz</i>	bucată	1	<i>Passive External</i> <i>Directional Antenna</i> <i>UHF range: 470 Hz - 1075</i> <i>MHz</i> <i>BNC connection</i> <i>3/8" and 5/8" thread for</i> <i>microphone stands</i> <i>Available since</i> <i>June 2021</i> <i>Item number</i> <i>519465</i> <i>Sales Unit</i> <i>1 piece(s)</i> <i>Type</i> <i>Directional antenna</i> <i>Frequency range up to -</i> <i>Frequency range from</i> <i>470 MHz – 1075 MHz</i> <i>Connection</i> <i>BNC</i> <i>Connection 3/8"</i> <i>Yes</i> <i>5/8" Connection</i> <i>Yes</i> <i>Antenne type</i> <i>Passive</i>

9	32342300-5	SKB Roto- Molded 4U Shallow Rack	bucată	1	<p>Double Door Rack  Installation depth: 27.18 cm  4 Butterfly latches  Dimensions: 56.9 x 23.1 x 41.2 cm  Weight: 5.81 kg  Colour: Black  Available since  June 2014  Item number  342315  Sales Unit  1 piece(s)  Formfactor  19"  Construction Type  Double-Door  Vertical Height Units  4 U  Internal Depth [mm]  270 mm  Horizontal Height Units  0 U  with display stand  No  Rack rail at the back  Yes  Service flap  No  With Wheels  No  Trolley  No  Shock Mount  No  Clasps  Butterfly  Material  Plastic  Colour  Black  Weight  5,8 kg  <i>Sau analogic și compadibile intre ele</i></p>
10	32342300-5	Thon Inlaycase BK Univ	bucată	2	<p><i>Custom-Made Case for Inlay System</i></p> <p><i>For the Thon Inlay System</i>  Material: 7 mm coated plywood  22 x 22 mm Aluminium edges  2 Small butterfly latches  1 Suitcase handle  2 Locking hinges  8 Steel ball corners  Convolutated foam in the lid  Internal dimensions (W x D x H):  405 x 375 x 60 mm  External dimensions (W x D x H):  Approximately 445 x 415 x 130 mm  Weight: Approximately 4.6 kg  Colour: Black  Milled foam inlay</p> <p><i>Suitable for 2 U rack with pullout drawers or Thon inlay system case</i>  For 12 pockettransmitters  Foam in two colours black/ red</p>

					<p>Accessory compartment  Milled compartment for handheld transmitter (W x D x H): approx. 118 x 31 x 50 mm  Dimensions (WxDxH): 405 x 375 x 60 mm  Available since September 2018  Item number 449284  Sales Unit 1 piece(s)  suitable for Bodypacks 12x  Material 7 mm Plywood  Wheels No  IP Class No  Colour Black  Weight 4,8 kg  External Width 445 mm  External Depth 415 mm  External Height 130 mm  Sau analogic și compadibile intre ele</p>
11	<b>32342300-5</b>	Thon Rack Drawer 2U short	bucată	1	<p>Rack Drawer 2 U  Installation depth of rack drawer: 210 mm  Material: Metal  Black powder-coated  Robust castor guide  Inner dimensions (W x D x H): 404 x 210 x 74 mm  Construction: 19" / 2 U  Weight: 3.4 kg  Available since November 2017  Item number 417809  Sales Unit 1 piece(s)  Type 19"  Height in Rack Units 2 U  Depth 210 mm  Lock No  Material Steel  Weight 3,4 kg  Sau analogic și compadibile intre ele</p>
12	<b>32342300-5</b>	Thon Case A&H Stagebox AB/DT/DX 168	bucată	2	<p>Transport Case  Suitable for one A&amp;H Stagebox AB168, DT168 and DX168  Made of plywood coated  25 x 25 mm Aluminium edge  1 Medium-sized butterfly latch V4  1 Medium folding handle</p>

					2 Locking hinges 8 Medium ball corners Foam padding Exterior dimensions (W x D x H): approx. 325 x 255 x 515 mm Weight: approx. 4.8 kg Colour: Black Available since October 2020 Item number 504877 Sales Unit 1 piece(s) Profundită interna 255 mm Locks And Catches 1x Fluturaș Strap Handles No Flip Handles 1 Material 6,8 mm Plywood Wheels No Weight 4,8 kg Speacial Features / Options None External Width [mm] 325 mm External Depht [mm] 255 mm External Heigh [mm] 515 mm Sau analogic și compadibile între ele
--	--	--	--	--	--

**În cazul în care contractul este împărțit pe loturi un operator economic poate depune oferta (se va selecta):**

- 1) Pentru un singur lot; **V**
- 2) Pentru mai multe loturi;
- 3) Pentru toate loturile;
- 4) Alte limitări privind numărul de loturi care pot fi atribuite aceluiași ofertant \_\_\_\_\_

**8. Admiterea sau interzicerea ofertelor alternative: nu se admite**  
(indicați se admite sau nu se admite)

**9. Termenii și condițiile de livrare/prestare solicitați: 2 zile.**

**10. Termenul de valabilitate a contractului: 30.12.2024**

**11. Scurta descriere a criteriilor privind eligibilitatea operatorilor economici care pot determina eliminarea acestora și a criteriilor de selecție/de preselecție; nivelul minim (nivelurile minime) al (ale) cerințelor eventual impuse; se menționează informațiile solicitate (DUAE, documentație):**

Nr. d/o	Criteriile de calificare și de selecție (Descrierea criteriului/cerinței)	Mod de demonstrare a îndeplinirii criteriului/cerinței:	Nivelul minim/Obligativitatea
1	Dovada înregistrării persoanei juridice, în conformitate cu prevederile legale.	copie - confirmată prin aplicarea semnăturii și ștampilei participantului	<b>Obligativiu</b>



2	Certificat de atribuire a contului bancar	original - confirmată prin aplicarea semnăturii și ștampilei participantului	<b>Obligatoriu</b>
3	Certificat de atribuire a TVA.	copie - confirmată prin aplicarea semnăturii și ștampilei participantului	<b>Obligatoriu</b>
4	Oferta specificatiilor de pret	original - confirmată prin aplicarea semnăturii și ștampilei participantului, Formularul anexa nr. 23 din DOCUMENTAȚIA STANDARD	<b>Obligatoriu</b>
5	Oferta specificatiilor tehnice	original - confirmată prin aplicarea semnăturii și ștampilei participantului anexa nr. 22 din DOCUMENTAȚIA STANDARD	<b>Obligatoriu</b>
6	DUAЕ	original - confirmată prin aplicarea semnăturii și ștampilei participantului	<b>Obligatoriu</b>
7	Cerere de participare	original - confirmată prin aplicarea semnăturii și ștampilei participantului Formularul (anexa nr. 7) din DOCUMENTAȚIA STANDARD	<b>Obligatoriu</b>
8	Declaratie pe propria răspundere că toate produsele vor fi noi, impachetate de producător și corespund cu datele de marcat de pe cutie cu produsul .	original - confirmată prin aplicarea semnăturii și ștampilei participantului	<b>Obligatoriu</b>
9	Declarația privind transportarea, descărcarea produselor din contul agentului economic.	original - confirmată prin aplicarea semnăturii și ștampilei participantului	<b>Obligatoriu</b>
10	Garanția pentru ofertă cuantumul 2%	a) Oferta va fi însoțită de o Garanție pentru ofertă (emisă de o bancă comercială) conform formularului F3.2 din secțiunea a 3-a – Formulare pentru depunerea ofertei sau b) Garanția pentru ofertă prin transfer la contul autorității contractante, conform următoarelor date bancare: Beneficiarul plății: Direcția Cultură a Primăriei Municipiului Chișinău Denumirea Băncii: Ministerul finanțelor-Trezoreria de Stat. Codul fiscal: 1007601010585 Contul de decontare; MD88TRPCDV518410A00778AA Contul trezorerial: Contul bancar: TREZMD2X cu nota “Pentru setul documentelor de atribuire” sau “Pentru garanția pentru ofertă la procedura de achiziție publică nr. din ”	<b>Obligatoriu</b>

**12. Garanția de bună execuție a contractului emisă de o banca comerciala, cuantumul 15%. Originalul va fi prezentat la sediul autorității dupa desemnarea câștigătorului concursului.**

**13. Ofertele se prezintă în valuta MDL**

Criteriul de evaluare aplicat pentru atribuirea contractului: *corespunderea parametrilor tehnici solicitați ,prețul cel mai scăzut și documentele/cerințele de calificare/selectie sa corespunda cerintelor, termenul de livrare*

**14. Termenul limită de depunere/deschidere a ofertelor:**

până la: [ora exactă] indicată în SIA RSAP. \_\_\_\_\_

pe: [data] indicată în SIA RSAP. \_\_\_\_\_

**15. Adresa la care trebuie transmise ofertele sau cererile de participare:**

*Ofertele sau cererile de participare vor fi depuse electronic prin intermediul SIA RSAP*

**16. Termenul de valabilitate a ofertelor: pe durata executării contractului**

**17. Locul deschiderii ofertelor: SIA RSAP**

*Ofertele întârziate vor fi respinse.*

**18. Persoanele autorizate să asiste la deschiderea ofertelor:**

*Ofertanții sau reprezentanții acestora au dreptul să participe la deschiderea ofertelor, cu excepția cazului când ofertele au fost depuse prin SIA RSAP.*

**19. Limba sau limbile în care trebuie redactate ofertele sau cererile de participare: de stat**

**20. Denumirea și adresa organismului competent de soluționare a contestațiilor:**

*Agenția Națională pentru Soluționarea Contestațiilor*

*Adresa: mun. Chișinău, bd. Ștefan cel Mare și Sfânt nr.124 (et.4), MD 2001;*

*Tel/Fax/email:022-820 652, 022 820-651, contestatii@ansc.md*

**21. n cadrul procedurii de achiziție publică se va utiliza/accepta:**

Denumirea instrumentului electronic	Se va utiliza/accepta sau nu
Depunerea electronică a ofertelor sau a cererilor de participare	+
Sistemul de comenzi electronice	+
Facturarea electronică	+
Plățile electronice	+

**22. Alte informații relevante: Pentru indentificarea produsului solicitat , vor fi solicitate mostre ( pentru a identifica corespunderea parametrilor tehnici solicitați )**

Conducătorul grupului de lucru: \_\_\_\_\_ Alina Tabacari .