



"Developing and implementing an common Emergency Situation Management System by Ivanesti commune from Vaslui county and Bulboaca village from Anenii Noi district"

TECHNICAL SPECIFICATIONS + TECHNICAL OFFER

Program Romania-Republic of Moldova 2014-2020 Management System by Ivaneşti commune from Vaslui county and Bulboaca village from Anenii Noi district" financed by the Joint Operations Contract title: Supply of backhoe and accessories related to the project "Developing and implementing an common Emergency Situation

Publication reference: 2SOFT/4.2/92

Columns 1-2 should be completed by the contracting authority Columns 3-4 should be completed by the tenderer Column 5 is reserved for the evaluation committee

Annex III - the contractor's technical offer

The tenderers are requested to complete the template on the next pages:

- Column 2 is completed by the contracting authority shows the required specifications (not to be modified by the tenderer),
- Column 3 is to be filled in by the tenderer and must detail what is offered (for example the words 'compliant' or 'yes' are not sufficient)
- Column 4 allows the tenderer to make comments on its proposed supply and to make eventual references to the documentation

can see the exact configuration. Offers that do not permit to identify precisely the models and the specifications may be rejected by the evaluation The eventual documentation supplied should clearly indicate (highlight, mark) the models offered and the options included, if any, so that the evaluators

The offer must be clear enough to allow the evaluators to make an easy comparison between the requested specifications and the offered specifications





"Developing and implementing an common Emergency Situation Management System by Ivănești commune from Vaslui county and Bulboaca village from Anenii Noi district"

	7.	6.	5.	.4	ω	2.			Item number
	Joystick control	Trapeze Cup for ditches: - trapezoidal cup; - used for ditches.	Cup of 1500 mm without teeth: - size: 1500 mm; - suitable for the offered backhoe;	Cup of 900 mm with teeth: - size: 900 mm; - suitable for the offered backhoe;	Cup of 350 mm with teeth: - size: 350 mm; - suitable for the offered backhoe;	Pallet forks: - transport weight: minimum 450 kg; - according to the offered backhoe loader.	Backhoe: - engine: minimum 100 CP, stage A; - 6-speed forward and 3 reverse gearbox; - 4x4 traction; - FOPS/ROPS cabin; - 4 in 1 loading bucket, multifunctional, 1,1 m ³ ;	2.	Specifications required
								3.	Specifications offered
BLIVE STATE OF THE	100 C 10	ON AST-1						4.	Notes, remarks, ref to documentation
PRIMARING AGE 1 of 3	W HE W		٠					5.	Evaluation committee's notes

13.	12.	10.	10.	9.	8.	1.	Item number
Snow blade: - length: 260 - 2800 mm; - working width: 2550- 2800 mm; - 2 segments; - blade height: 85-105 cm; - weight: maximum 660 kg; - overall lighting system; - obstacle safety system with independent springs; - land copying system; - hydraulic protection system; - metal wear blade	Air conditioning: - the machine will be equipped with air conditioning or will be mounted in the backhoe loader upon receipt from the manufacturer	Chair with pneumatic suspension for lumbar comfort	Quick coupling with mechanical actuation on the escavare arm:	Picon hydraulic diameter 50 mm	MSS	2.	Specifications required
						ü	Specifications offered
						4.	Notes, remarks, ref to documentation
						5.	Evaluation committee's notes

^{*} Considering the fact that the source of financing of the Contracting Authority is the Joint Operational Program Romania - Republic of Moldova 2014-2020, the project budget is a fixed one. In this respect, economic operators will offer the prices provided in the document c4d_specialconditions to point 26.9.