

ANUNȚ DE PARTICIPARE
privind achiziționarea diverselor echipamente tehnice
prin procedura de achiziție cererea ofertelor de prețuri

1. **Denumirea autorității contractante:** *IP Compania „Teleradio – Moldova”.*
2. **IDNO:** *1004600050558.*
3. **Adresa:** *str. Miorița 1, mun. Chișinău, MD-2028.*
4. **Numărul de telefon/fax:** *068482641.*
5. **Adresa de e-mail și pagina web oficială ale autorității contractante:** *trm@trm.md, www.trm.md.*
6. **Adresa de e-mail sau pagina web oficială de la care se va putea obține accesul la documentația de atribuire:** *documentația de atribuire este anexată în cadrul procedurii în SIA RSAP.*
7. **Tipul autorității contractante și obiectul principal de activitate (dacă este cazul, mențiunea că autoritatea contractantă este o autoritate centrală de achiziție sau că achiziția implică o altă formă de achiziție comună):** *Instituție Publică.*
8. **Cumpărătorul invită operatorii economici interesați, care îi pot satisface necesitățile, să participe la procedura de achiziție privind livrarea bunuri:**

Cod CPV	Denumirea bunurilor	Can.	Unit. măsur.	Descrierea bunurilor și specificarea tehnică	Valoarea estimată fără TVA (pentru fiecare lot în parte)
	Diverse echipamente tehnice				
32210000-8	Lotul nr. 1. Carbon fiber tripod system with fluid head	2	buc	Fluid Head Camera Mounting - 1/4"-20 Screw (Quick Release w/ Sliding Balance Plate) Base Mount - Flat Base with 3/8"-16 Female (75 mm Half Ball via Included Adapter) Counter Balance - Incremental 9-Step Plus 0; Vertical Tilt - +90° to - 75° Dimensions - Camera Plate: 140.00 x 50.00 mm Bubble Level - Illuminated Load Capacity - 8 kg; Weight - max 1.7 kg Legs Head Mount Type - 75 mm Bowl Primary Material - Carbon Fiber Leg Lock - Lever Lock; Leg Sections - 3; Leg Positions - 3 Positions Foot Features - Removable, Dual Spiked Maximum Working Height - 157 cm; Minimum Working Height - 26 cm Load Capacity - 20 kg; Closed Length - 68 cm Spreader Support - Ground/Mid-Level Warranty: 2 year	77 083,33
32210000-8	Lotul nr. 2 Professional Video Stabilizer System	1	buc	Key Features Support for Gimbals with Small Cameras 2 to 7 kg Payload Range Standard Camera Hook with Spring; Adjustable Spring-Loaded Support Arm Relieves Strain from Your Arms; Helps Get Steady Shots; Height-Adjustable Support Bar Smooth-Support Rope Movement; Folds for Transport & Storage Overhead Arm Overhead Arm - Fixed with Adjustment Rings Suspension Line Length - 110 cm Vest Belt Size - 81.3 to 139.7 cm Warranty: 2 year	44 166,66

32210000-8	Lotul nr. 3 Monitor and accesories	1	buc	Display Panel Type - IPS-Type LCD Shinobi II Display Size - 5.2" / 13.2 cm; Native Resolution - 1920 x 1080; Aspect Ratio - 16:9 Viewing Angle - Horizontal / Vertical: 178°; Maximum Brightness - 1500 nits / cd/m2 Color Support - 1.07 Billion Colors (8-Bit+FRC); HDR Support - Hybrid Log Gamma; Color Gamut - 100% Rec. 709 Image Controls - Anamorphic De-Squeeze, Blue Only, False Color, Focus Peaking, Histogram, Image Flip, Pixel-to-Pixel Zoom, RGB Parade, Screen Markers, Vectorscope, Waveform, Zebra Inputs/Outputs Video I/O - 1x HDMI 1.4 Input Embedded Audio - HDMI: 2-Channel; Audio I/O - 1x 3.5 mm Headphone Output Power I/O - 1x USB-C (16.8 VDC) Input/Output; Other I/O - 1x 2.5 mm (LANC) Output Media/Memory Card Slot - Single Slot: SD/SDHC/SDXC (UHS-I) Format Support Video Format - HDMI (8/10-Bit 4:2:2), DCI 4K: 30/29.97/25/24/23.98 UHD 4K: 30/29.97/25/24/23.98, 1080p: 60/59.94/50/29.97/25/24/23.98 Power Input Power - 6.2 to 16.8 VDC; Battery - 1x L-Series Mount on Fixed Plate Mounting Tripod/Accessory Mounting - Bottom 1x 1/4"-20 Female Include: HDR monitor, USB-C 2.0 Cable, HDMI/USB-C Locking Cable Adapter, Sun Hood, Compact AC/DC Charger, Battery Adapter Plate for L & M Series, NP-F770 Lithium-Ion Battery Pack. Warranty: 1 year	7 916,66
32210000-8	Lotul nr. 4 Full-Frame Power Zoom Lens	1	buc	Focal Length - 28 to 135mm Maximum Aperture - f/4; Minimum Aperture - f/22 Lens Mount - Sony E; Lens Format Coverage - Full-Frame Angle of View-Full Frame Horizontal: 75 to 18°, APS-C (1.5x) Horizontal: 54 to 12° Focus Scales - Metric, Imperial Optical Design - 18 Elements in 12 Groups; Filter Thread - 95 mm; Zoom Ratio - 4.8x Minimum Focus Distance - From Camera Sensor: 40 cm (Wide) to 95 cm (Tele) Magnification - 6.66:1 Macro Reproduction Ratio, 0.15x Magnification Aperture/Iris Blades - 9 Lens Mounting - 1x -20 Diameter- 105 mm; Length - 162.5 mm Warranty: 1 year	53 916,66
	Lotul nr. 5				
32210000-8	5.1. Light Stand Kit	1	buc	Stand Type - 3x C-Stand with Grip Arm / Grip Head Maximum Working Height - 3 m Minimum Working Height - 101.6 cm Load Capacity - 10 kg Arm Mount (to Light/Accessory) - 5/8" Stud Arm Mount (to Stand) - 2.5" Grip Head Stand/Column Top Mount - 5/8" Stud Column Bottom Mount - 1-1/8" Stud Base/Leg Mount (to Column) - 1-1/8" Receiver Weight 10 kg (Stand), 1.5 kg (Arm) Arm Length - 104.78 cm Footprint Diameter - 88.9 cm Leg Shape - Round Material - Aluminum, Iron, Steel Rolling Case for 3x C-Stands Warranty: 1 year	12 583,33

32210000-8	5.2. LED Light (V-Mount)	1	buc	Light Fixture Item Type - 1x LED Monolight LS 300x Included Light Modifier - 1x Reflector Lumens - 56,000 Photometrics - 105° at 3200K: 473 fc / 5100 Lux at 3.3' / 1 m, 53 fc / 580 Lux at 9.8' / 3 m, 20 fc / 220 Lux at 16.4' / 5 m; 105° at 5600K: 585 fc / 6300 Lux at 3.3' / 1 m, 65 fc / 700 Lux at 9.8' / 3 m, 23 fc / 250 Lux at 16.4' / 5 m; 3200K: 1504 fc / 16,200 Lux at 3.3' / 1 m (with Reflector) 120 fc / 1300 Lux at 9.8' / 3 m (with Reflector), 41 fc / 450 Lux at 16.4' / 5 m (with Reflector); 5600K: 1904 fc / 20,500 Lux at 3.3' / 1 m (with Reflector), 157 fc / 1700 Lux at 9.8' / 3 m (with Reflector), 51 fc / 550 Lux at 16.4' / 5 m (with Reflector) Color Temperature - 2700 to 6500K; Color Modes - Daylight, Tungsten Color Accuracy Standard - CRI 96, TLCI 96, CQS 95; Dimming - 0 to 100% Beam Angle - 105° Front Accessory Mount - Bowens S Connectivity Wireless Remote Control Type - Bluetooth, Radio/RF Wireless Channels - 3; Wireless Groups - 4; Wireless Frequency - 2.4 GHz; Wireless Range - 100 m Power & I/O Power Source - AC Power, Battery Inputs/Outputs - Light Fixture 1x XLR 5-Pin Power Input; Power Supply/Controller - 1x powerCON AC Power Input, 1x XLR 5-Pin Power Output, 1x XLR 5-Pin DMX Input, 1x XLR 5-Pin DMX Output Battery Plate Type - 2x V-Mount (Built-In) Battery - 2x V-Mount Rechargeable, 14.4 VDC Input Power - 100 to 240 VAC, 50 / 60 Hz Included Adapter / Cable - 1x USA Type-A/B to powerCON Cable (6 m), 1x XLR 5-Pin Male to XLR 5-Pin Female Cable (3 m) Power Consumption - 350 W Mounting Yoke Type - Manually-Operated Yoke (180° Tilt) Fixture Mounting- 1x 5/8" Receiver (Via Yoke Mount) Warranty: 1 year	14 416,66
32210000-8	5.3. Lighting Projection Lens	1	buc	Fresnel 2X Attachment compatible for LS C120d, LS C120d II, LS C300d Beam Angle - 12-40° Mount - Bowens Photometrics - 12° Spot at 1.0 m with LS C120d, Without Lens: 3400 lux, With Lens: 46,000 lux Dimensions - Lens Diameter: 6"/15.2 cm, Overall: 7x7x5.5"/180x180x141 mm Warranty: 1 year	1 808,33
32210000-8	5.4. Fog Machine	1	buc	All-in-One Handheld Mini Fog Machine Item Type - 1x Fog Machine Remote Control - Wireless Remote (Receiver & Remote Included) Tank Capacity - 12 mL Power Source - Battery (Built-In) Power I/O - 1x USB-C Input Duty Cycle - 18-Minute Runtime Battery - 1x Rechargeable Lithium-Ion, 2550 mAh; Up to 25-Minute Runtime Warranty: 1 year	2 333,33
32210000-8	5.5. Reflector	1	buc	5-in-1 Collapsible Oval Reflector Collapsible Reflector Kit with removable, reversible cover offering five functional surfaces in three configurations: Silver (crisp, cool fill), Soft-Gold (warm fill), Black (eliminate reflections), Solid White (soft fill), and a single translucent panel for diffused lighting. Surfaces: Black, Diffusion, Gold, Silver, White. Oval shape. Collapsed Size - 1/3 of Working Size Warranty: 1 year	1 250,00
				Total lot nr. 5	32 391,65

3221000	Lotul nr. 6 Editor Keyboard	2	buc	Editor Keyboard designed for professional editors for faster workflow. Enables dual-hand editing and includes an integrated search dial. USB-C connection; most keys function as standard USB keyboard. Includes: Editor Keyboard and Resolve Studio. Warranty: 1 year	25 583,33
32210000-8	Lotul nr. 7 Intercom wireless	1	buc	Full-Duplex Wireless Intercom Solution Number of Included Headsets - 8x Single-Sided Headset Number of Included Transceivers - 1x Base Station, 8x Beltpack Users per System - 8 <u>Wireless Connectivity</u> Wireless Technology - Digital 1.9 GHz Operating Range - 450 m RF Bandwidth - 1.72 MHz Wireless Modulation - GFSK Approximate RF Sensitivity - -93 dBm <u>Base Station</u> Antenna - Base Station: 2x External, Detachable; Beltpack: 2x External, Fixed Number of Charging Ports - 1 AC/DC Power Adapter - VDC Included Power Consumption - 3 W <u>Headphone</u> Earpiece Design - Over-Ear (Circumaural) Earpiece Connection / Wearing Style - Headband Number of Earpieces - Single Earpiece (Left or Right Side) Controls/Microphone Location - Controls: Bodypack; Microphone: Adjustable Boom Frequency Response - 200 Hz to 7 kHz <u>Microphone</u> Mic Boom Location - Interchangeable (Left or Right Side) Audio Connector - 1x 1/8" / 3.5 mm; 1x LEMO (Unspecified Type) Battery Type - Base Station: Built-In Rechargeable Battery; Beltpack: Built-In Rechargeable Battery; Lithium-Ion; Capacity (mAh) - 1500 mAh Include: Station x 1, Beltpack x 8, Charging Base x 1, High Gain Omnidirectional Antenna x 2, LEMO Single-Ear Headset x 8, RJ45 to XLR Cable (5 meters) x 1, USB-Type-A to Type-C Cable x 1, POE Adapter x 1, 4Pin XLR Adapter x 1, Battery for Beltpacks x 16, 3/8 Installing Accessory x 1 (Equivalent Solidcom M1) Warranty: 2 years	128 233,33
32210000-8	Lotul nr. 8 SDI Cable	200	m	SDI Cable inner conductor: solid bare copper, Ø 0.60 mm insulation: foam-skin PE, gas injected , Ø 2.85 mm shielding: AL/PET/AL double-layer foil + tinned copper braid (92% coverage) outer jacket: FRNC overall diameter: 4.5 mm operating temperature: -30°C / +70°C min. bending radius: 25 mm min. bending radius: installed: 6x overall diameter, mobile use: 12x overall diameter. characteristic impedance: 75 Ω ± 2%	7 916,66
	Lotul nr. 9				
32210000-8	9.1. Steel Spring Clamp	5	buc	Clamp Type - Spring Jaw Shape - Flat Color - Black Clamping Range - 5.08 cm Materials - Metal Dimensions - Depth: 120 mm Warranty: 1 year	316,66

32210000-8	9.2. Light Stand Accessories (set)	3	buc	Set of three black Stand Leg Protectors, designed to protect surfaces from scratches and impact, while ensuring easy gear identification. Made of durable composite material (cotton, nylon, rubber). Machine washable. Material of Construction - Cotton, Nylon and Rubber Composite Material Dimensions - 12 x 4.0 cm Warranty: 1 year	<i>483,33</i>
32210000-8	9.3. Clamp	2	buc	Super Clamp with Ratchet Handle Clamp Type - Jaw Jaw Shape - Round Load Capacity - 15 kg Color - Black Included Adapter - 1x 5/8" Stud with 1/4"-20 Male Screw Clamping Range - 1.3 to 5.3 cm Materials - Aluminum Alloy Warranty: 1 year	<i>916,66</i>
32210000-8	9.4. Mounting Hardware	1	buc	20" Pivot Arm with Camera Platform Kit Load Capacity - 3.6 kg Connections - 1 x 5/8" Male Stud + 1/4"-20 Female Thread, 1 x 5/8" Male Stud + 3/8"-16 Female Thread Length - 25.4 to 50.8 cm Warranty: 1 year	<i>1458,33</i>
32210000-8	9.5. Clamp	2	buc	Small Clip Clamp with Rubber Rivet Jaw Small Clip Clamp with Rubber Rivet Jaw has rubber-padded jaws that can attach to pipe, light stands, shelves or ceiling supports up to 1.38" in thickness or diameter. The clamp has a 5/8" receiver for mounting to a light stand, articulating arm or other accessory, as well as a 5/8" stud with 3/8"-16 tap and 1/4"-20 bushing for gear with threaded studs or 5/8" receivers. Clamp Type - Spring Jaw Shape - Flat, Round Mounting - Accessory Mount: 1x 5/8" Receiver, 1x 5/8" Stud, 1x 1/4"-20 Female Thread, 1x 3/8"-16 Female Thread Clamping Range - 35 mm Materials- Aluminum, Rubber Warranty: 1 year	<i>516,66</i>
32210000-8	9.6. Clamp	2	buc	Large Clip Clamp with 5/8" Receptor and 3/8" Female Threads Large Clip Clamp with 5/8" Receptor and 3/8" Female Threads clamps onto bars up to 40mm in diameter. It is a handy multi-purpose clamp that is handy to keep around in the studio. It can be used to hold gobos, flats, or reflectors with complete security. It has a 5/8" male stud and a 3/8" female socket. Clamp Type - Spring Jaw Shape - Flat, Round Mounting - Accessory Mount: 1x 5/8" Stud, 1x 3/8"-16 Female Thread Clamping Range - 40.6 mm Warranty: 1 year	<i>475,00</i>
32210000-8	9.7. Clamp	2	buc	Heavy-Duty C-Clamp Load Capacity - 110 lb (50 kg) Material - Cast iron Warranty: 1 year	<i>766,66</i>
	9.8. Adapter HDMI	2	buc	HDMI 90-Degree Adapter - Horizontal to Vertical Orientation Connector 1 - 1x HDMI Male; Connector 2 - 1x HDMI Female Warranty: 1 year	<i>275,00</i>
32210000-8	9.9. Sandbag	4	buc	Filled Saddle Sandbag Design - Saddle Bag Weight Capacity - 6.8 kg Fill Material - Sand; Type of Closure - Zipper Environmental Resistance - Water-Resistant (Unrated) Material - Nylon Strap Width - 4.0 cm Warranty: 1 year	<i>1 583,33</i>

9.10. Mounting Hardware	3	buc	Telescopic Collapsible Reflector Holder Telescopic Collapsible Reflector Holder, ideal for mounting reflectors up to 60". Compatible with any stand featuring a 5/8" top stud. Includes 5/8" female stand adapter with 3/8" and 1/4"-20 female threads. Warranty: 1 year	2 583,33
			Total lot nr. 9	9 374,96
			Valoarea estimativă fără TVA	386 583,24

9. În cazul procedurilor de preselectie se indică numărul minim al candidaților și, dacă este cazul, numărul maxim al acestora. *nu se aplică.*
10. În cazul în care contractul este împărțit pe loturi un operator economic poate depune oferta (se va selecta): *Pentru mai multe loturi.*
11. Admiterea sau interzicerea ofertelor alternative: *nu se admite.*
12. Termenii și condițiile de livrare/prestare solicitate: *Livrarea bunurilor în decurs de 40 zile calendaristice de la semnarea contractului. Cheltuielile de transportare a bunurilor vor fi suportate de către Furnizor până la sediul Cumpărătorului.*
13. Termenul de valabilitate a contractului: *31.12.2025.*
14. Contract de achiziție rezervat atelierelor protejate sau că acesta poate fi executat numai în cadrul unor programe de angajare protejată (după caz): *nu se aplică.*
15. Prestarea serviciului este rezervată unei anumite profesii în temeiul unor legi sau al unor acte administrative (după caz): *nu se aplică.*
16. Scurta descriere a criteriilor privind eligibilitatea operatorilor economici care pot determina eliminarea acestora și a criteriilor de selecție/de preselectie; nivelul minim (nivelurile minime) al (ale) cerințelor eventual impuse; se menționează informațiile solicitate (DUAЕ, documentație):

Nr. d/o	Descrierea criteriului/cerinței	Mod de demonstrare a îndeplinirii criteriului/cerinței:	Nivelul minim/ Obligatorietatea
1.	(DUAЕ) – Documentul unic de achiziții european (în cazul în care operatorul economic participă la procedura de achiziții publice împreună cu alți operatori economici, toți participanții urmează să completeze DUAЕ separat)	Semnat electronic de către operatorul economic	Obligatoriu
2.	Specificații tehnice	Specificații tehnice completate conform Anexei nr. 22 la Documentația standard aprobată prin Ordinul Ministrului Finanțelor nr. 115 din 15.09.2021, semnată electronic de către operatorul economic.	Obligatoriu
3.	Specificații de preț	Specificații de preț completate conform Anexei nr. 23 la Documentația standard aprobată prin Ordinul Ministrului Finanțelor nr. 115 din 15.09.2021, Semnată electronic de către operatorul economic.	Obligatoriu
4.	Intenția de participare în cadrul procedurii de achiziție.	Cerere de participare completată, conform Anexei nr. 7 la Documentația standard aprobată prin Ordinul Ministrului Finanțelor nr. 115 din 15.09.2021, semnată electronic de către operatorul economic	Obligatoriu
5.	Menținerea valabilității ofertei pentru o durată de 60 de zile (calculată din momentul termenului-limită de depunere a ofertei).	Declarație privind valabilitatea ofertei, completată conform Anexei nr. 8 la Documentația standard aprobată prin Ordinul Ministrului Finanțelor nr. 115 din 15.09.2021, semnată electronic de către operatorul economic	Obligatoriu

6.	Confirmarea identității beneficiarilor efectivi și neîncadrarea acestora în situația condamnării pentru participarea la activități ale unei organizații sau grupări criminale, pentru corupție, fraudă și/sau spălare de bani (<i>formularul Declarației va fi publicat pe SIA „RSAP” (MTender)</i>).	Declarație pe proprie răspundere - în termen de 5 zile după data comunicării rezultatelor procedurii de achiziție publică, ofertantul desemnat câștigător va prezenta această Declarație autorității contractante și Agenției Achiziții Publice, semnată electronic de către operatorul economic	Obligatori
7.	Operatorul economic nu se află în proces de insolvență.	Declarație pe propria răspundere - semnată electronic de către operatorul economic	Obligatori
8.	Experiență specifică în livrarea bunurilor similare (<i>art. 22 alin. (2) lit. a) din Legea 131/2015 privind achizițiile publice</i>).	Declarație privind lista principalelor livrări/prestări efectuate în ultimii 3 ani de activitate, completată conform Anexei nr. 12 la Documentația standard aprobată prin Ordinul Ministrului Finanțelor nr. 115 din 15.09.2021. Prestarea serviciilor se confirmă prin prezentarea unor certificate /documente (facturi fiscale) emise sau contrasemnate de către beneficiarii de livrări, semnate electronic de către operatorul economic .	Obligatori
9.	Demonstrarea conformării cu prevederile Regulamentului privind gestionarea vehiculelor scoase din uz, aprobat prin HG nr. 93/2023	Prezentarea numărului de înregistrare din Sistemul individual sau Sistemul colectiv pentru colectarea, reutilizarea și valorificarea vehiculelor pentru respectarea prevederilor Regulamentului privind gestionarea vehiculelor scoase din uz, aprobat prin HG nr. 93/2023, în baza Legii nr. 162/2023 privind supravegherea pieței și conformitatea produselor, a Legii nr. 131/2012 privind controlul de stat asupra activității de întreprinzător, a Legii nr. 1515/1993 privind protecția mediului înconjurător și a Legii nr. 209/2016 privind deșeurile/copia documentului confirmativ, semnat electronic de către operatorul economic	Obligatori
10.	Situație financiară	Raportul financiar în original/copie pentru ultimul an, aprobat de către Direcția Generală pentru Statistică sau însoțite de recipisa de primire de către Direcția Generală pentru Statistică, semnat electronic de către operatorul economic	Obligatori
11.	Certificat/Decizie de înregistrare a întreprinderii sau Extrasul din registrul de Stat.	Copie - semnată electronic de către operatorul economic	Obligatori
12.	Certificat de atribuire a contului bancar.	Eliberat de banca deținătoare de cont, semnat electronic de către operatorul economic	Obligatori

****În cazul în care IP Compania „Teleradio-Moldova”, potrivit prevederilor art. 20 alin. (8) din Legea nr. 131/2015 privind achizițiile publice, va solicita prezentarea anumitor documente justificative, operatorul economic este obligat să le prezinte în termen de 3 zile lucrătoare, conform prevederilor DUAE și cadrului normativ în vigoare. În cazul neprezentării documentelor justificative în termenul-limită stabilit, operatorul economic va fi descalificat.***

17. Garanția pentru ofertă, după caz - nu se aplică.

18. **Garanția de bună execuție a contractului, după caz - nu se aplică.**
19. **Motivul recurgerii la procedura accelerată (în cazul licitației deschise, restrânse și a procedurii negociate), după caz: nu se aplică.**
20. **Tehnici și instrumente specifice de atribuire (dacă este cazul specificați dacă se va utiliza acordul-cadru, sistemul dinamic de achiziție sau licitația electronică):** *Licitație electronică, 3 runde, valoarea pasului minim 1%.*
21. **Condiții speciale de care depinde îndeplinirea contractului (indicați după caz):** *nu se aplică.*
22. **Ofertele se prezintă în valuta:** *LEI MDL.*
23. **Criteriul de evaluare aplicat pentru atribuirea contractului:** *prețul cel mai scăzut.*
24. **Factorii de evaluare a ofertei celei mai avantajoase din punct de vedere economic, precum și ponderile lor:** *nu se aplică.*
25. **Termenul limită de depunere/deschidere a ofertelor:** *conform SIA RSAP.*
26. **Adresa la care trebuie transmise ofertele sau cererile de participare:** *Ofertele sau cererile de participare vor fi depuse electronic prin intermediul SIA RSAP.*
27. **Termenul de valabilitate a ofertelor:** *90 zile.*
28. **Locul deschiderii ofertelor:** *SIA RSAP. Ofertele întârziate vor fi respinse.*
29. **Persoanele autorizate să asiste la deschiderea ofertelor:** *Ofertanții sau reprezentanții acestora au dreptul să participe la deschiderea ofertelor, cu excepția cazului când ofertele au fost depuse prin SIA RSAP.*
30. **Limba sau limbile în care trebuie redactate ofertele sau cererile de participare:** *Română*
31. **Respectivul contract se referă la un proiect și/sau program finanțat din fonduri ale Uniunii Europene:** *nu se aplică.*
32. **Denumirea și adresa organismului competent de soluționare a contestațiilor:**
Agencia Națională pentru Soluționarea Contestațiilor
Adresa: mun. Chișinău, bd. Ștefan cel Mare și Sfânt nr.124 (et.4), MD 2001;
Tel/Fax/email:022-820 652, 022 820-651, contestatii@ansc.md.
33. **Data (datele) și referința (referințele) publicărilor anterioare în Jurnalul Oficial al Uniunii Europene privind contractul (contractele) la care se referă anunțul respectiv (dacă este cazul):** *nu se aplică.*
34. **În cazul achizițiilor periodice, calendarul estimat pentru publicarea anunțurilor viitoare:** *nu se aplică.*
35. **Data publicării anunțului de intenție sau, după caz, precizarea că nu a fost publicat un astfel de anunț:** *nu se aplică*
36. **Data transmiterii spre publicare a anunțului de participare:** *Conform SIA RSAP*
37. **În cadrul procedurii de achiziție publică se va utiliza/accepta:**
- | Denumirea instrumentului electronic | Se va utiliza/accepta sau nu |
|--|------------------------------|
| Depunerea electronică a ofertelor sau a cererilor de participare | da |
| Sistemul de comenzi electronice | nu |
| Facturarea electronică | da |
| Plățile electronice | da |
38. **Contractul intră sub incidența Acordului privind achizițiile guvernamentale al Organizației Mondiale a Comerțului (numai în cazul anunțurilor transmise spre publicare în Jurnalul Oficial al Uniunii Europene):** *nu se aplică.*

Președinte GLAP