

European Pharmacopoeia Reference Standards_FC

	Reference Standard	Quantity	Quantity per vial	Information	Storage
1.	Cefalexin monohydrate CRS	1	150 mg		+5°C+/-3°C
2.	Cefotaxime acid CRS	1	20 mg		+5°C+/-3°C
3.	Cilastatin sodium CRS	1	25 mg		+5°C+/-3°C
4.	Imipenem CRS	1	70 mg		20°C +/-5°C
5.	Vinblastine sulfate CRS	1	5 mg		-80°C +/-10°C
6.	Vincristine sulfate CRS	1	4.96 mg		-80°C +/-10°C
7.	Vancomycin hydrochloride CRS	1	100 mg		-20°C +/-5°C
8.	Doxorubicin hydrochloride CRS	1	150mg		-20°C +/-5°C
9.	Chloramphenicol for peak identification	1	15 mg		+5°C+/-3°C
10.	Histamine dihydrochloride CRS	1	250 mg		+5°C+/-3°C
11.	Amoxicillin trihydrate CRS	1	200mg		+5°C+/-3°C
12.	Cefuroxime axetil CRS	1	70 mg		+5°C+/-3°C
13.	Cortisone acetate CRS	1	250 mg		+5°C+/-3°C
14.	Ceftazidime CRS	1	70 mg		+5°C+/-3°C
15.	Ceftazidime for peak identification CRS	1	13 mg	Batch 3 is valid until 31 August 2022	+5°C+/-3°C
16.	Dehydrohexetidine CRS	1	50 mg		+5°C+/-3°C
17.	Dexamethasone acetate CRS	1	150 mg		+5°C+/-3°C
18.	Sorbitol CRS	1	1250 mg		+5°C+/-3°C
19.	Acetylsalicylic acid CRS	1	10 mg		+5°C+/-3°C
20.	Meropenem trihydrate CRS	1	110 mg		+5°C+/-3°C
21.	Nicergoline CRS	1	50 mg		+5°C+/-3°C
22.	Nicergoline impurity D CRS	1	20 mg		+5°C+/-3°C
23.	Pyridoxine impurity A	1	5 mg		+5°C+/-3°C
24.	Sodium aminosalicylate dihydrate CRS	1	10 mg		+5°C+/-3°C
25.	Cefoperazone dihydrate CRS	1	110 mg		+5°C+/-3°C
26.	Verapamil hydrochloride CRS	1	50mg		+5°C+/-3°C
27.	Aspartic acid CRS	1	50 mg		+5°C+/-3°C
28.	Ciprofloxacin hydrochloride CRS	1	100mg		+5°C+/-3°C
29.	Caffeine CRS	1	70 mg		+5°C+/-3°C
30.	Ceftriaxone sodium CRS	1	100 mg		+5°C+/-3°C
31.	Meropenem trihydrate CRS	1	110mg		+5°C+/-3°C
32.	Ethylnicotinamide CRS	1	100mg		+5°C+/-3°C
33.	Nitrofurazone CRS	1	150mg		+5°C+/-3°C
34.	Norfloxacin CRS	1	20mg		+5°C+/-3°C
35.	Nicotinic acid CRS	1	100mg		+5°C+/-3°C
36.	Chlorpromazine hydrochloride CRS	1	150mg		+5°C+/-3°C
37.	Naloxone impurity D CRS	1	25mg		+5°C+/-3°C
38.	Naloxone for peak identification CRS	1	5.1 mg		+5°C+/-3°C
39.	Ondansetron hydrochloride dihydrate	1	220 mg		+5°C+/-3°C

European Pharmacopoeia Reference Standards_FC

40.	Ondansetron impurity A CRS	1	20 mg		+5°C+/-3°C
41.	Bupivacaine impurity B CRS	1	20mg		+5°C+/-3°C
42.	Piperazine adipate CRS	1	250 mg		+5°C+/-3°C
43.	Propranolol hydrochloride CRS	1	30mg		+5°C+/-3°C
44.	Pentoxifylline CRS	1	100mg		+5°C+/-3°C
45.	Rabeprazole sodium hydrate CRS	1	150mg		+5°C+/-3°C
46.	Tetracaine hydrochloride CRS	1	20mg		+5°C+/-3°C
47.	Dehydrohexetidine CRS	1	50mg		+5°C+/-3°C
48.	Carvedilol CRS	1	50mg		+5°C+/-3°C
49.	Carvedilol impurity C CRS	1	15mg		+5°C+/-3°C
50.	Loperamide for system suitability CRS	1	15mg		+5°C+/-3°C
51.	Maleic acid CRS	1	100mg		+5°C+/-3°C
52.	Povidone CRS	1	50 mg		+5°C+/-3°C
53.	Tetracycline hydrochloride CRS	1	80mg		+5°C+/-3°C
54.	Thiopental CRS	1	500mg		-20°C +/-5°C
55.	Bupivacaine hydrochloride CRS	1	100mg		+5°C+/-3°C
56.	Chlordiazepoxide CRS	1	50mg		+5°C+/-3°C
57.	Chlorpromazine impurity A CRS	1	15 mg		+5°C+/-3°C
58.	Calcium pantothenate CRS	1	60mg		+5°C+/-3°C
59.	Mannitol CRS	1	1200 mg		+5°C+/-3°C
60.	Mebendazole CRS	1	20mg		+5°C+/-3°C
61.	Fructose CRS	1	100 mg		+5°C+/-3°C
62.	Ganciclovir CRS	1	120 mg		+5°C+/-3°C
63.	Glibenclamide CRS	1	50 mg		+5°C+/-3°C
64.	Lomustine CRS	1	50 mg		+5°C+/-3°C
65.	Microcrystalline cellulose CRS	1	50 mg		+5°C+/-3°C
66.	Oseltamivir phosphate (impurity B-free) CRS	1	300 mg		+5°C+/-3°C
67.	Oseltamivir impurity A CRS	1	10 mg		+5°C+/-3°C
68.	Oseltamivir impurity B CRS	1	10 mg		+5°C+/-3°C
69.	Oseltamivir impurity H CRS	1	30 mg		+5°C+/-3°C
70.	Oseltamivir impurity C CRS	1	15 mg		+5°C+/-3°C
71.	Piperazine citrate CRS	1	250 mg		+5°C+/-3°C
72.	Piperazine hydrate CRS	1	250 mg		+5°C+/-3°C
73.	Zopiclone CRS - * psy	1	40 mg		+5°C+/-3°C
74.	Sulfasalazine CRS	1	320 mg		+5°C+/-3°C
75.	Tranexamic acid impurity D CRS	1	15 mg		+5°C+/-3°C
76.	Chlordiazepoxide CRS - * psy	1	50 mg		+5°C+/-3°C
77.	Clenbuterol hydrochloride CRS	1	30 mg		+5°C+/-3°C
78.	Clenbuterol impurity B CRS	1	10 mg		+5°C+/-3°C
79.	Fluvastatin sodium CRS	1	110mg		+5°C+/-3°C
80.	Fosinopril sodium CRS	1	60mg		+5°C+/-3°C
81.	Levomepromazine maleate CRS	1	50 mg		+5°C+/-3°C A
82.	Oleic Acid CRS	1	2000 mg		+5°C+/-3°C
83.	Oleanolic acid CRS	1	20 mg		+5°C+/-3°C
84.	Sodium alendronate trihydrate CRS	1	150 mg		+5°C+/-3°C
85.	Theophylline CRS	1	100 mg		+5°C+/-3°C

European Pharmacopoeia Reference Standards_FC

86.	Lactulose CRS	1	4120 mg		+5°C+/-3°C
87.	Lactulose for peak identification	1	1900 mg		+5°C+/-3°C
88.	Temozolomide CRS	1	70mg		+5°C+/-3°C
89.	Cetyl palmitate 15 CRS	1	60 mg		+5°C+/-3°C
90.	Cetyl palmitate 95 CRS	1	50mg		+5°C+/-3°C
91.	Fluorescein CRS	1	120 mg		+5°C+/-3°C
92.	Cefuroxime sodium	1	70 mg		+5°C+/-3°C
93.	Melphalan hydrochloride CRS	1	100 mg		+5°C+/-3°C
94.	Melphalan for system suitability	1	10 mg		+5°C+/-3°C
95.	Azithromycin	1	410 mg		+5°C+/-3°C
96.	Azithromycin impurity A CRS	1	10mg	6-demethylazithromycin	+5°C+/-3°C
97.	Cholic acid CRS	1	60 mg		+5°C+/-3°C
98.	Aciclovir CRS	1	75 mg		+5°C+/-3°C
99.	Ampicillin trihydrate CRS	1	150 mg		+5°C+/-3°C
100.	Ascorbic acid CRS	1	70 mg		+5°C+/-3°C
101.	Cefazolin CRS	1	150 mg		+5°C+/-3°C
102.	Cefoperazone sodium	1			+5°C+/-3°C
103.	Cefotaxime sodium	1	20mg		+5°C+/-3°C
104.	Chloramphenicol CRS	1	100 mg		+5°C+/-3°C
105.	Chloramphenicol sodium succinate	1	30 mg		+5°C+/-3°C
106.	Chloramphenicol disodium disuccinate CRS	1	45 mg		+5°C+/-3°C
107.	Chlorobutanol hemihydrate	1	50 mg		+5°C+/-3°C
108.	Ciprofloxacin CRS	1	20 mg		+5°C+/-3°C
109.	Cytarabine CRS	1	150 mg		+5°C+/-3°C
110.	Entecavir monohydrate CRS	1	110 mg		+5°C+/-3°C
111.	Fluocinolone acetonide	1	110 mg		+5°C+/-3°C
112.	Glucose monohydrate	1	750 mg		+5°C+/-3°C
113.	Benzocaine CRS	1	50 mg		+5°C+/-3°C
114.	Hyaluronidase BRP	1	50 mg		+5°C+/-3°C
115.	Hydrocortisone CRS	1	100 mg		+5°C+/-3°C
116.	Ifosfamide CRS	1	50 mg		+5°C+/-3°C
117.	Amphotericin B CRS	1	100 mg		-20°C +/-5°C
118.	Labetalol hydrochloride	1	110 mg		+5°C+/-3°C
119.	Cabergoline CRS	1	170 mg		-20°C +/-5°C
120.	Sulbactam sodium CRS	1	10 mg		+5°C+/-3°C
121.	Ketamine hydrochloride CRS	1	10 mg		+5°C+/-3°C
122.	Levofloxacin hemihydrate	1	10 mg		+5°C+/-3°C
123.	Lincomycin hydrochloride CRS	1	100 mg		+5°C+/-3°C
124.	Lisinopril dihydrate	1	50 mg		+5°C+/-3°C
125.	Metamizole sodium	1	10 mg		+5°C+/-3°C
126.	Metamizole impurity A CRS	1	15 mg	4-(formylamino)-1,5-dimethyl-2-phenyl-2,3-dihydro-1H-pyrazol-3-	+5°C+/-3°C

European Pharmacopoeia Reference Standards_FC

				one	
127.	Metamizole impurity E	1	0.01 mg	[(1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazol-4-yl)amino]methanesulfonic acid (4-N-desmethylmetamizole).	+5°C+/-3°C
128.	Midazolam CRS	1	50 mg		+5°C+/-3°C
129.	Mitomycin CRS	1	70 mg		+5°C+/-3°C
130.	Moxifloxacin hydrochloride	1	120 mg		+5°C+/-3°C
131.	Nifuroxazide CRS	1	10 mg		+5°C+/-3°C
132.	Pantoprazole sodium sesquihydrate	1	20 mg		+5°C+/-3°C
133.	Pantoprazole for system suitability CRS	1	5 mg		+5°C+/-3°C
134.	Pantothenate for peak identification CRS	1	10mg		+5°C+/-3°C
135.	Cefotaxime for peak identification CRS	1	10mg		+5°C+/-3°C
136.	Cisplatin CRS	1	100mg		+5°C+/-3°C
137.	Ciprofloxacin impurity A CRS	1	25mg		+5°C+/-3°C
138.	Paracetamol CRS	1	50 mg	Acetaminophen	+5°C+/-3°C
139.	Piperacillin CRS	1	100 mg		+5°C+/-3°C
140.	Prednisolone CRS	1	110 mg		+5°C+/-3°C
141.	Prednisolone for peak identification CRS	1	10 mg		+5°C+/-3°C
142.	Prednisolone for system suitability CRS	1	10 mg		+5°C+/-3°C
143.	Prednisolone acetate CRS	1	50 mg		+5°C+/-3°C
144.	Procaine hydrochloride CRS	1	100 mg		+5°C+/-3°C
145.	Propylene glycol CRS	1	150 mg		+5°C+/-3°C
146.	Pyridoxine hydrochloride CRS	1	100 mg		+5°C+/-3°C
147.	Resorcinol CRS	1	30 mg		+5°C+/-3°C
148.	Ribavirin CRS	1	150 mg		+5°C+/-3°C
149.	Rivaroxaban CRS	1	100 mg		+5°C+/-3°C
150.	Rivaroxaban for system suitability CRS	1	5 mg		+5°C+/-3°C
151.	Rivaroxaban impurity A CRS	1	5 mg		+5°C+/-3°C
152.	Salicylic acid CRS	1	100 mg		+5°C+/-3°C
153.	Saccharin sodium CRS	1	50 mg		+5°C+/-3°C
154.	Sodium salicylate CRS	1	100 mg		+5°C+/-3°C
155.	Sulfanilamide CRS	1	100 mg		+5°C+/-3°C
156.	Sulfathiazole CRS	1	100 mg		+5°C+/-3°C
157.	Sucrose CRS	1	200 mg	saccharose	+5°C+/-3°C
158.	Tetracycline hydrochloride CRS	1	80 mg		+5°C+/-3°C
159.	Thiamine hydrochloride CRS	1	10 mg		+5°C+/-3°C
160.	Thiocolchicoside hydrate CRS	1	60 mg		+5°C+/-3°C
161.	Thymol CRS	1	50 mg		+5°C+/-3°C
162.	Thiopental CRS	1	500 mg		-20°C+/-5°C
163.	Thiopental for system suitability CRS	1	10 mg		-20°C+/-5°C
164.	Tranexamic acid CRS	1	20 mg		+5°C+/-3°C

European Pharmacopoeia Reference Standards_FC

165.	Tranexamic acid impurity B CRS	1	15 mg		+5°C+/-3°C
166.	Tranexamic acid impurity D CRS	1	15 mg		+5°C+/-3°C
167.	Zopiclone CRS - * psy	1	40 mg		+5°C+/-3°C
168.	Zopiclone impurity B	1	10 mg		+5°C+/-3°C
169.	Zoledronic acid monohydrate	1	15 mg		+5°C+/-3°C
170.	Trypsin BRP	1	100 mg		+5°C+/-3°C
171.	Sorafenib CRS	1	10mg		+5°C+/-3°C
172.	Chlorambucil CRS	1	100 mg		+5°C+/-3°C
173.	Sulfathiazole CRS	1	100mg		+5°C+/-3°C
174.	Glibenclamide CRS	1	50mg		+5°C+/-3°C
175.	Glibenclamide impurity A CRS	1	10mg		+5°C+/-3°C
176.	Glibenclamide impurity B CRS	1	15mg		+5°C+/-3°C
177.	Glibenclamide for peak identification CRS	1	30mg		+5°C+/-3°C
178.	Ciprofloxacin hydrochloride for peak identification CRS	1	10mg		+5°C+/-3°C
179.	Clobetasol propionate CRS	1	55 mg		+5°C+/-3°C
180.	Clobetasol propionate for peak identification	1	2mg		+5°C+/-3°C
181.	Colchicine CRS	1	15mg		+5°C+/-3°C
182.	Glucose monohydrate CRS	1	750mg		+5°C+/-3°C
183.	Dimethyl sulfoxide CRS	1	1 mL		+5°C+/-3°C
184.	Fenofibrate CRS	1	100 mg		+5°C+/-3°C
185.	Fenofibrate impurity A CRS	1	15mg		+5°C+/-3°C
186.	Melphalan hydrochloride CRS	1	100mg		+5°C+/-3°C
187.	Propranolol hydrochloride CRS	1	30 mg		+5°C+/-3°C