PARTICIPATION NOTICE

regarding the purchase	IT Equipment

through the procurement
procedureOpen Tenderocds-b3wdp1-MD-1637828544124

Mtender ID

*The procedure was included in the contracting authority's public procurement plan (Yes/No): Yes

Published link to the public procurement plan: <u>https://utm.md/wp-content/uploads/2021/10/Plan-de-achizitii-IT-UTM.semnat.pdf</u>

- 1. Name of the contracting authority: Technical University of Moldova, Public Esteblishment
- 2. Fiscal Code: 1007600001506
- 3. Address: 168 Ștefan cel Mare Street, Chișinău Mun.
- **4. Telephone/Fax number:** +373 22 23-35-03/ +373 22 23-54-41
- **5. E-mail address and official website of the contracting authority:** <u>esenia.turchin@adm.utm.md;</u> https://www.utm.md
- 6. E-mail address or official web page from which access to the award documentation can be obtained: The award documentation is attached in the procedure in AIS "SRPP" M-Tender (The Automated Information System "The State Register of Public Procurement" M-Tender)
- 7. Type of contracting authority and main object of activity (If applicable, the statement that the contracting authority is a central purchasing authority or that the acquisition involves or could involve another form of joint procurement): Public Higher Education Institution.
- 8. The buyer invites interested economic operators, who can meet their needs, to participate in the procurement procedure for the delivery of the following goods:

Nr d/o	CPV Code	Name of the requested goods	Unit of measure	Quan tity	Full technical specification required, reference standards	Estimated value without VAT, lei
		Lot 1 All-in- One Computers				
1.1	30200000-1	All-in-One computer	piece	80	Type: Graphic workstation; Internationally recognized brand name Procesor: Minimum 6 cores, min. 2.3GHz, minimum 12MB Cache. Date of production no earlier than the second quarter of 2020; RAM Memory: Minimum 8GB DDR4 frequency not less than 2666MHz; SSD: Minimum 256GB M.2 NVME; Audio: High definition audio, with 2 loudspeaker minimum 3W; GPU: Integrated, min. FHD; Network: Wi-Fi: minimum Wi-Fi 6 (802.11 ax 2x2); minimum Bluetooth 5.1; minimum 1x10/100/1000 Gigabit Ethernet LAN (connector RJ-45);	1 125 000,00

					 Ports: Minimum 6xUSB, including 3xUSB 3.2 and 1xUSB Tip-C native;min. 1x universal Audio ; Power supply: 220-240V, 50- 60Hz, maximum 250W (80 PLUS certificate); Accessory: Keyboard USB RUS/ENG (wired connection via USB port), USB optical mouse (wired connection via USB port). Web-Camera: Built-in, Full HD with microphone; Monitor: Minimum 23,8"; Full HD; IPS; with a minimum resolution of 1920x1080; Dimming; 60 Hz. Video Connector: Minimum 1xDP or HDMI; Operating System: Windows 10 Pro 64bit pre-installed. warranty: minimum 3 years from the manufacturer. 	
		Lot 2				
2.1	3020000-1	Workstations	set	35	Type: Graphic workstation; Internationally recognized brand name Processor: min. 8 cores; base frequency min. 2.5 Ghz; min. 16MB cache; Date of production not earlier than 2021. RAM Memory : min. 32GB DDR4; frequency not less than 2666MHz. SSD: min. 512GB PCIe NVMe M.2. HDD: min. 1TB; 7200rpm; 3.5". GPU: Discrete; Bandwidth min. 410GB/s; Memorie min. 8GB GDDR6; Memory Bus min.256 bit. Power supply : min. 500W (80 Plus Gold). Operating System : Windows 10 Pro 64bit pre-installed. Ports: min. 4x USB 2.0 Type A; 4x USB 3.2 Type A; 1x USB 3.2 Type C Gen2; 3x Display Ports; 1x Gigabit Ethernet RJ-45. Keyboard&mouse: with wire; Same brand as workstation Monitor Diagonala: minimum 27"; Culoare: black / gray; Matrix type : IPS; Resolution : minimum 75Hz; Connectivity : 1- HDMI ; 1- Display Port; Luminosity: minimum 350cd/m2; Warrant: for all components at least 3 years from the manufacturer.	1 375 000,00

<u>г</u>		Lot 3 Printers				
		(Professional				
		Multifunction)				
3.1	30232110-8	Printers (Professional Multifunction)	Piece	10	AlO printer Type: A4, Monochrome Laser Multifunctional (Print/Copy/Scan/Fax), DADF. Heating time: max 15 sec. from start PRINT SPECIFICATIONS: First print: (FPOT): 7 sec. (A4). Speed: Single-sided Printing: 43ppm (A4), 65ppm (A5); Two- sided Printing: 34ipm (A4). Quality: 1200x1200dpi, Rezolution: : 600x600dpi. Page description languages: PCL 5e, PCL6, Adobe PostScript. Print features: Print from USB memory key (JPEG, TIFF, PDF); Barcode Print (Optional); Touch&Print (NFC); Google Cloud Print; iOS AirPrint; Android Mopria. COPY SPECIFICATIONS: First-copy-out-time: (FCOT): ADF/Platen - 7 sec. (A4). Speed: Single-sided: 43ppm (A4);Two-sided: 34ipm (A4). Rezolution: 600x600dpi. Type of copy: Text, Text/Photo (Default),Text/Photo (High Quality), Photo; Advanced copying features: Two- sided Original, 2-sided to 2-sided (Auto);multiple copy - 999 copies; Reductions/Enlargements - 25-400% in 1% increments; Frame Erase; Collate; 2 on 1; 4 on 1; ID card copy. SCAN SPECIFICATIONS: Type: Platen, DADF (2-sided, single pass). Speed: Simplex: Up to 37ipm (BW)/ 13ipm (Color) / Duplex: Up to 70ipm (BW)/ 25 (Color). Rezolution: 600x600dpi; enhanced: 9600x9600dpi; Color depth - 24bit/24bit (in/out); Greyscales - 256 levels. Protocol and file format: TWAIN, WIA, ICA, Scan to E-mail, PC, USB memory key, FTP (TIFF, JPEG, PDF, Compact PDF, Searchable PDF, Encrypted PDF, PDF, with Digital signature; Scan to Cloud (TIFF, JPEG,	225 000,00

		Resolution: 400x400dpi.	
		Memory: FAX memory - 512	
		pages; Speed dials - 250 dials;	
		Group dials/destinations - 250	
		dials / 250 destinations;	
		Sequential broadcast - 250	
		destinations; Memory backup -	
		Permanent fax memory backup.	
		Fax features: Double sided	
		copying, Fax Forwarding, Dual	
		Access, Remote Reception, PC	
		Fax, DRPD, ECM, Auto Redial,	
		Fax Activity Reports, Fax	
		Activity Result Reports, Fax	
		Activity Management Reports.	
		Paper supply::	
		Input: Standard: 500-sheet Paper	
		Cassette, Multi purpose tray - 100	
		sheet Paper; ADF - 50 sheet	
		Paper.	
		Output: 150 - 250 sheet Paper.	
		Supported media size: Plain	
		paper, recycled paper, heavy	
		paper, thin paper, labels, postcard,	
		envelopes. Paper Size: A4, A5,	
		A5 (Landscape), A6, B5, Legal,	
		Letter, Executive.	
		Paper Weight: Cassette - 60 to	
		120 g/m ² , Multi purpose tray - 60	
		to 195 g/m ² , ADF - 50 to 100	
		g/m ² .	
		Interface connection: USB 2.0	
		Hi-Speed pentru PC (direct	
		connect), USB 2.0 Hi-Speed for	
		accesories (keyboard, card-	
		reader), USB 2.0 Hi-Speed for	
		USB flash drive or Portable HDD,	
		10BASE-T/100BASE-	
		TX/1000Base-T, Wireless	
		802.11b/g/n, Wireless Direct	
		Connection.	
		Supported protocols: LPD,	
		RAW, Port9100, WSD	
		(IPv4,IPv6), SMB, WSD-	
		Scan(IPv4, IPv6), WINS, DHCP	
		(IPv4, IPv6), SNMPv3	
		(IPv4,IPv6), WEP(64/128 bit),	
		WPA2-PSK(AES).	
		Supordet OS: Windows 10/8.1/7,	
		Windows Server 2016/2012/2008,	
		Mac OS X, Linux.	
		Printer management: Remote	
		User; Organization units ID	
		Management; Toner status;	
		Manager for signin; Management	
		Console(Software server-based),	
		for control costs by managing,	
		tracking, and	
		charging back usage, and simple-	
		to-replace,	
		high-yield consumables help keep	
		work	
		moving while achieving a low	
		cost per page, remote diagnostics,	
		Free cloud management solution	
		from the manufacturer,	

					installation support (direct connection) and management via card-reader type MiCard. Performance specifications and accessories : <i>Duty cycle</i> : 150,000 pages per month. Procesor/Memory and Controls: CPU Speed 800MHz x2, Memory - 1GB, Control panel - LCD Colour Touch Screen min. 5" (inch). <i>Power Consumption:</i> max - 1,500W, Standby max - 20W, Sleep mode max - 1W, Typical Electricity Consumption (TEC) - 1.5 kWh/week. CONSUMABLES: Standard Cartridge: min. 20,000 page. Printer dimension: External parameters: (W x D x H) 500cm x 500cm x 500cm. WEIGHT : max. 20kg. Accessories included: Media Tray/Cassette Feeder, 500 foi (A4), Cartridge standard incuded min. 20,000 pages- 1 piece, Cartridge additional min. 20,000 pages- 1 piece. Warrant: 3 years from the manufacturer, without keeping the packaging, with a single warranty document with the indication of S/N.	
3.2	30232150-0	Inkjet Printers (Multifunctional Color Ink - Professional)	Piece	1	Printer AIO Color Inkjet Type: A3, Color, Inkjet, All-In- One (Print/Copy/Scan) with DADF (2-sided, single-pass). Type printing: static print head (without mechanical displacement elements), Pigment type ink, water resistant and fast drying. Colors: 1xBlack and 3xcolor (Cyan/Magenta/Yellow). Heating time: max 13 sec. from the power on. Print: First page (FPOT): 7 sec. Speed in color and B/W: Single side - 40ppm (600dpi) and 70ppm (la 300dpi); Dual side – 20ppm (600dpi). Resolution: 1200x1200dpi. Languages of printing: PCL 5c, PCL6 (XL), Adobe PostScript. Advanced printing functions: Secure Print; Print from USB memory key (JPEG, TIFF, PDF); support for future implementation of Google Cloud Print, Apple Air Print and Android Mopria. Copy: First copy color (FCOT): ADF/Platen - 6 sec. Speed color and B/W: Single side	

 - 40ppm (A4). Copy modes: Test, Test, Photo (High Quality), Photo. Advanced copy functions: Duplex copy functions: Duplex copy services. Secture 2-Integration (Mutiple copies - 999 copies, Reduce 2-Integrates - 999 copies, Reduce 2-Integrates - 25-400% in 198 increments; Collate; 2 on 1: 4 on 1. Scan: Type: Color, Platen, DADF (2-sided side pass). Speed color and B-W: Single side - 40jpm; Dual side - 65jpm. Resolution and color: Optical - 600x6004(j); Enhanced - 9000x9004(j); Color depth - 30bit/24bit (mout). Scan supported protocols: TWAN, WIA, ICA: Advanced scan characteristics: Scan isoported protocols: TWAN, WIA, ICA: Advanced scan characteristics: Scan supported protocols: TWAN, WIA, ICA: Advanced scan characteristics: Scan singported protocols: TWAN, WIA, ICA: Advanced scan characteristics: Scan singported protocols: TWAN, WIA, ICA: Advanced scan characteristics: Scan singported protocols: TWAN, WIA, ICA: Maracter, LS: Mara 11, Ta 13 al of these must be accessible from the printer's main menu with touch console. Paper supply: Input: Standard - 2ccassette of 500 sheets; AUI: purpose tray - 50 sheets (A4), 100 sheets (A3). Print mediat type: Plain paper, recycled paper, heaven paper, linin paper, elocred paper, heaven paper, linin paper, elocred paper, heaven paper, linin paper, elocred paper, heaven paper, linin paper, tools. Streed paper, heaven paper, linin paper, elocred paper, heaven, San addition, Cassette - 60 to 220 girk; Multi-purpose tray - 61 to 255 girk; Interfaces			
 (Default), TextPhoto (High Quality), Photo. Advanced copy functions: Duplex copy - 2-sided to 2-sited (Automat): Multiple copies - 999 copies; Reduce / Fularge - 25- 400% in 1% increments; Collate; 2 on 1; 4 on 1. Sena: Type: Color, Platen, DADF (2- sided, single pass). Speed color and RW: Single side - 40ipm: Dual side - 65ipm. Resolution and colors: Optical - 600x600dpi: Enhanced - 90000x900dpi: Color deph - 300it/24bit (in/out): Gersyscales - 10bit/8bit (in/out): Gersyscales - 6 00 to Closed (IIFE 1976, PDF, PDG); iFAX = TU- 30 sheets; ADF = 100 sheets Coupari: 200 sheets; ADF =		- 40ppm (A4).	
 (Defmild), Test/Photo (High Quality), Photo. Advanced copy functions: Duplex copy - 2-sided to 2-sided (Automat): Multiple copies - 999 copies; Reduce Finlarge - 25- 400% in 1% increments; Collate; 2 on 1; 4 on 1. Sena: Type: Color, Platen, DADF (2- sided, single pass). Speed color and RW: Single side - 40ipm; Dual side - 65ipm. Resolution and colors: Optical - 600x600dpi: Enhanced - 90000x900dpi: Color depth - 300iu/24bit (in/out): Geryscales - 10bit/8bit (in/out): Geryscales - 10bit		Copy modes: Text, Text/Photo	
Quality), Photo. Advanced copy functions: Duplex copy - 3-sided to 2-sided (Automat): Multiple copies - 999 copies; Reduce / Enlarge - 25- 400% in 1% increments; Collate; 2 on 1; 4 on 1. Scan: Type: Color, Pinten, DADF (2-sided, single pass). Speed color and BW: Single side - 40pm; Dual side - 65ipm. Resolution and colors: Optical - 60000400; Financel - 90000500000; Colord epti - 300012-Color depti - 400012-Color depti - 400			
Advanced copy functions: Duplex copy - 3-sided to 2-sided (Automati; Multiple copies - 999 copies; Reduce; Fluarge - 2-5 400% in 1% increments; Collate; 2 on 1:4 on 1. State: 7/pre: Collor; Platen, DADF (2- sided, single pass) Speed color and BW: Single side - 400m; Dual Side - 65pm. Resolution and color:: Optical - 600x600dpi; Enhancel - 9000x900dpi; Color depth - 30hir24bit (invot); Gersycales - 10bir/24bit (inv			
 copy - 2-sided to 2-sided (Automat); Multiple copies : 999 copies; Reduce / Falarge - 25-400% in 1% increments; Collate; 2 on 1; 4 on 1. Scan: Type: Color, Platen, DADF (2-sided, single pass). Speed color and RW: Single side - 40pm: Dual side - 65pm. Revultation and colors; Optical - 6000x6004pi: Ealer daph. 9600x96004pi: Calor daph. 9600x96004pi: Calor daph. 900x96004pi: Calor daph. 900x970x970x970x970x970x970x970x970x970x			
 (Automat): Multiple copies - 099 copies: Reduce / Eharge - 25. 400% in 1% increments: Collate; 2 on 1: 4 on 1. Sear: Type: Color. Platen, DADF (2-sided, single pass). Speed color and BW: Single side - 40hym; Dual side - 65hym. Resolution and colors: Optical - 60hys60dbjt; Eclar depth - 30hi/24bit (infout). Scan supported protocols: TWAIN, WIA, ICA. Advanced scan characteristics: Scan to E-mail, PC, USB memory key, PTP (TIFF, PEG, PDF, PCB, PDF, PCB, PDF, PCB, WIT, DFG, WIT, ATTU-T, 37 all of these must be accessible from the printer's main mean with touch console. Paper supply: Paper supply: Standard - 2xcasette of 500 sheets; Multi-purpose tray - 50 sheets; A01; Dot sheets Ouzput: 250 sheets; A04; 100 sheets Ouzput: 250 sheets; A04, 100 sheets Ouzput: 100 sheets Ouzput: 100 sheets Ouz			
 copies, Reduce / Enlarge, -25- 400% in 1% increments; Collate; 2 on 1; 4 on 1. Scan: Type: Color, Platen, DADF (2- sided, single pass). Speed color and B/W: Single side - 40pm; Dual side - 65pm. <i>Resolution and colors;</i> Optical - 600x6004pi; Enhanced - 9000x96004pi; Color depth - 30th?24bit (in/out). Scan: supported protocols: TWAIN, WIA, ICA. Advanced scan characteristics: Scan to E-mail, PC, USB memory key, FTP (TIEF, JPEG, PDF, Compact IPOF, Searchable DDF, Encrypted PDF, PDF yith Digital signature; Scan to Cloud (TIFF, JPEG, PDF, PRG); FAX - 1TU- T, 37 all of these must be accessible from the printer's main menu with touch console. Paper supply: <i>Input:</i> Standard - 2ccassette of 500 sheets; ADF - 100 sheets <i>Output:</i> 250 sheets (A4), 100 sheets (A3). <i>Print media: type:</i> Plai paper, recycled paper, hables, envelopes. Size of print media: Cassette - 60 to 220 girri, Multi-purpose tray - 50 sheets; (A4), 100 sheets (A3). <i>Print media:</i> 255 sheets (A4), 100 sheets (A3). <i>Print media:</i> 255 girri. Interfaces: uB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi- Speet for PC (direct connect, in rear), USB 2.0 Hi- Speet for external memory (USB flash drive or Portable HDD), in fronto, 109 ASE-T/100B ASE- T/100B ASE- T/1			
400% in 1% increments; Collare; 2 on 1; 4 on 1. Scar: Type: Color, Platen, DADF (2-sided, single pass). Speed color and RW: Single side - 400m; Dual side - 65ipm. Resolution and colors: Optical - 600x600dpi; Color depth - 30bit:24bit (incout); Greyscales - 10bit:8bit (incout); Scar supported protocols: TWAIN. WIA, ICA. Advanced scar characteristic: Scar to E-mail, PC, USB memory key, PTP (TIFF, PEG, PDF, Compact PDF, PDC), IFAX - ITU- T.37 all of these must be accessible from the printer's main menu with touch console. Paper supply: Input: Standard - 2scassete of 500 sheets; ADF - 100 sheets Output: 250 sheets (A4), 100 sheets (A3), Prim media type: Plain paper, revelopes. Size of print media: A5, A4, A3, B5, B4, Statement, Escentive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette of 60 to 220 g/m; Multi-purpose tray - 60 to 255 g/m; Multi-purpose tray - 60 to 255 g/m; Multi-purpose			
2 on 1: 4 on 1. Scar: Type: Color, Platen, DADF (2: sided, single pass). Speed color and BW: Single side - 40ipm; Dual side - 65ipm. Resolution and colors; Optical - 600x6000; Color depth - 30bit/24bit (incout). Scan supported protocols: TWAIN, WIA, ICA. Advanced scan characteristics: Scan to E-mail, PC, USB memory key, FTP (TIFF, JPEG, PDF, Compact PDF, Searchable DDF, Eacrypted PDF, PDF with Digital signature: Scan to Cloud (TIFF, JPEG, PDF, PNC); iFAX - ITU- T.37 all of these raus to accessible from the printer's main menu with touch console. Paper supply: Input: Standard - 2ccassette of 500 sheets; AUT - 100 sheets Output: Sto bacts (A4), 100 sheets (A3). Print media type: Plain paper, recycled paper, heavy paper, thin paper, colorod paper, hields, curvelopes. Size of print media: Cassette - 60 to 220 gim ² , Multi-purpose tray - 60 to 225 gim ² . Interfaces: uld Si-20 Ha- Speed for PC (direct connect, in rear), USB 2.0 Hi- Speed for PC (direct connect, in rear			
Scar: Type: Color, Platen, DADF (2- side, single pass). Speed color, Optical - - 40pm; Dual side - 65ipm. Resolution and colors; Optical - 600x600dpi; Color depth - 30bit/24bit (in/out); Gresselae - 10bit/24bit (in/out); Gresselae -		400% in 1% increments; Collate;	
Scar: Type: Color, Platen, DADF (2- side, single pass). Speed color, Optical - - 40pm; Dual side - 65ipm. Resolution and colors; Optical - 600x600dpi; Color depth - 30bit/24bit (in/out); Gresselae - 10bit/24bit (in/out); Gresselae -		2 on 1; 4 on 1.	
Type: Color, Platen, DADF (2-sided, single pass), Speed color and B/W: Single side -40pm; Dual side - 65jm, Resolution and colors: Optical - 600x60004pi; Enhanced - 900x950004pi; Color depth - 30bit/24bit (invout), Greyscales - 10bit/8bit (invout), Greyscales - Scan supported protocols: TWAIN, WIA, ICA. Advanced scan characteristics: Scan to E-mail, PC, UBB memory key, FTP (TIFF, JPEG, DPF, PDF) Compact PDF, PDF with Digital signature:, Scan to Cloud (TIFF, PPEG, PDF, POI); FiAX - TTU- T.37 all of these must be accessible from the printer's main menu with touch console. Paper suppi; Input: Standard - 2xcassette of 500 sheets; ADF - 100 sheets Output: 250 sheets (Ad), 100 sheets (A3). Prim media type: Plain paper, recycled paper, have paper, thin paper, colored paper, habels, envelopes. Size of prim media: AS, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-25, DL. Weight of prim media: Cassette 60 to 220			
 sided, single pass). Speed color and BW. Single side -40jpm; Dual side - 65jpm. Resolution and colors: Optical - 600.6500dpi; Enhanced - 9600x9600dpi; Color depth - 30bt/24bt (invou); Gresscales - 10bit/8bt (invou). Scan supported protocols: TWAIN, WIA, ICA. Advanced scan characteristics: Scan to E-mail, PC, USB memory lexy, FTP (TIFF, IPEG, PDF, Compact PDF, PDF with Digital signature: Scan to Cloud (TIFF, IPEG, PDF, POS); iFAA - ITU- T. 37 all of these must be accessible from the printer's main menu with touch console. Paper supply: Input: Standard - Zxcassette of 500 sheets; Multi-purpose tray - 50 sheets; ADF - 100 sheets Output: 250 sheets (A4), 100 sheets (A3). Print media: type: Plain paper, recycled paper, haeky, paper, thin paper, colored paper, haeks, envelopes. Size of print media: AS, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-CS, DL. Weight of print media: Cassette - 60 to 220 gm², Multi-purpose tray - 60 to 255 gm². Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX 1000Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SNMPv3 (IPv4, IPv6), Compatibility with Operating Systems: Windows 10/8.1/7, Windows Strey 2016/2012/2008, 			
Speed color and RW: Single side -40ipm: Dual side - 65ipm. Resolution and colors: Optical - 600x060dpi; Enhanced - 960x0x060dpi; Color depth - 30bit/24bit (in/out); Greyscales - 10bit/8bit (in/out); Greyscales - 10bit/8bit (in/out); Scars supported protocols: TWAIN, WIA, ICA. Advanced scan characteristics: Scan to F-mail, PC, USB memory key, FTP (TIFE, PEG, PDF, Compact PDF, Searchable PDF, Encrypted PDF, PDF, With Digital signature; Scan to Cloud (TIFF, PJPG, PDF, PNO); HAX - TUU- T.37 all of these must be accessible from the printer's main menu with touch console. Paper supply: Input: Standard - 2xcassette of 500 sheets; ADF - 100 sheets Output: 250 sheets; ADF - 100 sheets Output: 250 sheets; ADF - 100 sheets Output: 250 sheets; ADF, 100 sheets Output: 250 sheets; AL, 100 sheets <td></td> <td></td> <td></td>			
 - 40tpm: Dual side - 65ipm. Resolution and colors: Optical - 600x600dpi: Enhanced - 9600x600dpi: Color depti - 30bt/24bt (invout), Gresscales - 10bit/8bit (invout), Gresscales - 10bit/			
Resolution and colors: Optical - 600x0600dpi; Fohnaced 9600x9600dpi; Color depth - 30bit/24bit (in/out); Greyscales - 10bit/8bit (in/out); Greyscales - 10bit (in/out); Greyscales -			
 600x600dpi; Eohamaed - 960x960dpi; Color depth - 30bit/24bit (in/out); Greyscales - 10bit/8bit (in/out); Scan supported protocols; TWAIN, WIA, ICA. Advanced scan characteristics: Scan to E-mail, PC, USB memory key, FPE (TIFF, IPEG, PDF) Encrypted PDF, PDF with Digital signature; Scan to Cloud (TIFF, IPEG, PDF, PNG); ifrAX - ITU- T.37 all of these must be accessible from the printer's main mem with touch console. Paper supply: <i>Input:</i> Standard - 2xcassette of 500 sheets; Multi-purpose tray - 50 sheets; Multi-purpose tray - 50 sheets; AUI- 100 sheets <i>Output:</i> 250 sheets (A4), 100 sheets (A3). <i>Print media type:</i> Plain paper, recycled paper, heavy paper, thin paper, colored paper, lahels, envelopes. Size of print media: Cassette - 60 to 220 g/m?, Multi-purpose tray - 60 to 255 g/m². Interfaces and Software: Present interfaces: USB 2.0 Hi- Sped for PC (direct connect, in reav), USB 2.0 Hi-Speed for external memory (USB Itash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000BASE- TX/1000BASE- TX/100BASE- TX/100BASE- TX/100BASE- TX/100BASE- TX/100BASE- TX/100BASE- TX/100BASE- TX/100DBASE- TX/10DBASE-			
 9600x9600dpi; Color depth - 30bit/2bit (in/out); Greyscales - 10bit/8bit (in/out); Greyscales - 10bit/8bit (in/out); Scan supported protocols: TWAIN, WIA, ICA. Advanced scan characteristics: Scan to E-mail, PC, USB memory key, FTP (TIFF, JPEG, PDF, Compact PDF, PDF, Searchable PDF, Encrypted PDF, PDF with Digital signature; Scan to Cloud (TIFF, JPEG, PDF, PMG); IFAX - TTU- T.37 all of these must be accessible from the printer's main menu with touch console. Paper suppi; <i>Input:</i> Standard - 2xcassette of 500 sheets; ADF - 100 sheets <i>Output</i>: 250 sheets (A4), 100 sheets (A5). <i>Print media type:</i> Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. <i>Size of print media</i>: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL, <i>Weight of print media</i>: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m². Interfaces and Software: <i>Present interfaces</i>: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi- Speed for PC (direct connect, in rear), USB A5E-T1/00BA5E- TXX/1000Base-T. <i>Supported network protocols</i>: LPD, RAW, Port0100, WSD (IPv4, IPv6), SINNE, DHCP (IPv4, IPv6), SINNE, DHCP (IPv4, IPv6), SINNE, SINC7, Windows Server 2016/2012/2008, 			
 30bit/24bit (in/out): Greyscales - 10bit/8bit (in/out). Scan supported protocols: TWAIN, WIA, ICA. Advanced scan characteristics: Scan to E-mail, PC, USB memory key, FTP (TIFF, IPEG, PDF, Compact PDF, Searchable PDF, Encrypted PDF, PDF with Digital signature; Scan to Cloud (TIFF, JPEG, PDF, PNG); iFAX - TTU- T:37 all of these must be accessible from the printer's main menu with touch console. Paper supply: <i>Input:</i> Standard - 2xcassette of 500 sheets; Multi-purpose tray - 50 sheets; Multi-purpose tray - 50 sheets; ADF - 100 sheets <i>Output:</i> 250 sheets (A4), 100 sheets (A3). <i>Print media type:</i> Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-CS, DL. Weight of print media: Cassette - 60 to 220 g/m². Multi-purpose tray - 60 to 225 g/m². Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for cxternal memory (USB flash drive or Portable HDD, in front), 10BASE-T7100BASE- TXX/1000Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SINB, SDHCP (IPv4, IPv6), SINB, SDHCP (IPv4, IPv6), SINB, SDHCP (IPv4, IPv6), SINB, SDHCP 		600x600dpi; Enhanced -	
 30bit/24bit (in/out): Greyscales - 10bit/8bit (in/out). Scan supported protocols: TWAIN, WIA, ICA. Advanced scan characteristics: Scan to E-mail, PC, USB memory key, FTP (TIFF, IPEG, PDF, Compact PDF, Searchable PDF, Encrypted PDF, PDF with Digital signature; Scan to Cloud (TIFF, JPEG, PDF, PNG); iFAX - TTU- T:37 all of these must be accessible from the printer's main menu with touch console. Paper supply: <i>Input:</i> Standard - 2xcassette of 500 sheets; Multi-purpose tray - 50 sheets; Multi-purpose tray - 50 sheets; ADF - 100 sheets <i>Output:</i> 250 sheets (A4), 100 sheets (A3). <i>Print media type:</i> Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-CS, DL. Weight of print media: Cassette - 60 to 220 g/m². Multi-purpose tray - 60 to 225 g/m². Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for cxternal memory (USB flash drive or Portable HDD, in front), 10BASE-T7100BASE- TXX/1000Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SINB, SDHCP (IPv4, IPv6), SINB, SDHCP (IPv4, IPv6), SINB, SDHCP (IPv4, IPv6), SINB, SDHCP 		9600x9600dpi; Color depth -	
 1 Obit/Shit (invar). Scan supported protocols: TWAIN, WIA, ICA. Advanced scan characteristics: Scan to Is-mail, PC, USB memory key, FTP (TIFF, JPEG, PDF, Compact PDF, Scanchable PDF, Encrypted PDF, PDF, PMG, IFAX - ITU- T.37 all of these must be accessible from the printer's main menu with touch console. Paper supply: <i>Input:</i> Standard – 2xcassette of 500 sheets; ADF - 100 sheets Output: 250 sheets (A4), 100 sheets (A3). <i>Print media</i>: A5, A4, A3, B5, B4, Statement, Executive, Letter, Logal, ISO-C5, DL. <i>Weight of print media:</i> A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. <i>Weight of print media:</i> Cassette - 60 to 220 g/m². Interfaces and Software: <i>Present interfaces:</i> USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi- Speed for PC (direct connect, in rear), USB flash drive or Portable HDD, in front), 10BASE:-T1/00BASE: TXX1000Base:-T. <i>Supported network protocols:</i> LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMB, WSD-Scan Wendow Server 2016/2012/2008, 			
Scan supported protocols: TWAIN, WIA, ICA. Advanced scan characteristics: Scan to E-mail, PC, USB memory key, FP CHTF, JPEG, PDF, Compact PDF, Searchable PDF, Encrypted PDF, PDF with Digital signature; Scan to Cloud (TIFF, JPEG, PDF, PNG); IFAX - ITU- T.37 all of these must be accessible from the printer's main menu with touch console. Paper supply: Input: Standard - 2xcassette of 50 sheets; Multi-purpose tray - 50 sheets; Multi-purpose tray - 50 sheets; Aulti-purpose tray - </td <td></td> <td></td> <td></td>			
TWAIN, WIA, ICA. Advanced scan characteristics; Scan to E-mail, PC, USB memory key, FTP (TIFF, PEG, PDF, Compact PDF, Searchable PDF, Encrypted PDF, PDF with Digital signature; Scan to Cloud (TIFF, JPEG, PDF, PNG); iFAX - TTU- T.37 all of these must be accessible from the printer's main menu with touch console. Paper supply: Input: Standard - 2xcassette of 500 sheets; Multi-purpose tray - 50 sheets; Multi-purpose tray - 50 sheets; ADF - 100 sheets Output: 250 sheets (A4), 100 sheets (A3). Print media type: Plain paper, recycled paper, heavy paper, thin paper, colored paper, heavy paper, thin paper, colored paper, heavy paper, thin paper, albels, envelopes. Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 250 g/m², Multi-purpose tray - 60 to 255 g/m². Hrefrees and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect			
Advanced scan characteristics: Scan to E-mail, PC, USB memory key, FTP (TIFF, PEG, PDF, Compact PDF, Searchable PDF, Encrypted PDF, PNG); iFAX - TTU- T,37 all of these must be accessible from the printer's main meun with touch console. Paper suppi: <i>Input:</i> Standard - 2xcassette of 500 sheets; Multi-purpose tray - 50 sheets; ADF - 100 sheets <i>Output:</i> 250 sheets (A4), 100 sheets; (A3). <i>Print media type:</i> Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. <i>Size of print media:</i> A5. A4, A3, B5. B4, Statement, Executive, Letter, Legal, ISO-C5, D1. <i>Weight of print media:</i> Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 225 g/m². Interfaces and Software: <i>Present interfaces:</i> USB 2.0 Hi- Speed for PC (direct connect, in reary, USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T1/10BASE- TX/1000Base-T. Supported network protocols: <td></td> <td></td> <td></td>			
Scan to E-mail. PC, USB memory key, FTP (TIFF, IPEG, PDF, Compart PDF, Searchable PDF, Encrypted PDF, PDF with Digital signature: Scan to Cloud (TIFF, IPEG, PDF, PNG); iFAX - ITU- T.37 all of these must be accessible from the printer's main menu with touch console. Paper supply: <i>Input:</i> Standard - 2xcassette of 500 sheets; Multi-purpose tray - 50 sheets; ADI - 100 sheets <i>Output:</i> 250 sheets (A4), 100 sheets (A3). <i>Print media</i> type: Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. <i>Size of print media:</i> A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. <i>Weight of print media:</i> Cassette - 60 to 220 g/m ³ , Multi-purpose tray - 60 to 255 g/m ² . Interfaces and Software: <i>Present interfaces:</i> USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD), in front), 10BASE-T/100BASE- TX			
 key, FTP (TIF, IPEG, PDF, Compact PDF, Scarchable PDF, Encrypted PDF, PDF with Digital signature; Scan to Cloud (TIFF, IPEG, PDF, PNG); iFAX - ITU- T.37 all of these must be accessible from the printer's main menu with touch console. Paper supply: <i>Input</i>: Standard – 2xcassette of 500 sheets; Multi-purpose tray - 50 sheets; ADL - 100 sheets <i>Output</i>: 250 sheets (A4), 100 sheets (A3). <i>Print media type</i>: Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. <i>Size of print media</i>: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. <i>Weight of print media</i>: Cassette - 60 to 220 g/m³, Multi-purpose tray - 60 to 255 g/m³. Interfaces and Software: <i>Present interfaces</i>: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T7100BASE- TX/100BASE- TX			
Compact PDF, Searchable PDF, Encrypted PDF, PDF with Digital signature; Scan to Cloud (TIFF, JPEG, PDF, PNG); iFAX - TTU- T.37 all of these must be accessible from the printer's main menu with touch console. Paper supply: <i>Input:</i> Standard – 2xcassette of 500 sheets; Multi-purpose tray - 50 sheets; Multi-purpose tray - 50 sheets; Multi-purpose tray - 50 sheets; ADF - 100 sheets <i>Output:</i> 250 sheets (A4), 100 sheets (A3). <i>Print media type:</i> Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. <i>Size of print media:</i> A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. <i>Weight of print media:</i> Cassette - 60 to 220 g/m ² . Interfaces and Software: <i>Present interfaces:</i> USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi- Spee		-	
Encrypted PDF, PDF with Digital signature; Scan to Cloud (TIFF, JPEG, PDF, PNG); iFAX - ITU- T.37 all of these must be accessible from the printer's main menu with touch console. Paper supply: <i>Input</i> : Standard – 2xcassette of 500 sheets; ADF - 100 sheets <i>Output</i> : 250 sheets (A4), 100 sheets (A3). <i>Print media type</i> : Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. <i>Size of print media</i> : A5, A4, A3, B5, B4, Statement, Excentive, Letter, Legal, ISO-C5, DL. <i>Weight of print media</i> : Cassette - 60 to 220 g/m ² , Multi-purpose trar ₂ - 60 to 255 g/m ² . Interfaces and Software: <i>Present interfaces</i> : USB 2.0 Hi- Speed for PC (direct comect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T710BASE- TX/100BASE- S		key, FTP (TIFF, JPEG, PDF,	
Encrypted PDF, PDF with Digital signature; Scan to Cloud (TIFF, JPEG, PDF, PNG); iFAX - ITU- T.37 all of these must be accessible from the printer's main menu with touch console. Paper supply: <i>Input</i> : Standard – 2xcassette of 500 sheets; ADF - 100 sheets <i>Output</i> : 250 sheets (A4), 100 sheets (A3). <i>Print media type</i> : Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. <i>Size of print media</i> : A5, A4, A3, B5, B4, Statement, Excentive, Letter, Legal, ISO-C5, DL. <i>Weight of print media</i> : Cassette - 60 to 220 g/m ² , Multi-purpose trar ₂ - 60 to 255 g/m ² . Interfaces and Software: <i>Present interfaces</i> : USB 2.0 Hi- Speed for PC (direct comect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T710BASE- TX/100BASE- S		Compact PDF, Searchable PDF,	
signature: Scan to Cloud (TIFF, JPEG, PDF, PNG); iFAX - ITU- T.37 all of these must be accessible from the printer's main menu with touch console. Paper supply: <i>Input:</i> Standard – Zxassette of 500 sheets; ADI - 100 sheets <i>Output:</i> 250 sheets (A4), 100 sheets (A3). <i>Print media type:</i> Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. <i>Size of print media:</i> A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. <i>Weight of print media:</i> Cassette - 60 to 220 g/m ² . Interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi- Speed for PC 2.0 Hi- Speed for PC 2.0 Hi-		Encrypted PDF, PDF with Digital	
JPEG, PDF, PNG); iFAX - ITU- T.37 all of these must be accessible from the printer's main menu with touch console. Paper supply: Input: Standard - 2xcassette of 500 sheets; Multi-purpose tray - 50 sheets; ADF - 100 sheets Output: 250 sheets (A4), 100 sheets (A3). Print media type: Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-CS, DL. Weight of print media: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m². Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TXV1000Base-T. Supported network protocols: LPD, RAW, Por9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), WINS, DHCP (IPv4, IPv6), Windows 10/8.1/7, Windows Server 2016/2012/2008,		•••	
T.37 all of these must be accessible from the printer's main menu with touch console.Paper supply: Input: Standard – 2xcassette of 500 sheets; Multi-purpose tray - 50 sheets; ADF - 100 sheets Output: 250 sheets (A4), 100 sheets (A3).Print media type: Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes.Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m².Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi- Speed for PC direct connect, in rear), USB 2.0 Hi- Speed for PC direct connect, in rear), USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi- S			
accessible from the printer's main menu with touch console. Paper supply: Input: Standard – 2xcassette of 500 sheets; Mulfi-purpose tray - 50 sheets; ADF - 100 sheats Output: 250 sheets (A4), 100 sheets (A3). Print media type: Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m². Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE- TX/100BASE- TX/100BASE- TX/100BASE- TX/100BASE- TX/100BASE- TX/100BASE- TX/100BASE- TX/100BASE- TX/100BASE- TX/100BASE- TX/100Base-T. Supported network protocols: LPD, RAW, Pore19100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMPv3 (IPv4, IPv6), Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
 menu with touch console. Paper supply: Input: Standard – 2xcassette of 500 sheets; AUI:-purpose tray - 50 sheets; ADI: -100 sheets Output: 250 sheets (A4), 100 sheets (A3). Print media type: Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m². Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. Supported network protocols: LPD, RAW, Pord9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008, 			
Paper supply: Input: Standard - 2xcassette of 500 sheets; Multi-purpose tray - 50 sheets; ADF - 100 sheets Output: 250 sheets (A4), 100 sheets (A3). Print media type: Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m². Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear, USB 2.0 Hi- Speed for PC (direct connect, in reary, USB 2.0 Hi- Speed for PC (direct connect, in reary, USB 2.0 Hi- Speed for PC (direct connect, in reary, USB 2.0 Hi- Speed for PC (direct connect, in reary, USB 2.0 Hi- Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T7100BASE- TX/1000Base-T. Supported network protocols: LPD, RAW, Port9100, WSD			
Imput: Standard – 2xcassette of 500 sheets; ADF - 100 sheetsOutput: 250 sheets; AAJ, 100 sheets (A3), Print media type: Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes.Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m².Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE-T X/100BASE-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IP			
500 sheets; Multi-purpose tray - 50 sheets; ADF - 100 sheets Output: 250 sheets (A4), 100 sheets (A3). Print media type: Plain paper, recycled paper, havy paper, thin paper, colored paper, labels, envelopes. Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m².Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SNIR, VSD-Scan (IPv4, IPv6), SNIRV3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,		Paper supply:	
50 sheets; ADF - 100 sheets <i>Output</i> : 250 sheets (A4), 100 sheets (A3). <i>Print media type</i> : Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. <i>Size of print media</i> : A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. <i>Weight of print media</i> : Cassette - 60 to 220 g/m ² , Multi-purpose tray - 60 to 255 g/m ² . Interfaces and Software : <i>Present interfaces</i> : USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for extremal memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. <i>Supported network protocols</i> : LPD, RAW, Port9100, WSD (IPv4, IPv6), SIMB, WSD-Scan (IPv4, IPv6), SIMPv3 (IPv4, IPv6). Compatibility with Operating Systems : Windows 10/8.1/7, Windows Server 2016/2012/2008,		<i>Input:</i> Standard – 2xcassette of	
50 sheets; ADF - 100 sheets <i>Output</i> : 250 sheets (A4), 100 sheets (A3). <i>Print media type</i> : Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. <i>Size of print media</i> : A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. <i>Weight of print media</i> : Cassette - 60 to 220 g/m ² , Multi-purpose tray - 60 to 255 g/m ² . Interfaces and Software : <i>Present interfaces</i> : USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for extremal memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. <i>Supported network protocols</i> : LPD, RAW, Port9100, WSD (IPv4, IPv6), SIMB, WSD-Scan (IPv4, IPv6), SIMPv3 (IPv4, IPv6). Compatibility with Operating Systems : Windows 10/8.1/7, Windows Server 2016/2012/2008,		500 sheets; Multi-purpose tray -	
Output: 250 sheets (A4), 100 sheets (A3). Print media type: Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m². Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in reart, USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T100BASE- TX/1000Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SNM WSD-Scan (IPv4, Pv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
 sheets (A3). Print media type: Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m². Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/100Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008, 			
Print media type: Plain paper, recycled paper, heavy paper, thin paper, colored paper, labels, envelopes.Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m².Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/100Base-T. Supported network protocols: LPD, RAW, Port0100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SNMPv3 (IPv4, IPv6), Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
recycled paper, heavy paper, thin paper, colored paper, labels, envelopes. Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m ² , Multi-purpose tray - 60 to 255 g/m ² . Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMPv3 (IPv4, IPv6), Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
 paper, colored paper, labels, envelopes. Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m². Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/100Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008, 			
envelopes. Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m ² , Multi-purpose tray - 60 to 255 g/m ² . Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/100BASE- TX/100BASE-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
 Size of print media: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m². Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008, 			
B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m².Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SNMPv3 (IPv4, IPv6).Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,		envelopes.	
B5, B4, Statement, Executive, Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m².Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SNMPv3 (IPv4, IPv6).Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,		Size of print media: A5, A4, A3,	
Letter, Legal, ISO-C5, DL. Weight of print media: Cassette - 60 to 220 g/m ² , Multi-purpose tray - 60 to 255 g/m ² . Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/100BASE-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,		• •	
Weight of print media: Cassette - 60 to 220 g/m², Multi-purpose tray - 60 to 255 g/m².Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
60 to 220 g/m ² , Multi-purpose tray - 60 to 255 g/m ² . Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/100BASE- TX/100Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
tray - 60 to 255 g/m ² . Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/100Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
Interfaces and Software: Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
Present interfaces: USB 2.0 Hi- Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/100Base-T. Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
Speed for PC (direct connect, in rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. <i>Supported network protocols:</i> LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
rear), USB 2.0 Hi-Speed for external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. <i>Supported network protocols:</i> LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), WINS, DHCP (IPv4, IPv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. <i>Supported network protocols:</i> LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), WINS, DHCP (IPv4, IPv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,		-	
external memory (USB flash drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. <i>Supported network protocols:</i> LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), WINS, DHCP (IPv4, IPv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,		rear), USB 2.0 Hi-Speed for	
drive or Portable HDD, in front), 10BASE-T/100BASE- TX/1000Base-T. <i>Supported network protocols:</i> LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), WINS, DHCP (IPv4, IPv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,		-	
10BASE-T/100BASE- TX/1000Base-T.Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), WINS, DHCP (IPv4, IPv6), SNMPv3 (IPv4, IPv6).Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
TX/1000Base-T.Supported network protocols:LPD, RAW, Port9100, WSD(IPv4, IPv6), SMB, WSD-Scan(IPv4, IPv6), WINS, DHCP(IPv4, IPv6), SNMPv3 (IPv4,IPv6).Compatibility with OperatingSystems: Windows 10/8.1/7,Windows Server 2016/2012/2008,			
Supported network protocols: LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), WINS, DHCP (IPv4, IPv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
LPD, RAW, Port9100, WSD (IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), WINS, DHCP (IPv4, IPv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
(IPv4, IPv6), SMB, WSD-Scan (IPv4, IPv6), WINS, DHCP (IPv4, IPv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
(IPv4, IPv6), WINS, DHCP (IPv4, IPv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
(IPv4, IPv6), SNMPv3 (IPv4, IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
IPv6). Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,		(IPv4, IPv6), SNMPv3 (IPv4,	
Compatibility with Operating Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,			
Systems: Windows 10/8.1/7, Windows Server 2016/2012/2008,		,	
Windows Server 2016/2012/2008,			
		Iviac US A.	

					Printer management: User	
					Management; Organization units	
					ID; Ink status; Management	
					Console (meter with registration,	
l					automatic management for	
					consumables and diagnostics).	
					Performance specifications and	
					accessories:	
					Duty cycle: 100,000 pages per	
					month.	
					<i>Control:</i> Control panel - LCD	
					Color Touch Screen of min 5"	
					(inch). Language: English, Romanian,	
					Russian.	
					Power Consumption: max -	
					300W, Standby max - 60W, Sleep	
					mode max - 2W, Typical	
					Electricity Consumption (TEC) -	
					max. 0.5 kWh/month.	
					Resource / Capacity Cartridge:	
					standard min 20,000 pages in	
					black and 15,000 pages in color	
					(each of three colors).	
					External parameters:	
					Dimensions: (length x width x	
					height) max $-$ 600cm x 600cm x	
					900cm.	
					Weight: max. 85kg (without	
					consumables and accessories	
					consumables).	
					Accessories and consumables	
					included in the set: Media	
					Tray/Cassette Feeder, 500 sheets	
					(A4); set of cartridges 1xblack	
					(min. 20,000 pages) and 3xcolor	
					(min. 15,000 pages each). Warranty: 1 year, without	
					keeping the packaging, with a	
					single warranty document with	
					the indication of S/N.	
		Lot 4 Monitors				
					27" IPS, 5ms, 250cd, 1920x1080	
					D-Sub, HDMI, DVI-D Audio	
	20221210.2				Line-out,	
4.1	30231310-3	27" widescreen	Piece	5	Colors: Black – silver	16 500,00
					Warranty: 2 year, without keeping the packaging, with a	
					single warranty document with	
					the indication of S/N.	
		Lot 5				
		Peripheral			Wined act with UCD interferen	
					Wired set with USB interface, Format: classic qwerty keyboard,	
					Color: Black – blue;	
					Mouse specification: Laser, min.	
5.1	3020000-1	Set keyboard	Piece	20	1600dpi,	7 200,00
		with mouse			Number of buttons:4, Color:	, * *
					Black – blue.	
					Warranty: 2 year, without	
					keeping the packaging,	
		LOT 6 Cables and accessories				
6.1				L		
	32421000-0	UTP Cable	Meter	9150	UTP Solid cat 5E 4x2 24AWG	
0.1	32421000-0	UTP Cable	Meter	9150	UTP Solid, cat 5E 4x2, 24AWG cooper, 0,50 mm, PVC white	53 500,00

6.2 32421000-0	UTP Cable	Meter	610	UTP Solid, cat 5E 4x2, 24AWG	
				cooper, 0,50 mm, PVC BLACK	_
6.3 32421000-0	UTP Cable	Meter	3000	UTP Solid, cat 5E 2x2, 24AWG	
		~.	10.0	cooper, 0.50 mm, PVC white	-
6.4 32422000-7	Connector RJ45	Piece	600	RJ45 UTP 8P8C 30"	-
6.5 32422000-7	Connector RJ45	Piece	200	RJ45 STP 8P8C 50"	_
6.6 32422000-7	Connector RJ45	Piece	200	RJ12 6P6C 30"	
	LOT 7 Accumulators				
7.1 31430000-9	Accumulators	Piece	100	Accumulators: 12V 5Ah for UPS (Battery 12V/ 5AH). Number of items: 6 (6 cells per unit), Weight: min 1.80 Kg, Internal resistance: max 23.0 mOhm, Type terminal: : F2 Faston Tab Terminal, Material: ABS (UL 94-HB), Dimensions: (L) : 90.0±1.0 mm, (W) : 70.0±1.0 mm, (W) : 70.0±1.0 mm, Total height with terminals: (H) : 105.0±1.5 mm.	
7.2 31430000-9	Accumulators for UPS	Piece	100	Accumulators: 12V 7Ah for UPS (Battery 12V/7AH). Capacity: min 7.2 A/h (20 hours, 1.75 V/element, at 25°C) Number of items: 6 (6 cells per unit), Weight: min 2.40 Kg, Internal resistance: max 23.0 mOhm, Type terminal: : F2 Faston Tab Terminal, Material: ABS (UL 94-HB), Dimensions: (L) 150,9 \pm 2,0 mm, (W) : 64,8 \pm 1,0 mm, Height of the container: (W) : 94,3 \pm 1,0 mm, Total height with terminals: (H) : 98,6 \pm 1,0 mm.	50 000,00
The estimated ve	lue, excluding V	АТ	<u> </u>	$1,0,0 \pm 1,0$ IIIII.	2 852 000,00

- 9. In the case of pre-selection procedures, the minimum number of candidates and, where applicable, their maximum number shall be indicated. Not applicable.
- 10. If the contract is divided into lots, an economic operator may submit the offer:
 - 1) For a single lot;
 - 2) For several lots;
 - 3) For all lots;
 - 4) Other limitations on the number of lots that can be awarded to the same tenderer _____
- **11. Admission or prohibition of alternative offers**: Alternative offers are not accepted.
 - **12. Terms and conditions of delivery requested**: Delivery within 120 calendar days after signing the contract by both parties.
 - **13.** The term of validity of the contract: 31.12.2022.
 - 14. Procurement contract reserved for sheltered workshops or that it may be performed only under sheltered employment programs (as the case may be): Not applicable.

- 15. The provision of the service is reserved to a certain profession under certain laws or administrative acts (as the case may be): Not applicable.
- 16. Brief description of the criteria for the eligibility of the economic operators that may lead to their elimination and of the selection criteria; the minimum level (s) of requirements that may be imposed; the requested information is mentioned (DUAE (European Single Procurement Document ESPD), documentation):

No.	Qualification and selection criteria	How to demonstrate the fulfilment of the criterion / requirement	Minimum level / Mandatory
	Description of the criterion / requirement		
the su		mitting the tender (In accordance with art. 65 para. (4), Law no. sessarily involves the submission of the "technical tender, financial	
1.	Application for participation	According to Annex no. 7 of the Standard Documentation approved by the MF Order no. 115 of 15.09.2021. <i>Confirmed by applying the electronic signature of the bidder.</i>	Obligatoriu (at the opening)
2.	DUAE (Single European Procurement Document)	According to the form attached in the AIS "SRPP" M-Tender (Approved by the MF Order no. 72 of 11.06.2020, modified by the MF Order no. 146 of 24.11.2020). <i>Confirmed by applying the electronic signature of the bidder</i> .	Obligatoriu (at the opening)
3.	Technical specifications	According to Annex no. 22 of the Standard Documentation approved by the MF Order no. 115 of 15.09.2021. <i>Confirmed by applying the electronic signature of the bidder.</i>	Obligatoriu (at the opening)
4.	Price specifications	According to Annex no. 23 of the Standard Documentation approved by the MF Order no. 115 of 15.09.2021. <i>Confirmed by applying the electronic signature of the bidder.</i>	Obligatoriu (at the opening)
5.	Declaration on the validity of the offer	According to Annex no. 8 of the Standard Documentation approved by the MF Order no. 115 of 15.09.2021. <i>Confirmed by applying the electronic signature of the bidder.</i>	Obligatoriu (on request)
		 The offer will be accompanied by a Guarantee for the offer (issued by a commercial bank) according to the form of Annex no. 9 of the Standard Documentation approved by the MF Order no.7115 of 15.09.2021_The original of the Guarantee issued by a commercial bank will be obligatorily presented at the headquarters of the contracting authority mun. Chişinău, bd. Ştefan cel Mare Street, 168, bir. 111. OR 	
6.	Guarantee for the offer - 1% of the total value of the offer, excluding VAT	2) Transfer to the contracting authority's account (with proof of transfer attached), according to the following bank details:	Obligatoriu (at the opening)
		Beneficiary of paymentTechnical University of Moldova, Public Esteblishment	
		Name of the bankBC'MOLDOVA- AGROINDBANK SA., Chişinău Center Branch	
		Fiscal Code 1007600001506 IBAN MD32AG00000022512015310	

Mandatory documents for the evaluation of tenders (According to art. 20 para. (8), Law no. 131 of 03.07.2015, the following mandatory documents will be requested after the opening of tenders according to the requirements and deadlines indicated in DUAE)

deadl	ines indicated in DUAE)		
7.	Proof of registration of the legal person, in accordance with the legal provisions of the country where the bidder is established	Certificate / Decision of registration of the enterprise / Extract from the State Register of legal entities. <i>Confirmed by applying the electronic signature of the bidder</i> . The non-resident economic operator will present documents from the country of origin that prove the form of registration / attestation or membership from a professional point of view.	Obligatoriu (on request)
8.	Fulfillment of obligations to pay taxes, fees and social security contributions, in accordance with the legal provisions in force in the Republic of Moldova	Certificate of systematic payment of taxes, contributions issued by the Fiscal Inspectorate. (validity of the certificate - according to the requirements of the Fiscal Inspectorate of the Republic of Moldova). Original confirmed by applying the electronic signature of the bidder.	Obligatoriu (on request)
9.	Bank account assignment certificate	Certificate of assignment of the bank account issued by the bank holding the account. Confirmed by applying the electronic signature of the bidder.	Obligatoriu (on request)
10.	Financial report - last (for 2020)	Confirmed by applying the electronic signature of the bidder.	Obligatoriu (on request)
11.	Demonstration of the experience of the economic operator regarding the delivery of goods in the field of activity related to the object of the contract to be awarded	 The tenderer will have at least 3 years of experience in the delivery of similar goods. Declaration regarding the list of the main deliveries of similar goods in the last 3 years of activity. According to Annex no. 12 of the Standard Documentation approved by the MF Order no. 115 of 15.09.2021. Confirmed by applying the electronic signature of the bidder. 	Obligatoriu (on request)
12.	The minimum value of an individual contract fulfilled during the last 3 years of activity	The Presentation of at least one individual Contract fulfilled during the last 3 years of activity, which should be similar in object and the value of which should not be less than 75% of the value of the offer submitted within the given competition. <i>Confirmed by applying the electronic signature of the bidder.</i> * Note: If the Contract (s) are confidential, place on the platform pages of the Contract on which to be visible: The number and date, the names of the parties, indicate the nature of the goods delivered and the value of the Contract. If necessary, the entire Contract (s) will be requested.	Obligatoriu (on request)
13.	Status of official partner of the producer on the territory of the Republic of Moldova that would confirm the right to trade the requested goods	Confirmed by applying the electronic signature of the bidder.	Obligatoriu (on request)
14.	Presentation of evidence regarding the right to deliver goods	Manufacturer Authorization Form (MAF) / Department Authorization Form (DAF) Certificate. <i>Confirmed by applying the electronic signature of the bidder.</i>	Obligatoriu (on request)
15.	Declaration confirming that the Goods proposed in this auction must not be older than one year from the time of delivery and be new (non refurbished)	Confirmed by applying the electronic signature of the bidder.	Obligatoriu (on request)
16.	Existence of the authorized and post- warranty authorized	Documents confirming that the locally authorized service center will serve the goods offered by the Bidder within the auction (Owning a service center or collaboration agreement /	Obligatoriu (on request)

	service center	contract with a service center). <i>Confirmed by applying the electronic signature of the bidder.</i>	
17.	Declaration confirming that the manufacturer / distributor of electrical and electronic equipment (EEE) is included in the List of manufacturers of products subject to extended producer responsibility regulations (indicating registration number in the "List of manufacturers")	Confirmed by applying the electronic signature of the bidder.	Obligatoriu (on request)
18.	Declaration on the confirmation of the identity of the beneficial owners and their non-compliance with the conviction for participation in the activities of a criminal organization or group, for corruption, fraud and / or money laundering (<i>It will be presented by</i> <i>the winning bidder</i> <i>within 5 days from the</i> <i>date of communication</i> <i>of the results of the</i> <i>public procurement</i> <i>procedure</i>)	The Declaration form is attached in the AIS "SRPP" M- Tender (Approved MF Order no. 145 of 24.11.2020). <i>Confirmed by applying the electronic signature of the bidder</i> .	Obligatory (will be presented by the winning bidder)
19.	Performance guarantee - 5% of the total value of the Contract, including VAT. (<i>It will</i> be presented only by the winning bidder at the time of signing the contract)	1) Guarantee of good execution (issued by a commercial bank) according to the form of Annex no. 10 of the Standard Documentation approved by the MoF Order no. 115 of 15.09.2021_The original of the Guarantee issued by a commercial bank will be obligatorily presented at the headquarters of the contracting authority mun. Chişinău, bd. Ştefan cel Mare Street, 168, bir. 111. OR2)Transfer to the contracting authority's account (with proof of transfer attached), according to the following bank details: Beneficiary of Public EsteblishmentName of the bankBC'MOLDOVA- bankAGROINDBANK SA., Chişinău Center BranchFiscal Code1007600001506IBANMD32AG00000022512015310	Obligatory (will be presented only by the winning bidder, at the conclusion of the Contract)

- **17.** Guarantee for tender, if applicable: Guarantee for tender issued by a commercial bank or transfer to the contracting authority's account, amounting to 1% of the total value of the tender (excluding VAT).
- **18.** Guarantee of good performance of the contract, as appropriate: Performance guarantee issued by a commercial bank or transfer to the contracting authority's account, amounting to 5% of the total value of the Contract (incl. VAT).

- **19.** Reason for recourse to the accelerated procedure (in the case of open, restricted and negotiated tender), where applicable: Not applicable.
- 20. Specific award techniques and instruments (if applicable, specify whether the framework agreement, dynamic purchasing system or electronic auction will be used): Not applicable.
- 21. Special conditions on which performance of the contract depends: Not applicable.
- 22. The offers are presented in foreign currency: Lei MD.
- **23.** The evaluation criterion applied for the award of the contract: Lowest price and correspondence of the required technical parameters.

According to art. 26 point. 18, Law no. 131 of 03.07.2015, regarding public procurement, if two or more offers are equivalent, an additional award criterion will be applied - technical and / or professional capacity (art. 18, letter d), Law 131/2015).

24. The evaluation factors of the most advantageous tender in economic terms and their weights:

No.	Name of the evaluation factor	Weight %
	Not applicable	

25. Deadline for submission / opening of tenders:

- up to: You can find the information in AIS "SRPP" M-Tender
- on: You can find the information in AIS "SRPP" M-Tender

26. Address to which tenders or requests to participate must be sent:

Offers or requests to participate will be submitted electronically through the AIS "SRPP" M-Tender.

- 27. The term of validity of the offers: 60 calendar days.
- **28.** Place of opening of offers: *AIS "SRPP" M-Tender; Delayed bids will be rejected.*
- **29.** Persons authorized to be present at the opening of tenders: Tenderers or their representatives have the right to participate in the opening of the bids, unless the bids have been submitted through the AIS "SRPP" M-Tender.
- **30.** The language or languages in which tenders or requests to participate must be drawn up: *State language* (*Romanian language*).
- **31.** That contract relates to a project and / or program financed by European Union funds: *Not applicable.*

32. Name and address of the body responsible for resolving appeals: *National Agency for Solving Complaints;*

Address: mun. Chișinău, ave. Ștefan cel Mare și Sfânt no. 124 (4 floor), MD-2001; Phone / Fax / E-mail: 022-820 652, 022 820-651, <u>contestatii@ansc.md</u>

- **33.** Date (s) and reference (s) of previous publications in the Official Journal of the European Union concerning the contract (s) to which that notice relates (if applicable): The notice of intent was published on the TED eNotices website, document number 2021 / S 184 -480303 of 22.09.2021.
- **34.** In the case of regular purchases, the estimated timing for the publication of future **announcements:** Not applicable.
- **35.** Date of publication of the notice of intent or, where applicable, a statement that no such notice has been published:

Public Procurement Bulletin no. 72 September of 17, 2021;

TED eNotices website: 2021 / S 184-480303 (document number) of September 22, 2021.

- 36. Date of dispatch of the announcement of participation: November 25, 2021.
- **37.** In the public procurement procedure, the following will be used / accepted:

Name of the electronic instrument	It will be used / accepted or not
electronic submission of tenders or requests to participate	It is accepted
electronic order system	It is not accepted
electronic invoicing	It is accepted
electronic payments	It is accepted

- **38.** The contract is subject to the Agreement regarding the Government Procurement of the World Trade Organization (only in the case of announcements submitted for publication in the Official Journal of the European Union): Not applicable.
 - **39. Other relevant information:** Payment of the Goods for the Goods delivered by the Seller and received by the Buyer is made based on the Deed of delivery-receipt of the goods signed by the representatives of both Parties and the fiscal invoice presented by the Seller, within 10 working days from the date of receipt of documents by Buyer.

The leader of the working group Daniela POJAR: ______ L.Ş.