



BILIARY LONGWIRE



SPHINX 3-LUMEN SPHINCTEROTOME


FOR PRECISE WIRE GUIDANCE AND CANNULATION

The key features for a safe and successful sphincterotomy are positioning and cannulation. MICRO-TECH's SPHINX 3-lumen sphincterotome meets these requirements in every aspects. The tapered tip design enables improved cannulation and a precise and controlled cut. At the same time, it ensures easy navigation through the bile and pan-

creas ducts and guarantees improved access and control during procedures. Central lumen Injection technology provides more efficient guide wire use and contrast media irrigation. Made of high-quality materials, the new sphincterotome guarantees longevity and reliability to meet the strict requirements of modern endoscopic interventions.

SPECIFIC CHARACTERISTICS

- Tapered tip design for improved cannulation and a controlled cut
- 3-lumen for guide wire, cutting wire and contrast medium injection
- Precise and easy to manoeuvre
- Handle locking function for securing the distal tip in a fixed position
- Minimizes the risk of complications
- Safer alternative for challenging sphincterotomy



Precise adjustment function



Guidewire-compatible needle knife

SPECIFICATIONS

REF	Tip length mm	Cutting wire length mm	Partly insulated cutting wire	Preloaded guide wire	Ø working channel mm
SPHINCTEROTOME, 3-LUMEN, PRECUT					
DSP-30020-111111	0	20	No	No	2.8
DSP-30020-111211	0	20	Yes	No	2.8
DSP-30020-111121	0	20	No	Yes	2.8
DSP-30020-111221	0	20	Yes	Yes	2.8
DSP-30025-111111	0	25	No	No	2.8
DSP-30025-111211	0	25	Yes	No	2.8
DSP-30025-111121	0	25	No	Yes	2.8
DSP-30025-111221	0	25	Yes	Yes	2.8
DSP-30030-111111	0	30	No	No	2.8
DSP-30030-111211	0	30	Yes	No	2.8
DSP-30030-111121	0	30	No	Yes	2.8
DSP-30030-111221	0	30	Yes	Yes	2.8
SPHINCTEROTOME, 3-LUMEN, 2 MM, STANDARD TIP (5 FR)					
DSP-30220-111111	2	20	No	No	2.8
DSP-30220-111211	2	20	Yes	No	2.8
DSP-30220-111121	2	20	No	Yes	2.8
DSP-30220-111221	2	20	Yes	Yes	2.8
DSP-30225-111111	2	25	No	No	2.8
DSP-30225-111211	2	25	Yes	No	2.8
DSP-30225-111121	2	25	No	Yes	2.8
DSP-30225-111221	2	25	Yes	Yes	2.8
DSP-30230-111111	2	30	No	No	2.8
DSP-30230-111211	2	30	Yes	No	2.8
DSP-30230-111121	2	30	No	Yes	2.8
DSP-30230-111221	2	30	Yes	Yes	2.8
SPHINCTEROTOME, 3-LUMEN, 5 MM, TAPERED TIP (4.5 FR)					
DSP-30520-111111	5	20	No	No	2.8
DSP-30520-111211	5	20	Yes	No	2.8
DSP-30520-111121	5	20	No	Yes	2.8
DSP-30520-111221	5	20	Yes	Yes	2.8
DSP-30525-111111	5	25	No	No	2.8
DSP-30525-111211	5	25	Yes	No	2.8
DSP-30525-111121	5	25	No	Yes	2.8
DSP-30525-111221	5	25	Yes	Yes	2.8
DSP-30530-111111	5	30	No	No	2.8
DSP-30530-111211	5	30	Yes	No	2.8
DSP-30530-111121	5	30	No	Yes	2.8
DSP-30530-111221	5	30	Yes	Yes	2.8
SPHINCTEROTOME, 3-LUMEN, NEEDLE KNIFE					
DSP-30505-121111	0	5	No	No	2.8
DSP-30505-121211	0	5	Yes	No	2.8
DSP-30507-121111	0	7	No	No	2.8
DSP-30507-121211	0	7	Yes	No	2.8

Recommended guide wire 0.035": MTN-BM 89/45-A (straight)

Packaging unit: 2 pieces