

3. Remove the paper protection on the outer side of the dressing starting from the cut.



4. Put the notes on the tape to describe the dressing and apply it on the dressing without covering the wound/ the place of needle insertion.

elastoDERM F-IV

IV cannula dressing, with "frame" application type

REF	dimensions	shape	indication	packaging unit paper-paper	bulk packaging box
812006	6 cm x 7 cm		- fixing and securing peripheral	1 pc.	100 x 1 pc.
with the tape			- securing cannulas inserted into central veins		

elastoDERM IV

IV cannula dressing, with "three-stage" application type



elastoDERM PAD

dressing with central absorbent pad, with "three-stage" application type

REF	dimensions	shape	indication	packaging unit paper-paper	bulk packaging box
802012 802014	6 cm x 7 cm 9 cm x 10 cm		- protection of post-operative wounds and stitches	1 pc.	100 x 1 pc. 50 x 1 pc.
802015	9 cm x 15 cm	'.		1 pc.	50 x 1 pc.
802016	10 cm x 20 cm	"		1 pc.	50 x 1 pc.
802018	10 cm x 25 cm			1 pc.	50 x 1 pc.



101

new

feeding tube

sterile

features

- · made of PVC that is resistant to bending and kinking
- transparency of tube allows visual inspection
- atraumatic, soft rounded, closed tip facilitates insertion of catheter
- tube equipped with two alternate end holes with gently stretched edges
- · connector compatible with the conical end of luer syringe
- integrated stopper allows the tube to be closed tightly
- colour-coded connectors for size recognition, numerical size identification on packaging
- 3 depth markers placed on tube allow verification of the correct placement of tube after insertion
- individually packed straight
- single-use
- · latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

• inserted through patient's nose or mouth to perform enteral nutrition

REF	size	length	colour	intermediate packaging
CK-04-40	CH 4	400 mm	red	100 pcs
CK-05-40	CH 5	400 mm	grey	100 pcs
CK-06-40	CH 6	400 mm	light green	100 pcs
CK-08-40	CH 8	400 mm	blue	100 pcs
CK-10-40	CH 10	400 mm	black	100 pcs







suction catheter


sterile

feature

- made of soft and flexible PVC, that is resistant to bending and kinking
- frozen surface prevents the catheter from sticking to the wall of the endotracheal tube
- atraumatic, soft rounded, open tip
- tip with two alternating lateral eyes with smooth edges
- colour-coded connectors for size recognition, numerical size identification on the packaging
- single-use
- EO sterilized
- packaging: 1 pc./paper-foil

- device designed for suction of secretions from the upper respiratory tract
- recommended for source of suction with its own suction force regulation

REF	size	length	colour	intermediate packaging
CO-B06-40	CH 6	400 mm	light green	50 pcs
CO-B08-40	CH 8	400 mm	blue	50 pcs
CO-B10-40	CH 10	400 mm	black	50 pcs
CO-B12-50	CH 12	500 mm	white	50 pcs
CO-B12-60	CH 12	600 mm	white	50 pcs
CO-B14-50	CH 14	500 mm	green	50 pcs
CO-B14-60	CH 14	600 mm	green	50 pcs
CO-B16-50	CH 16	500 mm	orange	50 pcs
CO-B16-60	CH 16	600 mm	orange	50 pcs
CO-B18-50	CH 18	500 mm	red	50 pcs
CO-B18-60	CH 18	600 mm	red	50 pcs
CO-B20-50	CH 20	500 mm	yellow	50 pcs
CO-B20-60	CH 20	600 mm	yellow	50 pcs
CO-B22-50	CH 22	500 mm	purple	50 pcs
CO-B22-60	CH 22	600 mm	purple	50 pcs







- made of soft and flexible PVC, that is resistant to bending and kinking
- full control over the suction
- atraumatic, soft rounded, open tip
- tip with two alternating lateral eyes with smooth edges
- colour-coded connectors for size recognition, numerical size identification on the packaging
- single-use

30

- EO sterilized
- packaging: 1 pc./paper-foil

indication

- device designed for suction of secretions from the upper respiratory tract

REF	size	length	colour	intermediate packaging
CO-A06-60	CH 6	600 mm	light green	50 pcs
CO-A08-60	CH 8	600 mm	blue	50 pcs
CO-A10-60	CH 10	600 mm	black	50 pcs
CO-A12-60	CH 12	600 mm	white	50 pcs
CO-A14-60	CH 14	600 mm	green	50 pcs
CO-A16-60	CH 16	600 mm	orange	50 pcs
CO-A18-60	CH 18	600 mm	red	50 pcs







suction catheter with frozen surface

phthalate-free, sterile

features

- made of soft and flexible PVC, that is resistant to bending and kinking $\,$
- frozen surface enabling easy insertion
- atraumatic, soft rounded, open tip
- $\operatorname{\mathsf{tip}}$ with two opposite lateral eyes with smooth edges
- colour-coded connectors for size recognition, numerical size identification on the packaging
- single-use
- latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

- device designed for suction of secretions from the upper respiratory tract
- recommended for source of suction with its own suction force regulation

REF	size	length	colour	intermediate packaging
CO-BF-ZP-B06-40	CH 6	400 mm	light green	50 pcs
CO-BF-ZP-B06-60	CH 6	600 mm	light green	50 pcs
CO-BF-ZP-B08-40	CH 8	400 mm	blue	50 pcs
CO-BF-ZP-B08-60	CH 8	600 mm	blue	50 pcs
CO-BF-ZP-B10-40	CH 10	400 mm	black	50 pcs
CO-BF-ZP-B10-60	CH 10	600 mm	black	50 pcs
CO-BF-ZP-B12-60	CH 12	600 mm	white	50 pcs
CO-BF-ZP-B14-60	CH 14	600 mm	green	50 pcs
CO-BF-ZP-B16-60	CH 16	600 mm	orange	50 pcs
CO-BF-ZP-B18-60	CH 18	600 mm	red	50 pcs
CO-BF-ZP-B20-60	CH 20	600 mm	yellow	50 pcs
CO-BF-ZP-B22-60	CH 22	600 mm	purple	50 pcs
CO-BF-ZP-B24-60	CH 24	600 mm	dark blue	50 pcs







dual-limb breathing circuit

sterile

features

- made of high quality EVA material, without PVC
- + 15F/22M and 22F universal connector fits compatible products and devices for mechanical ventilation or anesthesia machine
- expandable arms with maximum length of 160 cm
- adjustable length of circuit enabling adjustment of length of respiratory adjustable reign of circuit enabling adjustment of reign of respiratory system and optimization of dead space
 equipped with latex-free breathing bag: 3l (for adults) or 1l (for children)
 additional expandable tube, length: 100 cm

- · elbow with luer lock port
- single-uselatex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./foil

indication

- for patient's mechanical ventilation
- it enables transporting breathing mixture from equipment (ventilator, anesthesia machine) to respiratory protection device (e.g. tracheal tube, tracheostomy mask) and vice versa

REF	purpose	capacity of bag
OBWD-1601L	for children	1 liter
OBWD-1603L	for adults	3 liters





catheter mount/double swivel connector

sterile

features

- standard version made of medical PVC
- · expandable version made of high quality EVA material, PVC-free and phthalate-free
- 22M/15F 15M universal connector fits compatible products
- $\bullet\,$ expandable version characterized by shape memorizing and by the ability to control the position of the connector
- · double swivel elbow connector
- port for suctioning and bronchoscope secured with a stopper
- · available in versions: standard and expandable
- single-use
- latex-free
- · EO sterilized
- packaging: 1 pc./paper-foil

- used to connect the tracheostomy tube or endotracheal tube with the breathing circuit of the ventilation device
- provides greater mobility and rotation of the connection, increasing patient comfort and safety

REF	version	length
PM-15	standard	15 cm
PMR-15	expandable	9 - 18 cm







cannula stopper

sterile

features

- precisely and safely closes standard ports
 luer lock stopper has only one male tip
 combi stopper with male and female tip especially dedicated for securing luer lock fitting in infusion and transfusion sets
 single-use
 non-pyrogenic
 latex-free, phthalate-free
 EO sterilized

- packaging: 1 pc./paper-foil

- as a stopper of intravenous cannulas, ports and catheters
 intended to be used in combination with other devices during infusion therapy, protecting against the outflow of blood through the cannula and protecting against contamination and infection

REF	type	intermediate packaging	bulk packaging
KDKLL	luer lock	250 pcs	10 x 250 pcs
KDKC	combi	100 pcs	50 x 100 pcs





- made of high-quality materials
- universal Velcro fasteners enabling fast and effective fixing of the holder around the head
- adjustable handle allows for easy and fast fixation of every size of endotracheal tube
- special design of the bite-piece prevents patient trauma or damaging the tube (by biting)
- additional opening allows for chyme, saliva and blood suction from the oral cavity
- single-use

56

- latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

• to stabilize the position of the endotracheal tube after its insertion into the trachea

REF	version	colour	
SRI-N	horizontal fixation	blue-red	
SRI-A	vertical fixation	green	







tracheostomy tube

cuffed, sterile

features

- made of medical, flexible PVC
- swivel 15 mm connector
- flexible neckplates with slits for strap insertion to secure tube position
- $\bullet \ \ \mathsf{soft}, \mathsf{low-pressure}, \mathsf{thin-walled} \ \mathsf{cuff} \\$
- pilot balloon in contrasting colour clearly indicates the level of the cuff's inflation
 2 fixation straps protected with foil
- clear size marking on the neckplates $\,$
- atraumatic, soft rounded tip, curved cannula
- radiopaque line
- equipped with obturator
- single-uselatex-free
- EO sterilized
- packaging: 1 pc./rigid blister

- ${\:\raisebox{3.5pt}{\text{\circle*{1.5}}}}$ to control respiratory tracts in people after tracheostomy
- introduced to the airways by a surgical incision of the tracheal's front wall to allow ventilation
- provides free breathing bypassing the nose, throat and larynx

REF	size	intermediate packaging
RTM-40	4.0	10 pcs
RTM-45	4.5	10 pcs
RTM-50	5.0	10 pcs
RTM-60	6.0	10 pcs
RTM-65	6.5	10 pcs
RTM-70	7.0	10 pcs
RTM-75	7.5	10 pcs
RTM-80	8.0	10 pcs
RTM-85	8.5	10 pcs
RTM-90	9.0	10 pcs
RTM-95	9.5	10 pcs
RTM-100	10.0	10 pcs





- made of PVC-coated aluminium
- special material for both stiffness and pliability
- intended for use during difficult intubation
- size and diameter markings
- single-use
- latex-free

54

- EO sterilized
- packaging: 1 pc./paper-foil

indication

- allows you to give the endotracheal tube the right curvature
- introduced to the endotracheal tube facilitates intubation in routine and difficult cases, when the laryngeal inlet is not visible

REF	size	diameter	length	endotracheal tube I.D.	intermediate packaging	bulk packaging
PRI-06	6 Fr	2,0 mm	310 mm (±10)	from 2.0 to 4.0	50 pcs	10 x 50 pcs
PRI-10	10 Fr	3,3 mm	390 mm (±10)	from 4.5 to 6.5	50 pcs	10 x 50 pcs
PRI-14	14 Fr	4,7 mm	390 mm (±10)	from 7.0 to 10.0	40 pcs	10 x 40 pcs



endotracheal tube

uncuffed, sterile

features

- made of flexible PVC
- · radiopaque line over the entire tube length
- equipped with lateral Murphy eye
- graduated every 1 cm
- double depth marker to control the position of the tube
- tube size marked in 3 places (on the connector and in two places on the tube body)
- detachable connector with an outer diameter of 15 mm
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

- for both oral and nasal intubation
- inserted into the trachea to prevent airway obstruction and respiratory failure

REF	size	intermediate packaging
RIB-20	I.D. (mm) 2.0	20 pcs
RIB-25	I.D. (mm) 2.5	20 pcs
RIB-30	I.D. (mm) 3.0	20 pcs
RIB-35	I.D. (mm) 3.5	20 pcs
RIB-40	I.D. (mm) 4.0	20 pcs
RIB-45	I.D. (mm) 4.5	20 pcs
R B-50	I.D. (mm) 5.0	20 pcs
RIB-55	I.D. (mm) 5.5	20 pcs
RIB-60	I.D. (mm) 6.0	20 pcs
RIB-65	I.D. (mm) 6.5	20 pcs
RIB-70	I.D. (mm) 7.0	20 pcs
RIB-75	I.D. (mm) 7.5	20 pcs
RIB-80	I.D. (mm) 8.0	20 pcs
RIB-85	I.D. (mm) 8.5	20 pcs
RIB-90	I.D. (mm) 9.0	20 pcs
RIB-95	I.D. (mm) 9.5	20 pcs
RIB-100	I.D. (mm) 10.0	20 pcs





laryngeal mask

PVC, sterile

features

- · made of medical PVC
- elastic mask body with description (size, cuff volume, suggested patient's weight)
 elliptic shape, flexible sealing cuff and universal, transparent connector: 15 mm
- etilptic Strape, response searing cut and almost sea, an any sea, and almost sea, almost sea, and almost sea, almost sea, and almost sea, and almost sea, almost sea,

- version with syringe and with tubricant contains in the packaging:
 lubricant (methylsilicone oil), which allows the outer surface of the cuff
 to be moisturized before insertion
 bypacked luer syringe, which allows the cuff to be filled with the minimum
 amount of air required to ensure an effective seal
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./rigid blister

- · device inserted through the mouth, up to the back of the throat, forms a seal at the top of the glottis in order to:
- direct protecting the patient's airway patency
- artificial ventilation also during cardiopulmonary resuscitation
- maintaining airway patency in: short-term surgical procedures, without the need of muscles relaxation, when endotracheal intubation is not necessary and under anesthesia for diagnostic procedures

REF	size	colour of valve protection	weight of patient	max. inflation	intermediate packaging
MKP-10	1	pink	≤5 kg	4 ml	10 pcs
MKP-15	1.5	orange	5 - 10 kg	7 ml	10 pcs
MKP-20	2	dark green	10 - 20 kg	10 ml	10 pcs
MKP-25	2.5	brown	0 - 30 kg	14 ml	10 pcs
MKP-30	3	green	30 - 50 kg	20 ml	10 pcs
MKP-40	4	purple	50-70 kg	30 ml	10 pcs
MKP-50	5	dark blue	70-100 kg	40 ml	10 pcs



, ,						
REF	size	colour of valve protection	weight of patient	capacity of syringe	max. inflation	intermediate packaging
MKPL-10	1	pink	≤5 kg	10 ml	4 ml	10 pcs
MKPL-15	1.5	orange	5 - 10 kg	10 ml	7 ml	10 pcs
MKPL-20	2	dark green	10-20 kg	10 ml	10 ml	10 pcs
MKPL-25	2.5	brown	20 - 30 kg	20 ml	14 ml	10 pcs
MKPL-30	3	green	30 - 50 kg	30 ml	20 ml	10 pcs
MKPL-40	4	purple	50 - 70 kg	30 ml	30 ml	10 pcs
MKPL-50	5	dark blue	70-100 kg	30 ml	40 ml	10 pcs







laryngeal mask

silicone, sterile


features

- made of biocompatible silicone, which ensures excellent flexibility of the device
- elastic mask body with description (size, cuff volume, suggested patient's weight)
 elliptic shape, flexible sealing cuff and universal, transparent connector: 15 mm
- single-use
- latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

- · device inserted through the mouth, up to the back of the throat, forms a seal at the top of the glottis in order to:
- direct protecting the patient's airway patency
- artificial ventilation also during cardiopulmonary resuscitation
- maintaining airway patency in: short-term surgical procedures, without the need of muscles relaxation, when endotracheal intubation is not necessary and under anesthesia for diagnostic procedures

REF	size	weight of patient	max. inflation	intermediate packaging
MKS-10	1	≤5 kg	4 ml	10 pcs
MKS-15	1.5	5 - 10 kg	7 ml	10 pcs
MKS-20	2	10 - 20 kg	10 ml	10 pcs
MKS-25	2.5	20 - 30 kg	14 ml	10 pcs
MKS-30	3	30 - 50 kg	20 ml	10 pcs
MKS-40	4	50 - 70 kg	30 ml	10 pcs
MKS-50	5	70-100 kg	40 ml	10 pcs





oxygen mask

with tubing, sterile

features

- made of transparent, non-toxic PVC
 adjustable nose metal plate and rubber fastening
 equipped with a 210 cm (+/- 5%) long tubing with universal connectors
 tubing with star cross-section that is resistant to bending
 revolving connector that allows adjusting to patient's position

- single-uselatex-free

48

- EO sterilized
- packaging: 1 pc./paper-foil

indication

• designed to deliver oxygen with precise regulation of concentration, for medium oxygen concentration

REF	length of tubing	size
MTS - S	210 cm +/- 5%	S
MTS-M	210 cm +/- 5%	М
MTS-L	210 cm +/- 5%	L
MTS-XI	210 cm +/- 5%	XI





non-rebreather mask

with tubing, sterile

features

- made of transparent, non-toxic PVC
- adjustable nose metal plate and rubber fastening
 equipped with a 210 cm (+/-5%) long tubing with universal connectors
 tubing with star cross-section that is resistant to bending
- · 1000 ml oxygen reservoir
- revolving connector that allows adjusting to patient's position
- silicone valves on the connector and ventilation openings
- single-uselatex-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

- designed to deliver oxygen with precise regulation of concentration, for high oxygen concentration

REF	length of tubing	size
MTW-S	210 cm +/- 5%	S
MTW-M	210 cm +/- 5%	М
MTW-L	210 cm +/- 5%	L
MTW-XI	210 cm +/- 5%	ΧI





- layered structure: non-woven + cellulose pulp
- needs to be fixed with a secondary dressing e.g. with adhesive tape or tubular net bandage
 hypoallergenic

indication

- covering an eye and its area after ophthalmic procedures and surgical procedures
- sight correction in strabismus therapy



eye pad

elastoLUMENAL



non-sterile

Before use on open wounds, the device must be sterilized in accordance with a validated sterilization method. It can be sterilized with ethylene oxide or radiation.

REF	dimensions	packaging unit paper-paper	intermediate packaging box	bulk packaging carton
803311	5,5 cm x 7 ,5 cm	1 pc.	50 x 1 pc.	24 x 50 pcs



Conforms well to facial contours thanks to the oval shape.

elastoLUMENAL S



sterile

REF	dimensions	packaging unit paper-paper	intermediate packaging box	bulk packaging carton
803310	5,5 cm x 7,5 cm	1 pc.	50 x 1 pc.	24 x 50 pcs

sterile

features

- made of high quality PE (polyethylene), free of PVC
- distinctive anatomical curve of airway tube allows for the opening of the upper respiratory tract and the free flow of anaesthetic gases, air
- · colour coded sizes
- numeric marking of the size on the airway
- single-use

58

- · latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./foil

indication

- used during artificial ventilation procedures to ensure the airway patency
- as a tool for paramedic to assist in the management of a casualty's airway which increases the effectiveness of the rescue operation
- facilitates the stabilization of the endotracheal tube and protects it against biting

REF	size	number	colour	
RG-40	40 mm	000	pink	
RG - 50	50 mm	00	dark blue	
RG-60	60 mm	0	black	
RG-70	70 mm	1	white	
RG-80	80 mm	2	green	
RG-90	90 mm	3	yellow	
RG-100	100 mm	4	red	
RG-110	110 mm	5	blue	
RG-120	120 mm	6	orange	





air cushion anaesthetic mask

non-sterile

features

- due to the high quality of materials used, ventilation is conducted in an atraumatic and safe way for the patient
- anatomically shaped inflatable cuff, ensures perfect tightness of the mask with minimal pressure
- device, when applied to the face, tightly covers the patient's mouth and nose without compressing the eyes
- clear shell provides continuous visual observation of the patient
- colour-coded retaining rings, easy for size recognition
- retaining ring can be removed when it is not needed
- full size range allows to properly choose the size of the mask depending on the age of the patient
- all sizes are equipped with inflatable check valve to adjust air amount for best cushion fitting auto patient's face
- single-use
- · latex-free, phthalate-free
- · non-sterile
- packaging: 1 pc./foil

- intended for the administration of a gas mixture coming through devices for artificial ventilation
- enables performing medical procedures including artificial ventilation, administration of anesthetic gas and carrying out emergency treatment of an unconscious patient

REF	size	age of patient/ size	colour
MAP-0	0	neonate	-
MAP-1	1	infant	-
MAP-2	2	pediatric	yellow
MAP-3	3	adult S	green
MAP-4	4	adult M	red
MAP-5	5	adult I	blue





easyFLOW TS

transfusion set, sterile

- 2-way sharp closure-piercing device of the drip chamber with anti-slip surface that guarantees tight and reliable connection with containers/bags
- air inlet with anti-bacterial filter and a coloured (red) flap
- · pliable drip chamber
- dropper: 20 drops = 1 ml +/- 0,1 ml
- special blood filter with large area, pore size 200 μm
- · min. 150 cm-long, soft, flexible tubing
- universal luer lock fitting at the end of tubing
- precise safe flow regulator with integrated holder for the closure-piercing device and with hook for securing the tubing
- name of the manufacturer placed on the flow regulator
- both tips of the device additionally secured with protective caps
- · device available in a version containing phthalates and without phthalates
- single-use
- · non-pyrogenic, non-toxic
- · latex-free
- EO sterilized
- packaging: 1 pc./paper-foil with a coloured code (red) identifying the device

· device used for the administration of blood and blood products





bulk packaging 250 pcs



3-way stopcock

sterile

features

- · made of polycarbonate
- transparent housing
- clear optical identifier of open/close position (marked flow directions) operating in 360 degrees
- consistent, straight flow channels and an optimal internal diameter ensure correct pressure measurement
- rotating male luer lock
- all inlets protected with caps
- · resistant to lipids
- · latex-free, phthalate-free
- single-use
- · non-pyrogenic, non-toxic
- EO sterilized
- packaging: 1 pc./paper-foil
- indication • device designed for managing the flow of infusion fluids during administration
- enables switching the infusion flow path
- for blood pressure monitoring
- · for direct medicine/fluid supply

REF	colour	intermediate packaging
KT-002	blue	50 pcs





- transparent barrel allows full visual control of content
- green contrasting plunger
- luer nozzle
- sealing in the form of double ring on plunger stopper situated
- on the top of plunger
- smooth plunger sliding thanks to rubber sealing
- limitation flange securing against accidental removal of plunger
- name of syringe and manufacturer's logo placed on barrel
- clear, legible and permanent black graduation facilitating dosage, adequately:
- every 0,1 ml for capacity of 2 ml
- every 0,2 ml for capacity of 5 ml
- every 0,2 ml for capacity of 10 ml
- every 0,5 ml for capacity of 20 ml
- every 1 ml for capacity of 50 ml $\,$
- single-use, non-pyrogenic, non-toxic
- · latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

 3-piece syringe intended for drawing up and administering of medicines/liquids to patient and collecting body fluid samples from patient

REF	capacity	intermediate packaging	bulk packaging
002ML-3CZ-BL	2 ml	100 pcs	30 x 100 pcs
005ML-3CZ-BL	5 ml	100 pcs	24 x 100 pcs
010ML-3CZ-BL	10 ml	100 pcs	16 x 100 pcs
020ML-3CZ-BL	20 ml	50 pcs	16 x 50 pcs
DEDMI 2C7 DI	E0 ml	2E nec	16 v 25 pcc



dicoNEX

dicoNEX


single-use syringe, 3-part, luer lock, sterile

feature

- transparent barrel allows full visual control of content
- green contrasting plunger (amber-coloured syringe white contrasting plunger)
- luer lock nozzle
- sealing in the form of double ring on plunger stopper situated on the top of plunger
- smooth plunger sliding thanks to rubber sealing
- limitation flange securing against accidental removal of plunger
- name of syringe and manufacturer's logo placed on barrel
- $\bullet \ \ \text{clear}, legible \ and \ permanent \ black \ graduation \ facilitating \ dosage, \ adequately:$
- every 0,1 ml for capacity of 2 ml
- every 0,2 ml for capacity of 5 ml and of 10 ml $\,$
- every 0,5 ml for capacity of 20 ml
- every 1 ml for capacity of 30 ml and of 50 ml
- single-use
- non-pyrogenic, non-toxic
- latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

- $\ \, \hbox{*-piece syringe intended for drawing up and administering of medicines/liquids} \\ \ \, \text{to patient and collecting body fluid samples from patient} \\$
- amber-coloured syringe is intended for drawing up and administering of photosensitive medicines

REF	capacity	colour of plunger	intermediate packaging	bulk packaging
003ML-3CZ-LL-BL	3 ml	green	100 pcs	30 x 100 pcs
005ML-3CZ-LL-BL	5 ml	green	100 pcs	24 x 100 pcs
010ML-3CZ-LL-BL	10 ml	green	100 pcs	16 x 100 pcs
020ML-3CZ-LL-BL	20 ml	green	50 pcs	16 x 50 pcs
030ML-3CZ-LL-BL	30 ml	green	50 pcs	16 x 50 pcs
050ML-3CZ-LL-BL	50 ml	green	25 pcs	16 x 25 pcs
ber type				
050ML-3CZ-LL-B-BL	50 ml	white	25 pcs	16 x 25 pcs





surgical suction set

with Yankauer cannula, bulb tip, sterile

CANNULA

- cannula with bulb tip with four lateral eyes, which prevent the tip from sticking to the tissues and one central opening
- $\bullet \ \ completely \ transparent \ for \ full \ possibility \ of \ observing \ the \ sucked \ secretion$
- light and perfectly balanced handle ensures high comfort of work and reduces hand fatigue

 • perfectly smooth inner surface prevents blocking or retaining
- the sucked content, ensuring correct and optimal flow
- · cannula with double bend of curvature
- universal stepped connector ensures tight connection with a wide range of suction connecting tubes

TUBE

- made of soft and flexible PVC
- · along the tube a special longitudinal reinforcement to prevent bending and sucking of the tube
- perfectly smooth inner surface of tube prevents the sucked content
- from settling on the walls, ensuring correct and optimal flow
 connector type funnel-funnel cut-to-fit with the possibility of cutting in the marked places of the connector and matching to any type of medical suction device (for the diameter of 8 mm to 18 mm)
- funnel connector equipped with a special bending system, enabling convenient manipulation of the tube
- tube connectors compatible with the standard suction cannulas, enabling their reliable, effective and tight connection

- available with or without suction control
- single-use
- · latex-free
- EO sterilized
- · packaging: 1 set/double packaging: internal-foil, external- paper-foil

indication

• evacuating secretions and body fluids from the operating field in general surgery

REF	size of cannula/ size of tube	length of tube	version
ZO-2124002041	CH 23 / CH 24	210 cm	without suction control, funnel-funnel cut-to-fit
ZO-2124002141	CH 23 / CH 24	210 cm	with suction control, funnel-funnel cut-to-fit
ZO-3024002041	CH 23 / CH 24	300 cm	without suction control, funnel-funnel cut-to-fit
ZO-3024002141	CH 23 / CH 24	300 cm	with suction control, funnel-funnel cut-to-fit



T-KEHR drain

100% silicone, sterile


features

- · made of the highest quality 100% biocompatible and transparent silicone medical grade
- transparent drain allows visual inspection and observation of drained fluid
- · atraumatic, soft end of the drain
- radiopaque line along the entire length of the drain
- · drain tube length 500 mm x 180 mm
- · also available in a version with a perforated drain tube
- · single-use
- · latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./double packaging: internal- foil, external- paper-foil

· designed for biliary drainage

REF	REF with perforated drain tube	size	intermediate packaging
TKEHR10	TKEHRP10	CH 10	15 pcs
TKEHR12	TKEHRP12	CH 12	15 pcs
TKEHR14	TKEHRP14	CH 14	15 pcs







bulk packaging: 12 x 15 pcs



- made of medical PVC
- very soft tips with smooth edges
- fastening under the chin with a soft, sliding adjustment ring
- various spacing of the nasal part of the cannula depending on the size
- · universal connector compatible with any source of oxygen
- tubing with star cross-section that is resistant to bending
- available in 3 sizes: for adults, for children and for infants with 140 cm, 200 cm, 300 cm and 500 cm long tubing
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./foil

inication

• designed to deliver oxygen through the nose

REF	length of tubing	purpose	intermediate packaging	bulk packaging
CTNN-200	200 cm	for infants	25 pcs	10 x 25 pcs
CTNZ-200	200 cm	for children	25 pcs	10 x 25 pcs
CTND-140	140 cm	for adults	30 pcs	10 x 30 pcs
CTND-200	200 cm	for adults	25 pcs	10 x 25 pcs
CTND-300	300 cm	for adults	15 pcs	10 x 15 pcs
CTND-500	500 cm	for adults	10 pcs	10 x 10 pcs



oxygen tubing

sterile

features

- made of transparent, non-toxic PVC
- tubing with star cross-section that is resistant to bending, with reinforcing straps along the entire length

 standardized connectors at the end of the tubing allowing
- connection to oxygen devices
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

• for transporting oxygen from an oxygen source to another medical device for oxygen supply, e.g. oxygen mask

REF	length of tubing	bulk packaging
DT2100	210 cm +/- 2%	100 x 1 pc.
DT4260	426 cm +/- 2%	50 x 1 pc.
DT7620	762 cm +/- 2%	25 x 1 pc.



- made of PVC-coated aluminium
- special material for both stiffness and pliability
- intended for use during difficult intubation
- size and diameter markings
- single-use
- latex-free

54

- EO sterilized
- packaging: 1 pc./paper-foil

indication

- allows you to give the endotracheal tube the right curvature
- introduced to the endotracheal tube facilitates intubation in routine and difficult cases, when the laryngeal inlet is not visible

REF	size	diameter	length	endotracheal tube I.D.	intermediate packaging	bulk packaging
PRI-06	6 Fr	2,0 mm	310 mm (±10)	from 2.0 to 4.0	50 pcs	10 x 50 pcs
PRI-10	10 Fr	3,3 mm	390 mm (±10)	from 4.5 to 6.5	50 pcs	10 x 50 pcs
PRI-14	14 Fr	4,7 mm	390 mm (±10)	from 7.0 to 10.0	40 pcs	10 x 40 pcs



endotracheal tube

uncuffed, sterile

features

- made of flexible PVC
- · radiopaque line over the entire tube length
- equipped with lateral Murphy eye
- graduated every 1 cm
- double depth marker to control the position of the tube
- tube size marked in 3 places (on the connector and in two places on the tube body)
- detachable connector with an outer diameter of 15 mm
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

- for both oral and nasal intubation
- inserted into the trachea to prevent airway obstruction and respiratory failure

REF	size	intermediate packaging
RIB-20	I.D. (mm) 2.0	20 pcs
RIB-25	I.D. (mm) 2.5	20 pcs
RIB-30	I.D. (mm) 3.0	20 pcs
RIB-35	I.D. (mm) 3.5	20 pcs
R I B-40	I.D. (mm) 4.0	20 pcs
RIB-45	I.D. (mm) 4.5	20 pcs
RIB-50	I.D. (mm) 5.0	20 pcs
RIB-55	I.D. (mm) 5.5	20 pcs
RIB-60	I.D. (mm) 6.0	20 pcs
RIB-65	I.D. (mm) 6.5	20 pcs
RIB-70	I.D. (mm) 7.0	20 pcs
RIB-75	I.D. (mm) 7.5	20 pcs
RIB-80	I.D. (mm) 8.0	20 pcs
RIB-85	I.D. (mm) 8.5	20 pcs
RIB-90	I.D. (mm) 9.0	20 pcs
RIB-95	I.D. (mm) 9.5	20 pcs
R I B-100	I.D. (mm) 10.0	20 pcs





surgical suction set

with Yankauer cannula, bulb tip, sterile

CANNULA

- cannula with bulb tip with four lateral eyes, which prevent the tip from sticking to the tissues and one central opening
- $\bullet \ \ completely \ transparent \ for \ full \ possibility \ of \ observing \ the \ sucked \ secretion$
- light and perfectly balanced handle ensures high comfort of work and reduces hand fatigue

 • perfectly smooth inner surface prevents blocking or retaining
- the sucked content, ensuring correct and optimal flow
- · cannula with double bend of curvature
- universal stepped connector ensures tight connection with a wide range of suction connecting tubes

TUBE

- made of soft and flexible PVC
- · along the tube a special longitudinal reinforcement to prevent bending and sucking of the tube
- perfectly smooth inner surface of tube prevents the sucked content
- from settling on the walls, ensuring correct and optimal flow
 connector type funnel-funnel cut-to-fit with the possibility of cutting in the marked places of the connector and matching to any type of medical suction device (for the diameter of 8 mm to 18 mm)
- funnel connector equipped with a special bending system, enabling convenient manipulation of the tube
- tube connectors compatible with the standard suction cannulas, enabling their reliable, effective and tight connection

- available with or without suction control
- single-use
- · latex-free
- EO sterilized
- · packaging: 1 set/double packaging: internal-foil, external- paper-foil

indication

• evacuating secretions and body fluids from the operating field in general surgery

REF	size of cannula/ size of tube	length of tube	version
ZO-2124002041	CH 23 / CH 24	210 cm	without suction control, funnel-funnel cut-to-fit
ZO-2124002141	CH 23 / CH 24	210 cm	with suction control, funnel-funnel cut-to-fit
ZO-3024002041	CH 23 / CH 24	300 cm	without suction control, funnel-funnel cut-to-fit
ZO-3024002141	CH 23 / CH 24	300 cm	with suction control, funnel-funnel cut-to-fit



T-KEHR drain

100% silicone, sterile


features

- · made of the highest quality 100% biocompatible and transparent silicone medical grade
- transparent drain allows visual inspection and observation of drained fluid
- · atraumatic, soft end of the drain
- radiopaque line along the entire length of the drain
- · drain tube length 500 mm x 180 mm
- · also available in a version with a perforated drain tube
- · single-use
- · latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./double packaging: internal- foil, external- paper-foil

· designed for biliary drainage

REF	REF with perforated drain tube	size	intermediate packaging
TKEHR10	TKEHRP10	CH 10	15 pcs
TKEHR12	TKEHRP12	CH 12	15 pcs
TKEHR14	TKEHRP14	CH 14	15 pcs







bulk packaging: 12 x 15 pcs

