

Formularul ofertei (F3.1)

Data depunerii ofertei: "2" martie 2020

Licitația Nr: [ocds-b3wdp1-MD-1581072737881](#)

Invitație la licitația Nr.: -

Alternativa Nr.: \_\_\_\_\_

Către: Serviciul de Informații și Securitate al RM

NeoSuport Service SRL declară că:

a) Au fost examinate și nu există rezervări față de documentele de atribuire, inclusiv modificările nr.

\_\_\_\_\_  
NeoSuport Service SRL se angajează să furnizeze/presteze, în conformitate cu documentele de atribuire și condițiile stipulate în specificațiile tehnice și preț, următoarele bunuri și/sau servicii Tehnica de calcul

b) Suma totală a ofertei fără TVA constituie: 1 668 437.54 lei (un milion șase sute șazeci și opt mii patru sute treizeci și șapte lei, 54 bani)

Suma totală a ofertei cu TVA constituie: 2 002 125.04 lei (doua milioane două mii o sută douăzeci și cinci lei, 04 bani)

c) Prezenta ofertă va rămâne valabilă pentru perioada de timp specificată în **FDA4.8.**, începînd cu data-limită pentru depunerea ofertei, în conformitate cu **FDA5.2.**, va rămîne obligatorie și va putea fi acceptată în orice moment pînă la expirarea acestei perioade;

În cazul acceptării prezentei oferte, NeoComputer Grup SRL se angajează să obțină o Garanție de bună execuție în conformitate cu **FDA7**, pentru executarea corespunzătoare a contractului de achiziție publică.

d) Nu sîntem în nici un conflict de interese, în conformitate cu punctul **IPO5.4.**

e) Compania semnatară, afiliații sau sucursalele sale, inclusiv fiecare partener sau subcontractor ce face parte din contract, nu au fost declarate neeligibile în baza prevederilor legislației în vigoare sau a regulamentelor cu incidență în domeniul achizițiilor publice, în conformitate cu punctul **IPO5.5.**

Semnat:

Nume: Sergiu Gherlac

În calitate de: Manager



Ofertantul: NeoSuport Service SRL

Adresa: Mun Chisinau, str Columna 104

Data: "2" martie 2020

Specificații tehnice (F4.1)

[Acest tabel va fi completat de către ofertant în coloanele 3, 4, 5, 7, iar de către autoritatea contractantă – în coloanele 1, 2, 6, 8]

Numărul licitației:	ocds-b3wdp1-MD-1581072737881	Data: "2" martie 2020	Alternativa nr.:
Denumirea licitației:	Tehnica de calcul	Lot: 1 2 3 4 5 6	Pagina:

Cod CPV	Denumirea bunurilor și/sau a serviciilor	Modelul articolului	Țara de origine	Produce-cătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	8
	<b>Bunuri/Servicii:</b>						
	Lotul 1						
	Calculator Stationar	Workstation PC	China	Accent Electronic	<p>Carcasa: Black, ATX/MicroATX, USB 3.0x1, USB 2.0x1, HD Audio x1, mic x1, 3x3,5 drive bays, 1x2,5 drive bays, 1x5,25 drive bays, buclă pentru lacăt;</p> <p>Bloc de alimentare: ATX 12 V, v2.31, minim 700W, 220-240V, 20+4 pin 1PCS/CPU 12V 4+4pin, 4 xSata, 4xPCI-E, 1x120 mm cooler/Active PFC, Inteligent fan speed control, PWM auto fan speed temp-controlled, maxim 25 dBA;</p> <p>Placa mamă: Black</p>	<p>Carcasa: Sohoo 5911BK ATX Case, 1xUSB3.0, 2xUSB2.0, 1x5.25" + 3x 3.5" + 2x2.5" HD Audio, Bucla pentru lacat, Black</p> <p>Bloc de alimentare: PSU DEEPCOOL "DA700", 700W, ATX 2.31, 80 PLUS® Bronze, Active PFC, 120mm Silent fan with PWM, Double Layer EMI Filter, +12V (54A), 20+4 Pin, 1xEPS(4+4Pin), 5x SATA, 4xPCI-E(6+2pin), 4x Periph., MTBF100000Hours,</p> <p>Black</p>	

				<p>ATX/mATX, 1151, Suport windows 7/10 x32/x64, DDR4 minim 2xSlots, 1xVGA, 1xDVI, 1xHDMI, 1xPCI-E X1, 1xPCI-E x16, 4xSATAIII 6.0 Gb/s, minimum 1xPS/2, minim 2xUSB2.0/GLAN RJ-45 with led/ Audio HD, all solid state capacitors;          Procesor: minim 2x3.3 GHz, 3Mb, 1151, 8GT/s, HD Graphics, 14 nm, 54-58 W, DDR4, Suport windows 7/10 x32/x64;          Cooler CPU: 1151/ fan 120x25 mm/900-1600 rpm/55,5 cfm/ up to 130 W/ 17.8-26,1 dBA/ input 1,56 W;          RAM: minim 4 GB DDR4 2400 MHz PC19200;          HDD: minim 500GB, SATA-III (6 Gb/s), 7200RPM, 32MB, 3,5".</p>	<p>Placa Mama: MB S1151 ASRock H310CM-HDV 1xVGA, 1xDVI, 1xHDMI, 1xPCI-E X1, 1xPCI-E x16, 4xSATAIII 6.0 Gb/s, 1xPS/2, 2xUSB2.0/ 2xUSB 3.0/ GLAN RJ-45 with led/ Audio HD, all solid state capacitors          Procesor: Intel® Pentium® Gold G5400, S1151, 3.7GHz (2C/4T), 4MB Cache, Intel® UHD Graphics 610, 14nm 54W, tray          Cooler: DEEPCOOL Cooler "GAMMAXX 300", Socket 775/1150/1151/2011 &amp; AM4/FM2/AM3, up to 130W, 120x120x25mm, 900~1600rpm, 17.8~21dBA, 55.5CFM, 4 pin, PWM, Hydro Bearing, 3 heatpipes direct contact          RAM: 4Gb DDR4-2400MHz Apacer PC19200, CL17, 288pin DIMM 1.2V          HDD: 3.5" HDD 500Gb SATA - 32MB 7200rpm</p>
--	--	--	--	---	--

						<p>Toshiba  Videocartela: GeForce  GT710 1GB GDDR3,  64bit, 954/1600Mhz,  HDMI, VGA, (special  pentru compatibilitate cu  Win 7)</p>	
	Calculator performant	Workstation	China	Accent Electronic	<p><b>Carcasa:</b> Black, ATX,  USB 3.0x minim 2, USB  2.0x minim 2, HD Audio  x1, mic x1, 3x3,5 drive  bays;  <b>Bloc de alimentare:</b> ATX  12 V, v2.3, minim 750W,  220-240V, 20+4 pin  1PCS/CPU 12V 4+4pin, 4  xSata, 4xPCI-E, 1x140  mm cooler/Active PFC,  Inteligent fan speed  control, PWM auto fan  speed temp-controlled,  maxim 25 dBA, greutate  minim 2,2 kg;  <b>Placa mamă:</b> ATX, 1151,  Suport windows 7/10 x64,  DDR4 minim 4xSlots,  minim 1 x M.2 socket,  1xHDMI, minim  1xDisplayPort, 1xPCIe  X1, 1xPCIe x16,</p>	<p>Carcasa: Sohoo 5911BK  ATX Case, 2xUSB3.0  ( via USB 3.0 Extension  Cable), 2xUSB2.0, 1 x  5.25" + 3x 3.5" + 2x2.5"  HD Audio, Black  Power Supply ATX  850W GAMEMAX  RGB-850, 80+ Gold, Full  Modular cable, Active  PFC,140mm RGB fan  GIGABYTE B365 HD3,  Socket 1151, Intel® B365  (9th/8th Gen CPU), Dual  4xDDR4-2666, CPU Intel  graphics, VGA, DVI,  HDMI, 2xPCIe X16,  4xPCIe X1, 6xSATA3,  2xM.2, 1xM2 (Wi-Fi  upgradable), ALC892  HDA, GbE LAN,  6xUSB3.1, RGB Fusion,  ATX</p>	

				<p>4xSATAIII 6.0 Gb/s, minimum 1xPS/2, minim 2xUSB 2.0, minim 2xUSB3.1, GLAN RJ-45 with led/ minim 5 – canale HD Audio, componente extrem de durabile, Suport Raid;</p> <p><b>Cartelă video:</b> minim 8 GB GDDR6, minim 256-bit, minim 15.5 Gb/s, frecvența memorie video minim 15500 MHz, minim 2 x HDMI;</p> <p><b>Procesor:</b> minim 8x3.6 GHz up to 5.0 GHz, minim 16Mb, 1151, 8GT/s, HD Graphics, 14 nm, maxim 95 W, DDR4, Suport windows 7/10 x64;</p> <p><b>Cooler CPU:</b> 1151, fan 120x120x20mm, 600-1800 rpm, PWM fan, maxim 62 cfm, up to 130 W, 18-33 dBA;</p> <p><b>RAM:</b> minim 32 GB DDR4, minim 3200 MHz;</p> <p><b>HDD:</b> minim 2 x2 TB, SATA-III (6 Gb/s), 7200RPM, minim 64 MB, 3,5".</p> <p><b>SSD:</b> minim 500 GB, R/W minim 2000 MB/s</p>	<p>ZOTAC GeForce RTX 2080 SUPER 8GB GDDR6, 256bit, 1815/15500Mhz, Triple Fan / IceStorm2.0, 2xHDMI (1 via DP to HDMI), 2xDisplayPort, HDCP, USB Type-C, Freeze Fan Stop, FireStorm, SPECTRA 2.0 Lighting System, Wraparound Metal Backplate, Premium Pack</p> <p>Procesor: S1151 Intel Core i9-9900, Octa-Core, 3.1-5.0GHz, 16Mb, Intel HD Graphics 630, 65W, Tray</p> <p>DEEPCOOL Cooler "GAMMAXX 300", Socket 775/1150/1151/2011 &amp; AM4/FM2/AM3, up to 130W, 120x120x25mm, 900~1600rpm, 17.8~21dBA, 55.5CFM, 4 pin, PWM, Hydro Bearing, 3 heatpipes direct contact</p> <p>32GB DDR4-3200 PC25600, CL16, 1.2V</p> <p>2 x 3.5" HDD 2.0Tb, Toshiba</p>
--	--	--	--	--	--

						<p>HDWD120UZSVA, 7200rpm, 64Mb, SATA-III M.2 NVMe SSD 500Gb Kingston A2000, Interface: PCIe3.0 x4 / NVMe1.3, M2 Type 2280 form factor, Sequential Reads 2200 MB/s, Sequential Writes 2000 MB/s, Max Random 4k Read 180,000 / Write 200,000 IOPS, SM2263EN controller, 96-layer 3D NAND TLC</p>	
	Laptop	ThinkBook 15-IML	China	Lenovo	<p><b>CPU:</b> min 8 MB Cache SmartCache, up to 4.9GHz, # of Cores 4, # of Threads 8; <b>RAM:</b> min 8 GB DDR4; <b>Stocare:</b> min SSD (sau M.2 PCIe) 256 GB sau min 128 GB SSD (sau M.2 PCIe) + HDD min 500GB; <b>Ecran:</b> 15,6", Full HD 1920x1080; <b>Unitate optica:</b> DVD-RW; <b>Porturi:</b> min 2xUSB 3.0, GLAN RJ 45, HDMI, Audio; <b>Sistem de operare:</b></p>	<p>NB Lenovo 15.6" ThinkBook 15-IML Grey (Core i7-10510U 8Gb 256Gb Win 10) 15.6" IPS FHD (1920x1080) Non-glare, Intel Core i7-10510U (4x Core, 1.8GHz - 4.9GHz, 8Mb), 8Gb Onboard PC4-21300, 256 PCIE, Intel UHD Graphics, HDMI, Gbit Ethernet, 802.11ac, Bluetooth, 2x USB-C, 2x USB 3.1, 1x USB 2.0, Card Reader, HD Webcam, Fingerprint, DVD-RW extern Windows 10 Pro, 3-cell</p>	

					Microsoft Windows 10 pro x32/x64, En.	45Wh Battery, Illuminated Keyboard, 1.8kg, Mineral Grey	
	Monitor	EL2870U	China	BenQ	Monitor BLACK minim 23,8", UltraHD 4K, IPS, maxim 8 ms, HDMI, bloc de alimentare încorporat, cabluri (video, power) incluse.	28.0" BenQ "EL2870U", Metallic-Grey (4K-UHD 3840x2160, 1ms, 300cd LED12M:1 + HDR, HDMI+DP, Speakers) (28.0" TN W-LED, 3840x2160 4K-UHD, 0.16mm (157ppi), 5ms (1ms GtG), 300 cd/mL, DCR 12 Mln:1 (1000:1) + HDR, 1.07 Billion Colors, 170°/160° @C/R>10, 30-83 kHz(H)/56-75 Hz(V), DisplayPort(+adaptor DP to HDMI) + HDMI, DP/HDMI Audio-In, Headphone-Out, Built-in speakers 2Wx2, Built-in PSU, Fixed stand (Tilt: -5/+15°), VESA Mount 100x100, AMA, AMD FreeSync, Flicker-Free, Low Blue Light, Light sensor, Metallic grey + Black)	
	Keyboard	K280e	China	Logitech	<b>Tehnologie:</b> cu fir, <b>Interfața:</b> USB/PS2 <b>Lungime fir:</b> minim 1,8 m <b>Culoare:</b> negru <b>Limba:</b> Engleza/Rusa <b>Greutate:</b> 500 - 950 g, <b>H (grosime):</b> 15 – 24 mm, <b>Illuminare:</b>	Keyboard Logitech K280e, Low-profile, Quiet typing, Spill-resistant, Palm rest, FN key, Black, USB 1.8m firul, 930 gr	

					fară iluminare taste.	
	Mouse	MUS-UL-01	China	Gembird	Black, Optical Wheel 1000 dpi, 2 taste + Scroll button, USB, lungime fir minim 180 cm.	Mouse Gembird MUS-UL-01, Optical, 800-2400 dpi, 6 buttons, Ambidextrous, Backlight, Black, USB 1.8m

Semnat: \_\_\_\_\_ Numele, Prenumele: Sergiu Gherlac În calitate de: Manager

Ofertantul: NeoSuport Service SRL Adresa: mun Chisinau, str Columna 104



#### Specificații de preț (F 4.2)

[Acest tabel va fi completat de către ofertant în coloanele 5,6,7,8, iar de către autoritatea contractantă – în coloanele 1,2,3,4,9]

Numărul licitației: <a href="#">ocds-b3wdp1-MD-1581072737881</a>	Data: "2" martie 2020	Alternativa nr.: _____
Tehnica de Calcul	Lot: 1 2 3 4 5 6	Pagina: _____

Cod CPV	Denumirea bunurilor și/sau a serviciilor	Unitate a de măsură	Cantitatea	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma fără TVA	Suma cu TVA	Termenul de livrare/prestare
1	2	3	4	5	6	7	8	9
	<b>Bunuri:</b>							
	<b>LOT 1</b>							
	Calculator Stationar	buc	250	5147.57	6177.09	1286893.65	1544272.38	30 zile
	<b>LOT 2</b>							



	Calculator Performand	buc	6	33220.73	39864.88	199324.40	239189.28	30 zile
	<b>LOT 3</b>							
	Laptop	buc	4	16307.05	19568.47	65228.22	78273.86	30 zile
	<b>LOT 4</b>							
	Monitor	buc	6	5061.88	6074.25	30371.25	36445.50	30 zile
	<b>LOT 5</b>							
	Tastiera	buc	256	303.96	364.76	77814.95	93377.95	30 zile
	<b>LOT 6</b>							
	Mouse	buc	106	83.07	99.68	8805.07	10566.08	30 zile

Semnat: \_\_\_\_\_ Numele, Prenumele: Sergiu Gherlac În calitate de: Manager

Ofertantul: NeoSuport Service SRL Adresa: mun Chisinau, str Columna 104

