

**CERTIFICAT**  
**privind lipsa sau existența restanțelor față de bugetul public național**

Nr.  
№ **A2303137**

din  
от **02.03.2023**

**1. Destinația / Назначение**

Pentru participarea la proceduri de achiziții publice

**2. Date despre contribuabil / Информация о налогоплательщике**

Denumirea Наименование	Codul fiscal / Numărul de identificare Фискальный код / Идентификационный номер
<b>BIOSISTEM MLD S.R.L.</b>	<b>1010600028048</b>
Adresa sediului de bază (strada, numărul) Адрес основного месторасположения (улица, номер)	Codul - Denumirea localității Код - Наименование населенного пункта
<b>Albisoara nr.16 bl.1 of.7</b>	<b>0150-SEC.RISCANI</b>

**3. Atestarea lipsei sau existenței restanțelor conform datelor Sistemului Informațional Automatizat /**

Подтверждение отсутствия или наличия недоимки согласно данных Информационной автоматизированной системы

La data emiterii prezentului certificat restanța față de bugetul public național constituie/ На дату выдачи данной справки недоимка перед национальным публичным бюджетом составляет:  
**0,00 lei/лей.**

**4. Valabil pînă la / Действителен до 17.03.2023**

**5. Autentificarea Serviciului Fiscal de Stat / Подтверждение Государственной налоговой службы**

Șef interimar DDF Rîșcani

Funcția/Dолжность

Digitally signed by Stoicov Ana  
Date: 2023.03.02 15:31:39 EET  
Reason: MoldSign Signature  
Location: Moldova

Semnătura/Подпись



STOICOV Ana

Numele și prenumele/Фамилия и имя

L.Ș/ М.П.

Executor: GOJAN Claudia  
Numele și prenumele/Фамилия и имя

Este extras din Sistemul Informațional al SFS SIA „Contul curent al contribuabilului”// 02.03.2023 ora 13:50:51  
cu aplicarea prevederilor pct. 82-83 Ordin IFPS nr.400 din 14.03.2014 (Monitorul Oficial 72-77/399, 28.03.2014)

NOTA (0,27)





# BC "MOLDINDCONBANK" S.A. Filiala "Invest"

Republica Moldova, MD-2068  
mun. Chişinău, bd. Moscovei, 14/1  
Tel. : (373-22) 43-44-81, 43-46-24  
Fax : (373-22) 43-44-22  
cod: MOLDM2X329

Data 14. IAN. 2016  
Nr. 03/2 - 19/23

Республика Молдова, MD-2068  
мун. Кишинэу, бул. Московей, 14/1  
Тел. : (373-22) 43-44-81, 43-46-24  
Факс : (373-22) 43-44-22  
код: MOLDM2X329

Filiala „Invest” BC „Moldindconbank” SA confirmă existența contului curent  
in moneda nationala al **“BIOSISTEM MLD” S.R.L. (c/f 1010600028048)**, cu  
**IBAN MD95ML000000002251429243.**

Codul băncii MOLDM2X329.

Director

Nina Turcan

Director financiar



Nina Balmuş

Ex. Diana Brinza  
Tel. 43-45-96

REPUBLICA



MOLDOVA

# CERTIFICAT DE ÎNREGISTRARE

**Societatea cu Răspundere Limitată "BIOSISTEM MLD"**  
— ESTE ÎNREGISTRATĂ LA CAMERA ÎNREGISTRĂRII DE STAT —

*Numărul de identificare de stat - codul fiscal*  
**1010600028048**

*Data înregistrării*

**12.08.2010**

*Data eliberării*

**12.08.2010**

**Svirepova Ludmila, registrator**

*Funcția, numele, prenumele persoanei  
care a eliberat certificatul*

*L. Svirepova*  
semnătura

MD 0101250







**I.P. "AGENȚIA SERVICII PUBLICE"**

Departamentul înregistrare și licențiere a unităților de drept

**EXTRAS**

**din Registrul de stat al persoanelor juridice**

nr. 8506 din 28.04.2021

Denumirea completă: **Societatea cu Răspundere Limitată «BIOSISTEM MLD».**

Denumirea prescurtată: **«BIOSISTEM MLD» S.R.L.**

Forma juridică de organizare: **Societate cu Răspundere Limitată.**

Numărul de identificare de stat și codul fiscal: **1010600028048.**

Data înregistrării de stat: **12.08.2010.**

Sediul: **MD-2001, str. Albișoara, 16/1, ap.(of.) 7, mun. Chișinău, Republica Moldova.**

Obiectul principal de activitate:

- 1 Activitatea farmaceutică;**
- 2 Importul, fabricarea, comercializarea, asistența tehnică și (sau) reparația dispozitivelor medicale și (sau) a opticii;**
- 3 Acordarea asistenței medicale de către instituțiile medico-sanitare private;**
- 4 Comerțul cu ridicata al calculatoarelor, echipamentelor periferice și software-ului;**
- 5 Întreținerea și repararea mașinilor de birou și a tehnicii de calcul;**
- 6 Consultații în domeniul sistemelor de calcul.**

Capitalul social: **5400 lei.**

**Administrator: POIATA VITALIE,**

Asociați:

- 1. POIATA VITALIE 33,40 %**
- 2. NASEDCHIN ALEXANDR 33,30 %**
- 3. KOJEVNIKOV DMITRII 33,30 %.**

Prezentul extras este eliberat în temeiul art. 34 al Legii nr. 220-XVI din 19 octombrie 2007 privind înregistrarea de stat a persoanelor juridice și a întreprinzătorilor individuali și confirmă datele din Registrul de stat la data de: 28.04.2021.

Specialist coordonator  
tel. 022-207-840



**Lazari Aliona**



EB 0358735



## **Lista fondatorilor Biosistem-mld SRL**

<b>Nr.</b>	<b>Nume, Prenume</b>	<b>IDNP</b>
<b>1.</b>	<b>Vitalie Poiata</b>	<b>0983103892591</b>
<b>2.</b>	<b>Alexandr Nasedchin</b>	<b>2002001070747</b>
<b>3.</b>	<b>Dmitrii Kojevnikov</b>	<b>0972305012362</b>



## ***CERTIFICAT DE AUTORIZARE***

Prin prezentul este autorizata

SRL Biosistem-MLD  
cu sediul 16/1-7, Albisoara Str., Chisinau, R.Moldova

de a reprezenta in calitate de ***distribuitor oficial*** in Republica  
Moldova produsele

BIOSYSTEMS SA  
cu sediul C/Costa Brava 30  
08030 Barcelona (Spain)



Xavier Palomar  
Area Manager  
27-April-2013





## EC DECLARATION OF CONFORMITY

BioSystems S.A., a company placed in Costa Brava 30, 08030 Barcelona (Spain) dedicated to the design, development and manufacturing of *in vitro* diagnostic medical devices,

### **Hereby DECLARES**

That the products stated in the annex of five (5) pages joined herewith, meet the applicable provisions of the

### **Directive on in Vitro Diagnostic Medical Devices (98/79/EC)**

under the specifications declared by BioSystems S.A.

It means that the products:

- complies with all applicable Essential Requirements as set out in the Annex I, and its technical documentation is performed following the requirements of the Annex III
- is classified as Other Device (all devices except Annex II and Self-Testing Devices), that is why the Conformity Assessment follows the procedure stated in the Annex III of the Directive without the intervention of a Notified Body.

Barcelona, November 6<sup>th</sup>, 2012


Dr. Antonio Elduque  
Managing director  
BioSystems S.A.



• Certified Management System  
• EN ISO 9001  
• EN ISO 13485





## **CLINICAL CHEMISTRY – BIOCHEMISTRY:**

a-Amylase-Direct	Creatine Kinase (CK)
a-Amylase-EPS	Creatine Kinase-MB (CK-MB)
a-Amylase-Pancreatic	Creatinine
Acid Phosphatase (ACP)	Fructosamine
Alanine Aminotransferase (ALT/GPT)	Fructose
Albumin	g-Glutamyltransferase (g-GT)
Alkaline Phosphatase (ALP)-AMP	Glucose
Alkaline Phosphatase (ALP)-DEA	Iron – Chromazurol
AspartateAminotranferase (AST/GOT)	Iron – Ferrozine
Bilirubin (direct)	Iron Binding Capacity
Bilirubin (total and direct)	Lactate Dehydrogenase (LDH)
Bilirubin (total)	Lactate Dehydrogenase (LDH) – IFCC
Calcium – Arsenazo	Lipase
Calcium – MTB	Magnesium
Cholesterol	Phosphorus
Cholesterol HDL	Protein (total)
Cholesterol HDL direct	Protein (urine)
Cholesterol HDL Precipitating reagent	Pyridoxal Phosphate
Cholesterol LDL direct	Triglycerides
Cholesterol LDL Precipitating reagent	Urea/BUN-Color
Cholinesterase (CHE)	Urea/BUN-UV
Citrate	Uric Acid

## **CLINICAL CHEMISTRY – TURBIDIMETRY:**

a1-acid Glycoprotein	C-Reactive Protein (CRP)
Albumin (Microalbuminuria)	C-Reactive Protein-hs (CRP-hs)
Anti-Streptolysin O (ASO)	Ferritin
Antithrombin III	Immunoglobulin A (IgA)
Apolipoprotein A-I (Apo A-I)	Immunoglobulin G (IgG)
Apolipoprotein B (Apo B)	Immunoglobulin M (IgM)
b2-Microglobulin	Prealbumin
Complement Component C3	Rheumatoid Factors (RF)
Complement Component C4	Transferrin

## **CLINICAL CHEMISTRY – MICROCOLUMN CHROMATOGRAPHY:**

17-Hydroxycorticosteroids	Hemoglobin A1C
17-Ketosteroids	Hemoglobin A2
5-Aminolevulinic Acid (ALA) / Porphobilinogen (PBG)	Metanephrines
5-Hydroxyindoleacetic acid (5-HIAA)	Vanilmandelic Acid



## **CLINICAL CHEMISTRY – STANDARDS and CALIBRATORS:**

a-1-acid Glycoprotein Standard	Biochemistry Calibrator (Human)
Adenosine Deaminase (ADA) Standard	Cholesterol HDL/LDL Calibrator
Albumin (Microalbuminuria) Standard	CRP/CRP-hs Standard
Anti-Streptolysin O (ASO) Standard	Ferritin Standard
Antithrombin III Standard	Hemoglobin A1C-Turbi (HbA1C-Turbi) Standard
Apolipoprotein A-I Standard	Prealbumin Standard
Apolipoprotein B Standard	Protein Calibrators
b2-Microglobulin Standard	Protein (urine) Standard
Bilirubin Standard	Rheumatoid Factors (RF) Standard
Biochemistry Calibrator	

## **CLINICAL CHEMISTRY – INSTRUMENTS:**

A15	BA400
A25	BTS-350

## **CLINICAL CHEMISTRY – BIOCHEMISTRY – REAGENTS AUTOMATED SYSTEMS:**

a-Amylase-Direct	Creatine Kinase (CK)
a-Amylase-Pancreatic	Creatine Kinase-MB (CK-MB)
Adenosine Deaminase (ADA)	Creatinine
Alanine Aminotransferase (ALT/GPT)	g-Glutamyltransferase (g-GT)
Albumin	Glucose
Alkaline Phosphatase (ALP)-AMP	Iron Ferrozine
Alkaline Phosphatase (ALP)-DEA	Lactate dehydrogenase (LDH)
Aspartate Aminotransferase (AST/GOT)	Lipase
Bilirubin (direct)	Magnesium
Bilirubin (total)	Phosphorus
Calcium-Arsenazo	Protein (total)
Cholesterol	Protein (urine)
Cholesterol HDL direct	Triglycerides
Cholesterol LDL direct	Urea/BUN UV
	Uric acid





## **CLINICAL CHEMISTRY – TURBIDIMETRY – REAGENTS AUTOMATED SYSTEMS:**

Albumin (Microalbuminuria)	Ferritin
Anti-Streptolysin O (ASO)	Hemoglobin A1C-Turbi (HbA1C-Turbi)
Antithrombin III	Immunoglobulin A (IgA)
Complement Component C3	Immunoglobulin G (IgG)
Complement Component C4	Immunoglobulin M (IgM)
C-Reactive Protein (CRP)	Rheumatoid Factors (RF)
C-Reactive Protein-hs (CRP-hs)	Transferrin

## **CLINICAL CHEMISTRY – INTERNAL QUALITY CONTROL:**

ADA Controls	Hemoglobin A1C Control (Normal)
Biochemistry Control Serum (Human) I	Hemoglobin A2 Control
Biochemistry Control Serum (Human) II	Lipid Control Serum I
Biochemistry Control Serum I	Lipid Control Serum II
Biochemistry Control Serum II	Protein Control Serum I
CK-MB Control Serum	Protein Control Serum II
Control Urine	Rheumatoid Control Serum I
Fertility Biochemistry Control	Rheumatoid Control Serum II
Hemoglobin A1C Control (Elevated)	

## **AUTOIMMUNITY – IFA (IMMUNOFLUORESCENCE):**

Anti-Adrenal Cortex Antibodies (AACA)	Anti-Thyroid Antibodies (ATA)
Anti-Endomysium Antibodies (AEA)	Autoantibodies DUO-HEp2/ML (DUO-HEp2/ML)
Anti-Islet Cell Antibodies (AICA)	Autoantibodies MsK/MsS (AA-MsK/MsS)
Anti-Keratin Antibodies (AKA)	Autoantibodies MsL/MsK/MsS (AA-MsL/MsK/MsS)
Anti-Mitochondrial Antibodies (AMA)	Autoantibodies RK/RS (AA-RK/RS)
Anti-nDNA antibodies (nDNA)	Autoantibodies RL/RK/RS (AA-RL/RK/RS)
Anti-Neutrophil Cytoplasmic Antibodies (ANCA)	Autoantibodies RL/RKm/RS (AA-RL/RKm/RS)
Anti-Nuclear Antibodies HEp-2 (ANA HEp-2)	Glomerular Basement Membrane Antibodies (GBMA)
Anti-Nuclear Antibodies RL (ANA-RL)	
Anti-Skin Antibodies (ASA)	
Anti-Smooth Muscle Antibodies (ASMA)	
Anti-Striated Muscle Antibodies (AStMA)	



## ***AUTOIMMUNITY – ELISA:***

ANA Screening  
Anti-Annexin V IgG/IgM (ANX)  
Anti-b2-Glycoprotein 1 IgG/IgM  
(b2GP1)  
Anti-Cardiolipin Antibodies (ACA-  
IgG/IgM)  
Anti-Centromere B Antibodies (CENP-  
B)  
Anti-Citrullinated Protein Antibodies  
(ACPA)  
Anti-Deamidated Gliadin Peptides IgA  
(DGP IgA)  
Anti-Deamidated Gliadin Peptides IgG  
(DGP IgG)  
Anti-dsDNA Antibodies  
Anti-GBM Antibodies - EIA (GBM)  
Anti-Gliadin Antibodies (AGA-IgG/IgA)  
Anti-Histones Antibodies (HIST)  
Anti-Insulin Antibodies (INS)  
Anti-Jo1 Antibodies  
Anti-M2 Antibodies (M2)

Anti-MPO Antibodies  
Anti-Nucleosome Antibodies (NCL)  
Anti-Phospholipid IgG/IgM (APLA)  
Anti-PR3 Antibodies  
Anti-Ribosomal P Antibodies (Rib P)  
Anti-Scl70 Antibodies  
Anti-Sm Antibodies  
Anti-Sm/RNP Antibodies  
Anti-SSA (Ro) Antibodies  
Anti-SSB (La) Antibodies  
Anti-Thyroglobulin Antibodies (Anti-Tg)  
Anti-Thyroid Peroxidase Antibodies  
(Anti-TPO)  
Anti-tTransglutaminase IgA Antibodies  
(Anti- tTG IgA)  
Anti-tTransglutaminase IgG Antibodies  
(Anti- tTG IgG)  
ASCA-IgG/IgA (ASCA)  
ENA 4-Profile  
ENA 6-Screening

## ***AUTOINMUNIDAD – INSTRUMENTOS:***

## ***AUTOIMMUNITY – INSTRUMENTS:***

iPRO





### ***RAPID TESTS – LATEX AGGLUTINATION:***

Anti-Streptolysin O (ASO) - Slide  
C-Reactive Protein (CRP) - Slide

Rheumatoid factors (RF) - Slide

### ***INFECTIOUS IMMUNOLOGY – SYPHILIS:***

RPR-Carbon

TPHA

### ***INFECTIOUS IMMUNOLOGY – FEBRILE ANTIGENS:***

Febrile Serodiagnostics Multiscreening

Febrile Serodiagnostics Salmonella

Brucella abortus

Brucella abortus, Rose Bengal

Proteus Ox19

Salmonella paratyphi AH

Salmonella paratyphi AO

Salmonella paratyphi BH

Salmonella paratyphi BO

Salmonella paratyphi CH

Salmonella paratyphi CO

Salmonella typhi H

Salmonella typhi O

Brucella Positive Control

Proteus Positive Control

Salmonella Positive Control

Serology Negative Control

Prin prezenta compania Biosystems SA producătorul Analizorului biochimic A-15 / A-25 / BA-400 confirmă faptul, că produsele următoare sunt certificate de DECLARAȚIA DE CONFORMITATE CE № Ref . I-010 fiind parte integrală și indispensabilă al aparatului A-15 / A-25 / BA-400:

1. Rotor de reacție AC11485
2. Cuvă pentru ser AC10770
3. Soluție concentrată de spălare BO13416
4. Soluție de sistem BO11524
5. Lampă Halogenă LA10429
6. Ac pentru dozare AC11500
7. Reactivi biochimici, turbidimetrici, cromatografici, standarde, controale, aglutinație latex, indicate in anexa declarației de conformitate CE.

Produsele sus menționate sunt confecționate in conformitate cu standardele ISO 9001 si ISO 13485.



**Xavier Palomar**  
Area Manager  
27-April-2011





# BIOSYSTEMS



BioSystems S.A., organizer of the training, CERTIFIES that

**Mr. Nasedchin Alexandr**

successfully participated in the service engineer's training  
"Random Access Biochemistry Analyzer A15, A25"

*May 18-22, Moscow 2009*

Director of technical service department  
Representative office "BioSystems S.A. Russia"

Sergey Vasiliyev





# Annex to certificate

Standard **ISO 9001:2015**

Certificate Registr. No. **01 100 6696**

No.	Location	Scope
/01	<b>BIOSYSTEMS S.A.</b> Costa Brava 30 08030 Barcelona Spain	Design, development, manufacture, distribution, installation and service of instruments and reagents for: - Clinical diagnostics. - Agri-food analysis. - Veterinary diagnostics.
/02	<b>BIOSYSTEMS, S.A.</b> Pol. Ind. Can Tapiolas Naves 12, 13, 21 y 22 08110 Montcada i Reixac (Barcelona) Spain	Reagent labelling and assembly. Storage of raw materials for instruments, instruments and reagents for: - Clinical diagnostics. - Agri-food analysis. - Veterinary diagnostics. Dispatched of stored product.

2022-12-15



TÜV Rheinland Cert GmbH  
Am Grauen Stein · 51105 Köln



# Certificate

Standard **ISO 9001:2015**

Certificate Registr. No. **01 100 6696**

Certificate Holder: **BIOSYSTEMS S.A.**  
Costa Brava 30  
08030 Barcelona  
Spain

including the locations according to annex

Scope: Design, development, manufacture, distribution, installation and service of instruments and reagents for:

- Clinical diagnostics.
- Agri-food analysis.
- Veterinary diagnostics.

Reagent labelling and assembly.  
Storage of raw materials for instruments, instruments and reagents for:

- Clinical diagnostics.
- Agri-food analysis.
- Veterinary diagnostics.

Dispatched or stored product.

Proof has been furnished by means of an audit that the requirements of ISO 9001:2015 are met.

Validity: The certificate is valid from 2022-12-19 until 2025-12-18.  
First certification 1996

2022-12-15



TÜV Rheinland Cert GmbH  
Am Grauen Stein · 51105 Köln

# DECLARATION OF CONFORMITY

Forlì, 23<sup>rd</sup> February 2022

The writing company Ceracarta S.p.a. located in Via Secondo Casadei n° 14, 47122 Forlì, manufacturer of the products named , “**COMPATIBLE PAPER FOR SONY UPP 110 S AND HG ROLL**”, (BASIC UDI-DI 8059170CA001LN), identified and classified in the technical file, declares under its own responsibility that such devices satisfies all the requirements of MDR 2017/745 , about medical devices and in particular that:


- in accordance with enclosure VIII-section III of the MDR the Dispositives in object must be considered as belonging to Class I;
- the Dispositives in object satisfy the essential requirements as in enclosure I of MDR 2017/745;
- the manufacturer has prepared and keeps the technical files updated in accordance with enclosure II of the MDR;
- such documentation is available at the headquarters of Ceracarta , for any reference by the entitled bodies.
- Ceracarta S.p.A. has implemented a quality system in accordance with the regulations UNI EN ISO 9001: 2015 and UNI CEI EN ISO 13485:2016.

The president

CERACARTA SPA  
Bandini Alessandro







## ULTRASOUND SYSTEMS & IMAGING MATERIAL

- Wide-ranging and continuous availability of original materials, both black and white and colour
- Centres for customer consulting for any clarification, information and sample supply
- Extreme flexibility in order dispatching and great rapidity in supplies
- Wide range of video printers, video recorders, monitors and video cameras of the major brands



**SONY BLACK AND WHITE PAPERS**



Four main models of rolls 110 mm. wide, between 18 and 20 meters long, from the UPP 110 S standard quality to UPP 110 HD high definition type, to the excellent UPP 110 HG up to the top UPP 110 HA version • **boxes of ten pieces and cartons of 100 pieces.**

Two models: UPP 210 SE and UPP 210 HD, measuring 210 mm x 25 m that, thanks to a plastic spacer can replace the discontinued UPP 216 SE/HD and work for loading into the UP-930/910 with no changes of settings, without forgetting the transparent film model UPT 210 BL • **boxes of five pieces and cartons of twenty pieces.**

**SONY COLOUR PAPERS/FILMS & OTHER MEDIA**



The complete range of original papers, in all sizes (A6/ A5/ A4), for all types of printers launched on the market over the past years. Considering the large volume of sales, there is always a substantial amount of stock available which means that in a few days we can meet any request for any quantity. Furthermore, even though paper does not have an "expiry date", such rapid turnover allows to always have "fresh" products of recent manufacturing.



## MITSUBISHI COLOUR PAPERS

## MITSUBISHI BLACK & WHITE PAPERS

Also in the case of this important brand which has a substantial market share we have available all original paper types in black and white, from the basic KP 61B / KP 65 HM to the glossy KP 91 HG.



This range of colour papers is compact, but at the same time sufficiently complete to meet any requirement in terms of Mitsubishi printers launched on the market. Original paper in sheets or in rolls (Mitsubishi exclusive) such as CK 30 S/L • stock availability.

## VIDEOPRINTERS FOR ULTRASOUNDS



UPX-898MD  
BIFUNCTIONAL



UP-D711MD



UP-25MD



MITSUBISHI P93

**UPX 898 MD / UPD 898 MD** - The ideal choice for ultrasound systems - Black & white

**UP - D711 MD** - The compact, high speed printer - Small & lightweight

**UP 25 MD / UPD 25 MD** - Colour printer with high design - Perfect in a wide range of medical applications

**P 93 / P 95 D** - Black & white printers - Analog & digital versions

### SONY

Paper		printer mod
UPP 84 S	b/w mm. 84x13,5mt.	UP - D711 MD
UPP 84 HG	b/w mm. 84x12,5mt.	UP - D711 MD
UPP 110 S	b/w mm. 110x20mt.	UP 860/ 890/895/897/898
UPP 110 HD	b/w mm. 110x20mt.	UP 860/ 890/895/897/898
UPP 110 HA	b/w mm. 110x18mt.	UP 890
UPP 110 HG	b/w mm. 110x18mt.	UP 895/ 897/898
UPP 210 SE	b/w mm. 210x25mt.	UP 960/ 980/970/990/971/991AD
UPP 210 HD	b/w mm. 210x25mt.	UP 960/ 980/970/990/971/991AD
UPT 210 BL	b/w mm. 210x12,5mt.	UP 980/ 970/990/971/991AD
UPC 21 S	col. 240 prints "Small"	UP 20/ 21MD/ D23MD/ 25MD/ D25MD
UPC 21 L	col. 200 prints "Large"	UP 20/ 21MD/ D23MD/ 25MD/ D25MD
UPC 55	col. 200 prints A5	UP 55MD/ D55
UPC-R80 MD	col. 100 prints A4	UPD - R80 MD
UPT 510 BL	Blue film 125 sheets 8"x10"	UP DF550/ DF750
UPT 512 BL	Blue film 125 sheets 10"x12"	UP DF550/ DF750
UPT 514 BL	Blue film 125 sheets 11"x14"	UP DF550/ DF750
UPT 517 BL	Blue film 125 sheets 14"x17"	UP DF500
UPP 725	b/w 100 prints 8"x10"	UP D71XR/ D72XR/ D74XR
UPT 735 BL	Blue film 100 prints 8"x10"	UP D71XR/ D72XR
UPC-770	col. 72 prints A4	UP - D 75/ 77 MD

### MITSUBISHI

Paper		printer mod
KP 61 B e KP 61 CE	b/w mm. 110x20mt	P 60/61/65/66/67/68 /90/91/93E/95DE
KP 63 HM CEi	b/w mm. 110x18mt	P 60/61/65/66/67/68 /90/91/93E/95DE
KP 65HM-KP 65HM-E	b/w mm. 110x20mt	P 60/61/65/66/67/68 /90/91/93E/95DE
KP 91 HG	b/w mm. 110x18mt	P 90/91/93E
K 95 HG	b/w mm. 110x18mt	P 93E/DW/ P 95E/DW
CK 30 S	col. 240 prints "Small"	CP30DW/CP30W/CP31W
CK 30 L	col. 200 prints "Large"	CP30DW/CP30W/CP31W

FUJI - ALOKA - TOSHIBA - HITACHI - KOWA - PANASONIC - ETC.

Original black and white or colour papers are available also for printers of these brands which, even though less widespread, are constantly present on the market.

## ALTERNATIVE PAPERS FOR SONY & MITSUBISHI



Ceracarta uses Japanese raw materials to manufacture alternative black and white papers of excellent quality for the models UPP 110 S, K 61B and the high definition models UPP 110 HD, UPP 110 HG, UPP 210 HD, K 65 HM, etc.

- The prices quoted are very competitive
- They are all sent in an elegant and practical package.



## OTHER PAPERS AND FILMS

Brands such as **SONY**, **CODONICS**, **CANON**, etc... are present with high-performance printers in the radiology, nuclear medicine and photography units. Also for this important sector, Ceracarta can provide all types of papers and films.

## X-RAY FILMS



A wide range of X-Ray films (mainly dry) for all the most sold brands (AGFA / FUJI / CARESTREAM / KONICA and all...). Stock availability - Quality service.

## BATTERIES



Broad range of batteries for all customers' needs both in medical and professional field. • The most popular brands along with the best quality. • Always available in stock.



**Via Secondo Casadei N.14**  
**zona industriale Villa Selva - 47122 Forlì (Italy) tel. +39.0543.780055 - fax +39.0543.781404**  
**www.ceracarta.it - e mail: export@ceracarta.it**



# Certificate

**Quality Management System  
EN ISO 13485:2016**

Registration No.: SX 1695779-1

Organization: BIOSYSTEMS S.A.  
Costa Brava 30  
08030 Barcelona  
Spain

Scope: Design and development, production, distribution and servicing  
of instruments and reagents for clinical diagnostic.

The Certification Body of TÜV Rheinland LGA Products GmbH certifies that the organization has established and applies a quality management system for medical devices. Proof has been furnished that the requirements specified in the abovementioned standard are fulfilled. The quality management system is subject to yearly surveillance.

Report No.: 92648791-40  
Effective date: 2022-12-12  
Expiry date: 2025-12-12  
Issue date: 2022-12-12

*J. Pyclik*



Jaroslav Pyclik  
TÜV Rheinland LGA Products GmbH  
Tillystraße 2 · 90431 Nürnberg · Germany

# Certificate

## Quality Management System EN ISO 13485:2016

Registration No.: SX 1695779-1

Organization: BIOSYSTEMS S.A.  
Costa Brava 30  
08030 Barcelona  
Spain

The scope of certification includes the following additional sites:

No.	Facility	Scope
/01	BIOSYSTEMS S.A. Costa Brava 30 08030 Barcelona Spain	Design and development, production, distribution and servicing of instruments and reagents for clinical diagnostic.
/02	BIOSYSTEMS S.A. Polígono Industrial Can Tapioles Naves 12, 13, 21, 22 08010, Montcada i Reixac – Barcelona, Spain	Labelling and assembling of reagents, warehousing and shipment of instruments and reagents for clinical diagnostic.

Report No.: 92648791-40  
Effective date: 2022-12-12  
Expiry date: 2025-12-12  
Issue date: 2022-12-12



Jaroslaw Pyclik  
TÜV Rheinland LGA Products GmbH  
Tillystraße 2 · 90431 Nürnberg · Germany

Carte diagrammate per tutte le apparecchiature di elettrodiagnostica.  
Materiale di consumo ed accessori elettromedicali.  
Carte per apparecchi registratori industriali.  
Rotoli e pacchi speciali per sistemi esattoriali, di controllo, lotterie.  
Etichette radiofrequenza e soluzioni integrate.

Chart Papers for all electrodiagnostic equipments.  
Disposable and electromedical accessories.  
Chart Papers industrial recording instruments.  
Special rolls and fanfolds for tickets checking system, lottery.  
Rfid labels and chain solutions.

Sede (Head office and works) :  
Via Secondo Casadei, 14 - 47122 FORLÌ - ITALY  
Tel : 0039 0543 780055 • Fax : 0039 0543 781404  
http : // [www.ceracarta.it](http://www.ceracarta.it) • e-mail : [info@ceracarta.it](mailto:info@ceracarta.it).  
Capitale Sociale : € 1.000.000 int. vers.  
Registro Imprese FORLÌ-CESENA  
P.I. / C.F. / VAT.N. IT 00136740404  
R.E.A. FORLÌ N. 72646 - N. MECC. FO 006863

**To Whom it may concern**

Forlì, 5<sup>th</sup> August 2022


## AUTHORIZATION LETTER

We, **Ceracarta Spa Via Secondo Casadei 14,47122 Forlì(FC)-Italy** manufacturer of ECG electrodes and other medical consumables hereby authorize: **Biosistem mld SRL** with business office at Albisoara 16/1 ap.7 , Chisinau, Republic of Moldova, to be our authorized representative in Moldova for registration of our line of products.

This authorization is valid for 1 year from the date of issuance and automatically renewable if no termination letter is issued by the manufacturer.

CERACARTA SPA  
Bandini Alessandro











www.imq.it

CERTIFICATO N.  
CERTIFICATE N. 9190.CRC3

SI CERTIFICA CHE IL SISTEMA QUALITA' DI  
WE HEREBY CERTIFY THAT THE QUALITY SYSTEM OPERATED BY

**CERACARTA SPA**

VIA SECONDO CASADEI 14 Z.I. VILLA SELVA - 47122 FORLI' (FC)

UNITA' OPERATIVE / OPERATIVE UNITS

VIA SECONDO CASADEI 14 Z.I. VILLA SELVA - 47122 FORLI' (FC)

E' CONFORME ALLA NORMA / IS IN COMPLIANCE WITH THE STANDARD

**ISO 9001:2008**

PER LE SEGUENTI ATTIVITA' / FOR THE FOLLOWING ACTIVITIES

Produzione e stampa di carte speciali e diagrammate per registrazione ad uso industriale, ferroviario, medicale e biglietteria anche conto terzi. Produzione e stampa di etichette e biglietti anche a lettura/scrittura in radio frequenza (RFID). Sviluppo e produzione di creme, gel sterile e non sterile per applicazioni elettrodiagnostiche e ad ultrasuoni, anche conto terzi. Commercializzazione ed immissione in commercio di accessori per applicazioni elettrodiagnostiche, ad ultrasuoni e per strumenti elettromedicali. Sviluppo e produzione di elettrodi per ECG. Gestione della produzione ed immissione in commercio di elettrodi per ECG. Immissione in commercio di piastre per elettrobisturi e defibrillatori. Commercializzazione di video stampanti, carte fotografiche per video stampanti, stampanti e relativi materiali di consumo ed accessori

*Manufacture and print of special recording chart papers for industrial, railway, medical use and ticketing also on behalf of third parties. Manufacture and print of labels and tickets also radio frequency reading/writing (RFID).*

*Development and manufacture of creams, gels sterile and not sterile for electromedical and ultrasound procedures also on behalf of third parties. Trade and placing on the market of accessories for electromedical and ultrasound diagnostic devices and for electromedical equipment. Development and manufacture of electrods for ECG. Production management and placing on the market of electrods for ECG. Placing on the market of electrosurgical plates and defibrillation pads. Trade of videoprinters, photographic papers for videoprinters, printers and related consumable and accessories*

Ulteriori informazioni riguardanti l'applicabilità dei requisiti ISO 9001:2008 possono essere ottenute consultando l'organizzazione  
*Further clarifications regarding the applicability of ISO 9001:2008 requirements may be obtained by consulting the organization*

IL PRESENTE CERTIFICATO E' SOGGETTO AL RISPETTO DEL  
REGOLAMENTO PER LA CERTIFICAZIONE DEI SISTEMI DI GESTIONE  
THE USE AND THE VALIDITY OF THE CERTIFICATE SHALL SATISFY THE  
REQUIREMENTS OF THE RULES FOR CERTIFICATION OF MANAGEMENT SYSTEMS

DATE:	PRIMA CERTIFICAZIONE FIRST CERTIFICATION	EMISSIONE CORRENTE CURRENT ISSUE	SCADENZA EXPIRY
	2002-11-26	2017-10-13	2020-10-07

L'Organizzazione dovrà ottenere la certificazione secondo la norma ISO 9001:2015 entro il 2018/09/14;  
in caso contrario, il presente certificato cesserà la propria validità in tale data  
The Organization shall obtain the certification according to ISO 9001:2015 within 2018/09/14;  
otherwise the validity of this certificate will expire

IMQ S.p.A. - VIA QUINTILIANO, 43 - 20138 MILANO ITALY  
Management Systems Division - Flavio Ornago

Data di scadenza del precedente ciclo di certificazione: 2017-10-07  
Data di conclusione dell'audit di rinnovo: 2017-10-11  
Data della decisione di rinnovo: 2017-10-13



IAF: 07, 09, 19, 29

SGQ N°005A, SGA N°006D, SCR N°005F,  
SSI N°003G, FSM N°007I, SGE N°006M,  
EMAS N°003P, PRD N°005B, PRS N°008C,  
ISP N°003E, LAB N°012I, LAT N°002I  
Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC  
Signatory of EA, IAF and ILAC Mutual Recognition Agreements

I processi riconducibili a settori IAF sottolineati risultano non ancora coperti da accreditamento  
Processes related to underlined IAF sectors are not yet covered by accreditation  
La validità del certificato è subordinata a sorveglianza annuale e riesame completo del Sistema di Gestione con periodicità triennale  
The validity of the certificate is submitted to annual audit and a reassessment of the entire Management System within three years

Organismo di Certificazione Federato CISQ  
www.imq.it

CISQ è la Federazione Italiana di Organismi di  
Certificazione dei sistemi di gestione aziendale.  
CISQ is the Italian Federation of management  
system Certification Bodies.

CISQ is a member of



IQNet, the association of the world's first class  
certification bodies, is the largest provider of management  
System Certification in the world.  
IQNet is composed of more than 30 bodies and counts  
over 150 subsidiaries all over the globe.



www.cisq.com



THE INTERNATIONAL CERTIFICATION NETWORK

# CERTIFICATE

*CISQ/IMQ as an IQNet Partner hereby states that the organization*

## **CERACARTA SPA**

VIA SECONDO CASADEI 14 Z.I. VILLA SELVA - 47122 FORLI' (FC)

*for the following scope:*

***Manufacture and print of special recording chart papers for industrial, railway, medical use and ticketing also on behalf of third parties. Manufacture and print of labels and tickets also radio frequency reading/writing (RFID). Development and manufacture of creams, gels sterile and not sterile for electromedical and ultrasound procedures also on behalf of third parties. Trade and placing on the market of accessories for electromedical and ultrasound diagnostic devices and for electromedical equipment. Development and manufacture of electrodes for ECG. Production management and placing on the market of electrodes for ECG. Placing on the market of electrosurgical plates and defibrillation pads. Trade of videoprinters, photographic papers for videoprinters, printers and related consumable and accessories***

*Further clarifications regarding the applicability of ISO 9001:2008 requirements may be obtained by consulting the organization*

*has implemented and maintains a*  
**Quality Management System**  
*which fulfills the requirements of the following standard*

## **ISO 9001:2008**

**Issued on: 2017 - 10 - 13**

**First issued on: 2002 - 11 - 26**

*for the validity date, please refer to the original certificate\* issued by IMQ*

**Registration Number: IT - 112265**



*Alex Stoichitoiu*  
 President of IQNET



*Ing. Claudio Provetti*  
 President of CISQ

**IQNet Partners\*\*:**

AENOR Spain AFNOR Certification France APCER Portugal CCC Cyprus CISQ Italy  
 CQC China CQM China CQS Czech Republic Cro Cert Croatia DQS Holding GmbH Germany FCAV Brazil  
 FONDONORMA Venezuela ICONTEC Colombia Inspecta Certification Finland INTECO Costa Rica  
 IRAM Argentina JQA Japan KFQ Korea MIRTEC Greece MSZT Hungary Nemko AS Norway NSAI Ireland PCBC Poland  
 Quality Austria Austria RR Russia SIGE México SII Israel SIQ Slovenia SIRIM QAS International Malaysia  
 SQS Switzerland SRAC Romania TEST St Petersburg Russia TSE Turkey Vinçotte Belgium YUQS Serbia  
 IQNet is represented in the USA by: AFNOR Certification, CISQ, DQS Holding GmbH and NSAI Inc.

\* This attestation is directly linked to the IQNet Partner's original certificate and shall not be used as a stand-alone document

\*\* The list of IQNet partners is valid at the time of issue of this certificate. Updated information is available under [www.iqnet-certification.com](http://www.iqnet-certification.com)





www.imq.it

CERTIFICATO N.  
CERTIFICATE N. 9124.CRC4

SI CERTIFICA CHE IL SISTEMA QUALITA' DI  
WE HEREBY CERTIFY THAT THE QUALITY SYSTEM OPERATED BY

**CERACARTA SPA**

VIA SECONDO CASADEI 14 Z.I. VILLA SELVA - 47122 FORLI' (FC)

UNITA' OPERATIVE / OPERATIVE UNITS

VIA SECONDO CASADEI 14 Z.I. VILLA SELVA - 47122 FORLI' (FC)

E' CONFORME ALLA NORMA / IS IN COMPLIANCE WITH THE STANDARD

**EN ISO 13485:2012**

PER LE SEGUENTI ATTIVITA' / FOR THE FOLLOWING ACTIVITIES

Produzione e stampa di carte speciali e diagrammate per registrazione ad uso medicale anche conto terzi. Produzione e stampa di etichette ad uso medicale. Sviluppo e produzione di creme, gel sterile e non sterile per applicazioni elettrodiagnostiche e ad ultrasuoni, anche conto terzi. Commercializzazione ed immissione in commercio di accessori per applicazioni elettrodiagnostiche, ad ultrasuoni e per strumenti elettromedicali. Sviluppo e produzione di elettrodi per ECG.

Gestione della produzione ed immissione in commercio di elettrodi per ECG. Immissione in commercio di piastre per elettrobisturi e defibrillatori. Commercializzazione di video stampanti, carte fotografiche per video stampanti, stampanti e relativi materiali di consumo ed accessori per uso medicale

*Manufacture and print of special recording chart papers for medical use also on behalf of third parties. Manufacture and print of labels for medical use. Development and manufacture of creams, gels sterile and not sterile for electromedical and ultrasound procedures also on behalf of third parties. Trade and placing on the market of accessories for electromedical and ultrasound diagnostic devices and for electromedical equipment. Development and manufacture of electrodes for ECG. Production management and placing on the market of electrodes for ECG. Placing on the market of electrosurgical plates and defibrillation pads. Trade of videoprinters, photographic papers for videoprinters, printers and related consumable and accessories for medical use*

Ulteriori informazioni riguardanti l'applicabilità dei requisiti EN ISO 13485:2012 possono essere ottenute consultando l'organizzazione  
Further clarifications regarding the applicability of EN ISO 13485:2012 requirements may be obtained by consulting the organization

IL PRESENTE CERTIFICATO E' SOGGETTO AL RISPETTO DEL  
REGOLAMENTO PER LA CERTIFICAZIONE DEI SISTEMI DI GESTIONE  
THE USE AND THE VALIDITY OF THE CERTIFICATE SHALL SATISFY THE  
REQUIREMENTS OF THE RULES FOR CERTIFICATION OF MANAGEMENT SYSTEMS

<b>DATE:</b>	PRIMA CERTIFICAZIONE FIRST CERTIFICATION	EMISSIONE CORRENTE CURRENT ISSUE	SCADENZA EXPIRY
	1999-07-20	2017-10-13	2020-10-07

L'Organizzazione dovrà ottenere la certificazione secondo la norma ISO 13485:2016 entro il 2019/02/28;  
in caso contrario, il presente certificato cesserà la propria validità in tale data  
The Organization shall obtain the certification according to ISO 13485:2016 within 2019/02/28;  
otherwise the validity of this certificate will expire

IMQ S.p.A. - VIA QUINTILIANO, 43 - 20138 MILANO ITALY  
Management Systems Division - Flavio Ornago

Data di scadenza del precedente ciclo di certificazione: 2017-10-07  
Data di conclusione dell'audit di rinnovo: 2017-10-11  
Data della decisione di rinnovo: 2017-10-13

CISQ is a member of



*IQNet, the association of the world's first class certification bodies, is the largest provider of management System Certification in the world. IQNet is composed of more than 30 bodies and counts over 150 subsidiaries all over the globe.*



SGQ N°005A, SGA N°006D, SCR N°005F,  
SSI N°003G, FSM N°007I, SGE N°006M,  
EMAS N°003P, PRD N°005B, PRS N°008C  
ISP N°063E, LAB N°012I, LAT N°02I

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC  
Signatory of EA, IAF and ILAC Mutual Recognition Agreements

La validità del certificato è subordinata a sorveglianza annuale e riesame completo del Sistema di Gestione con periodicità triennale  
The validity of the certificate is submitted to annual audit and a reassessment of the entire Management System within three years

CISQ è la Federazione Italiana di  
Organismi di Certificazione dei  
sistemi di gestione aziendale.

*CISQ is the Italian Federation  
of management system  
Certification Bodies.*



www.cisq.com



# CERTIFICATE

## Award to

Nasedchin Alexander

BIOSISTEM-MLD SRL, Moldova

## For Successfully Completed the Course

Hematology

Classic 3-DIFF Series

**Level: Service Professional**

2022/06/28 - 2022/06/29

China

Cherry Yang  
Manager

Training Department

Shenzhen Mindray Bio-medical Electronics Co.,Ltd.

Date: 2022.08.29  
( Valid for two years )

# Declaration of Conformity



**Manufacturer:** Shenzhen Mindray Bio-Medical Electronics Co., Ltd.  
Mindray Building, Keji 12th Road South, Hi-tech Industrial  
Park, Nanshan, Shenzhen, 518057, P. R. China

**EC-Representative:** Shanghai International Holding Corp. GmbH (Europe)  
Eiffestraße 80  
20537 Hamburg, Germany

**Product:** **Auto Hematology Analyzer**

**Model:** **BC-20s**  
Including reagents as following:  
**M-30D DILUENT**  
**M-30CFL LYSE**  
**PROBE CLEANSER**

**Classification:** The device not in IVDD annex II and not for self  
testing/performance evaluation

**Conformity Assessment Route:** IVDD Annex III(excluding Section 6)

**We herewith declare that the above mentioned products meet the provisions of the Directive 98/79/EC on In Vitro Diagnostic Medical Devices. All supporting documentations are retained under the premises of the manufacturer.**

**Standards Applied:**

List of (harmonized) standards for which documented evidence for compliance can be provided as attachment.

**Start of CE-Marking:** 2015-3-31

**Place, Date of Issue:** Shenzhen, 2015-3-31

**Signature:** 

**Name of Authorized Signatory:** Mr.tan ChuanBin

**Position Held in Company:** Manager ,Technical Regulation

# Declaration of Conformity



**Manufacturer:** Shenzhen Mindray Bio-Medical Electronics Co., Ltd.  
Mindray Building, Keji 12th Road South, Hi-tech Industrial  
Park, Nanshan, Shenzhen, 518057, P. R. China

**EC-Representative:** Shanghai International Holding Corp. GmbH (Europe)  
Eiffestraße 80  
20537 Hamburg, Germany

**Product:** **Auto Hematology Analyzer**

**Model:** **BC-30s**  
Including reagents as following:  
**M-30D DILUENT**  
**M-30CFL LYSE**  
**PROBE CLEANSER**

**Classification:** The device not in IVDD annex II and not for self  
testing/performance evaluation

**Conformity Assessment Route:** IVDD Annex III(excluding Section 6)

**We herewith declare that the above mentioned products meet the provisions of the Directive 98/79/EC on In Vitro Diagnostic Medical Devices. All supporting documentations are retained under the premises of the manufacturer.**

**Standards Applied:**

List of (harmonized) standards for which documented evidence for compliance can be provided as attachment.

**Start of CE-Marking:** 2015-3-31

**Place, Date of Issue:** Shenzhen, 2015-3-31

**Signature:** \_\_\_\_\_ 

**Name of Authorized Signatory:** Mr.tan ChuanBin  
**Position Held in Company:** Manager ,Technical Regulation



Declaration of Conformity V 1.0

## Applied Standards List

**Product:** Auto Hematology Analyzer

**BC-20s, BC-30s**

Including reagents as following:

**M-30D DILUENT**

**M-30CFL LYSE**

**PROBE CLEANSER**

### Applied Standards:

EN ISO 18113-1:2011	In vitro diagnostic medical devices — Information supplied by the manufacturer (labelling) Part 1: Terms, definitions and general requirements
EN ISO 18113-2:2011	In vitro diagnostic medical devices - Information supplied by the manufacturer (labelling) - Part 2: In vitro diagnostic reagents for professional use
EN ISO 18113-3:2011	In vitro diagnostic medical devices — Information supplied by the manufacturer (labelling) Part 3: In vitro diagnostic instruments for professional use
EN ISO 15223-1:2012	Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements
EN 13612: 2002	Performance evaluation of in vitro diagnostic medical devices
ISO 14971:2012	Medical devices – Application of risk management to medical devices
EN 61010-1:2001	Safety requirements for electrical equipment for measurement, control, and laboratory use Part 1: General requirement
EN 61010-2-081:2002+A1: 2003+A1: 2003	Safety requirements for electrical equipment for measurement, control and laboratory use - Part 2-081: Particular requirements for automatic and semi-automatic laboratory equipment for analysis and other purposes
EN 61010-2-101: 2002	Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 2-101: Particular requirements for in vitro diagnostic (IVD) medical equipment
IEC 61010-2-010: 2005	Safety requirements for electrical equipment for measurement, control and

## Declaration of Conformity V 1.0

	laboratory use - Part 2-010: Particular requirements for laboratory equipment for the heating of materials
EN 61326-1:2006	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements
EN 61326-2-6:2006	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 2-6: Particular requirements - In vitro diagnostic (IVD) medical equipment
EN 62304:2006	Medical device software- Software life cycle processes
EN 62366:2008	Medical devices — Application of usability engineering to medical devices
EN 13640: 2002	Stability testing of in vitro diagnostic medical devices
EN ISO13485:2012	Medical devices - Quality management systems - Requirements for regulatory purposes



December 29<sup>th</sup>, 2020

## LETTER OF DECLARATION

To whom it may concern,


We, **Shenzhen Mindray Bio-Medical Electronics Co., Ltd.**, ("Mindray")  
manufacturer of Hematology analyzer **BC-30s**, do hereby declare that:

The following reagents:

- A12-000047 M-30D DILUENT
- A12-000084 M-30CFL LYSE
- 105-000405-00 Probe Cleanser
- 105-003223-00 SC-CAL PLUS Calibrator 2×3.0ml
- 105-003227-00 BC-3D Control 3 x 3.0ml Tri-pack(1L, 1N, 1H)

Are manufactured by our company exclusively for the use with the closed-system BC-30s  
Hematology Analyzers.

Sincerely yours,



Yang Yong

General Manager of Sales and Marketing Division, CIS & TUR  
**Shenzhen Mindray Bio-Medical Electronics Co., Ltd.**

To,  
Biosistem-mld SRL  
Albisoara 16/1 ap.7  
Chisinau, R. Moldova

26.02.2019

## **MANUFACTURERS AUTHORIZATION**

We, **Shenzhen Mindray Bio-Medical Electronics Co., Ltd.** ("Mindray") manufacturer of Hematology analyzers, hereby authorize: **Biosistem-mld SRL**, with business office at Albisoara 16/1 ap.7, Chisinau, Republic of Moldova, to submit bids and subsequently negotiate and sign Contracts for reagents and consumables for all auto-hematology analyzers supplied by company **Biosistem-mld SRL**.

The authorization period is valid one year from issue date and automatically renewable if no termination letter is issued by either part.

Neither this Letter of Authorization nor any further extension, will impose any obligation or grant any rights regarding further distribution of Product, nor allow any party to seek compensation for goodwill developed during the term of Letter of Authorization or any further extension.

Best regards,



SHENZHEN MINDRAY BIO-MEDICAL ELECTRONICS CO., LTD.  
4403055603013

Luan Haijiao

Deputy Manager of International Sales and Marketing System,  
Commonwealth of Independent States  
**Shenzhen Mindray Bio-Medical Electronics Co., Ltd.**

**SHENZHEN MINDRAY  
BIO-MEDICAL ELECTRONICS CO., LTD.**

Mindray Building, Keji 12th Road South,  
High-tech Industrial Park, Nanshan,  
Shenzhen 518057, P.R. China

Tel: +86 755 81888998

Fax: +86 755 26582680

Website: www.mindray.com





America

# CERTIFICATE

No. QS5 044751 0140 Rev. 02

**Certificate Holder:** Shenzhen Mindray Bio-Medical  
Electronics Co., Ltd.  
Mindray Building  
Keji 12th Road South  
High-Tech Industrial Park  
Nanshan  
518057 Shenzhen  
PEOPLE'S REPUBLIC OF CHINA

**Certification Mark:**



**Scope of Certificate:** See Page 2 for Overall Scope Statement.

**Standard(s):** ISO 9001:2015

The Certification Body of TÜV SÜD America Inc. certifies that the company mentioned above has established and is maintaining a quality management system that meets the requirements of the listed standards.

**Report No.:** SH2005501

**Effective Date:** 2020-08-12

**Expiry Date:** 2023-06-30

Page 1 of 4

**Date of Issue:** 2020-08-20

Tina Israel  
Manager, US Certification Body,  
Medical and Health Services



America

# CERTIFICATE

No. QS5 044751 0140 Rev. 02

**Overall Scope Statement**

**Design and Development, Production and Distribution of Medical Electronic Equipment (including Patient Monitor and Accessories, Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Temperature Probe, Flow Sensor, Ambulatory Blood Pressure Monitor, Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories, Ventilator, Air Compressor, Endoscope Camera System, Ultrasonic Diagnostic Equipment and Accessories, Digital Radiography System, Radiography System, Hematology Analyzer, Clinical Chemistry Analyzer, Urine Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunossay Analyzer, Flow Cytometer, (Auto) Sample Processing System, Auto Slide Maker and Stainer, Glycohemoglobin Analyzer, Specific Protein Analyzer), Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls, Reagents for Flow Cytometer, Reagents for Glycohemoglobin Analyzer, Calibrators and Controls for Glycohemoglobin Analyzer, Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag**

Page 2 of 4

Date of Issue: 2020-08-20

Tina Israel  
 Manager, US Certification Body,  
 Medical and Health Services



America

# CERTIFICATE

No. QS5 044751 0140 Rev. 02

**Facility(ies):** **Shenzhen Mindray Bio-Medical Electronics Co., Ltd.**  
Mindray Building, Keji 12th Road South, High-Tech Industrial Park, Nanshan, 518057, Shenzhen, PEOPLE'S REPUBLIC OF CHINA

**Facility Scopes:** Design and Development, Production and Distribution of Medical Electronic Equipment (including Patient Monitor and Accessories, Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Temperature Probe, Flow Sensor, Ambulatory Blood Pressure Monitor, Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories, Ventilator, Air Compressor, Endoscope Camera System, Ultrasonic Diagnostic Equipment and Accessories, Digital Radiography System, Radiography System, Hematology Analyzer, Clinical Chemistry Analyzer, Urine Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunoassay Analyzer, Flow Cytometer, (Auto) Sample Processing System, Auto Slide Maker and Stainer, Glycohemoglobin Analyzer, Specific Protein Analyzer), Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls, Reagents for Flow Cytometer, Reagents for Glycohemoglobin Analyzer, Calibrators and Controls for Glycohemoglobin Analyzer, Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag

Page 3 of 4  
Date of Issue: 2020-08-20

Tina Israel  
Manager, US Certification Body,  
Medical and Health Services





America

# CERTIFICATE

No. QS5 044751 0140 Rev. 02

**Facility(ies)**

**Shenzhen Mindray Bio-Medical Electronics Co., Ltd.**  
1203 Nanhuan Avenue, Guangming District, 518106  
Shenzhen, PEOPLE'S REPUBLIC OF CHINA

**Facility Scopes:**

Design and Development, Production and Distribution of Medical Electronic Equipment (including Patient Monitor and Accessories, Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Temperature Probe, Flow Sensor, Ambulatory Blood Pressure Monitor , Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories, Ventilator, Air Compressor, Endoscope Camera System, Ultrasonic Diagnostic Equipment and Accessories, Digital Radiography System, Radiography System, Hematology Analyzer, Clinical Chemistry Analyzer, Urine Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunoassay Analyzer, Flow Cytometer, (Auto) Sample Processing System, Auto Slide Maker and Stainer, Glycohemoglobin Analyzer, Specific Protein Analyzer), Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls, Reagents for Flow Cytometer, Reagents for Glycohemoglobin Analyzer, Calibrators and Controls for Glycohemoglobin Analyzer, Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag

Page 4 of 4

Date of Issue: 2020-08-20

Tina Israel  
Manager, US Certification Body,  
Medical and Health Services



Product Service

# Certificate

No. Q5 044751 0164 Rev. 02

**Holder of Certificate:** **Shenzhen Mindray Bio-Medical Electronics Co., Ltd.**  
 Mindray Building  
 Keji 12th Road South  
 High-Tech Industrial Park  
 Nanshan  
 518057 Shenzhen  
 PEOPLE'S REPUBLIC OF CHINA

**Certification Mark:**



**Scope of Certificate:** **Design and development, production and distribution of Active medical devices (intended) for monitoring, diagnosis, anesthesia, breathing and intensive care; In-vitro diagnostic instruments; Non-active accessories for breathing therapy and anesthesia; In-vitro diagnostic reagents and kits (intended) for hematology, clinical chemistry, immunology and cell analysis (For detail information see following pages)**

The Certification Body of TÜV SÜD Product Service GmbH certifies that the company mentioned above has established and is maintaining a quality management system, which meets the requirements of the listed standard(s). See also notes overleaf.

**Report No.:** SH2005501  
**Valid from:** 2020-09-01  
**Valid until:** 2023-08-31

**Date,** 2020-07-24

  
 Christoph Dicks  
 Head of Certification/Notified Body

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD  
ZERTIFIKAT ♦ CERTIFICATE ♦ 認證證書 ♦ CERTIFICADO ♦ CERTIFICAT



# Certificate

No. Q5 044751 0164 Rev. 02

**Applied Standard(s):** EN ISO 13485:2016  
Medical devices - Quality management systems - Requirements for regulatory purposes (ISO 13485:2016)  
DIN EN ISO 13485:2016

**Facility(ies):** Shenzhen Mindray Bio-Medical Electronics Co., Ltd.  
Mindray Building, Keji 12th Road South, High-Tech Industrial Park, Nanshan, 518057 Shenzhen, PEOPLE'S REPUBLIC OF CHINA  
  
Shenzhen Mindray Bio-Medical Electronics Co., Ltd.  
1203 Nanhuan Avenue, Guangming District, 518106 Shenzhen, PEOPLE'S REPUBLIC OF CHINA





# Certificate

No. Q5 044751 0164 Rev. 02

For the product(s)/product category (ies):

Patient Monitor and Accessories, Vital Signs Monitor,  
 Center Monitoring System, Telemetry Monitoring System,  
 Pulse Oximeter, Temperature Probe, Flow Sensor,  
 Ambulatory Blood pressure Monitor,  
 Defibrillator/Monitor and Accessories, Electrocardiograph,  
 Anesthesia Machine and accessories, Ventilator,  
 Air compressor, Endoscope Camera System,  
 Ultrasonic Diagnostic Equipment and Accessories,  
 Digital Radiography System, Radiography System,  
 Hematology Analyzer, Clinical Chemistry Analyzer,  
 Urine Analyzer, Microplate Reader,  
 Microplate Washer for invitro diagnostic use,  
 Chemiluminescence Immunoassay Analyzer,  
 Flow Cytometer, (Auto) Sample Processing System,  
 Auto Slide Maker&Stainer, Glycohemoglobin Analyzer,  
 Specific Protein Analyzer, Reagents for Hematology Analyzer,  
 Reagents for Clinical Chemistry Analyzer,  
 Chemiluminescence Immunoassay Reagents,  
 Chemiluminescence Immunoassay Calibrators and Controls,  
 Reagents for Flow Cytometer,  
 Reagents for Glycohemoglobin Analyzer,  
 Calibrators and Controls for Glycohemoglobin Analyzer,  
 Disposable Anesthesia Mask, Reusable Anesthesia Mask,  
 Respiratory Mask, Disposable Breathing Circuit,  
 Reusable Breathing Circuit, Heat and Moisture Exchanger,  
 Filter, Breathing Bag.