

TEHNOMEDICA

Ciuflea 38/1 2001 Cisinou Moldova tel./fax 601 102, 601 087
e-mail <tehnomedica_md@yahoo.com>

Către Centrul pentru Achiziții Publice Centralizate în Sănătate

În atenția Grupului de Lucru al Licităției nr.
ocds-b3wdp1-MD-1551361722582; ID: 21005829

Declaratie disponibilitatea de a prezenta mostre

Prin prezenta, declarăm, că pentru produsele oferite in cadrul Licitatiei mentionate mai sus, garantam disponibilitatea de a prezenta mostre la solicitarea autorității contractante/beneficiarului timp de 5 zile lucratoare din data solicitarii.


Mostrele vor fi livrate la solicitare deoarece produsele oferite la toate Loturile sunt costisitoare, iar unele din ele, cum ar fi oferta pentru Loturile 1, 3, 6, 7, au mai fost livrate Beneficiarului anterior. Instrumentele Aesculap AG, Germania sunt bine cunoscute de catre specialisti.

Cu respect,
Director
08.04.19



Tatiana Roibu

Full HD Endoscopes








Aesculap Full HD Endoscopes

- Rust-proof steel outer casing for problem-free reprocessing
- The external tube is made from a high strength special alloy for superior breaking resistance
- Optimised fibre optics provide more light
- Service-optimised construction reduces maintenance costs
- Highly rectified optical systems
- Autoclavable

Aesculap Scope Trays

- Quick lock system for easy, safe and fast handling
- Large perforations for optimum washing results
- Smooth surfaces
- High stability at low weight
- Made from rust-proof stainless steel

| Indication | Product Code | Description |
|---------------------|------------------------|---------------------------------|
| Arthroscopy/ENT | PE185A | ENT optic |
| | PE182A | Mini arthroscope |
| | PE202A | Mini arthroscope |
| | PE205A | ENT optic |
| | PE225A | ENT optic |
| | PE484A | Arthroscope, short |
| | PE514A | Arthroscope, short |
| | PE544A | Arthroscope, short |
| | PE524A | Arthroscope, short |
| | PE485A | Arthroscope/Sinuscope |
| | <i>Lot 1.</i> PE505A | Arthroscope/Sinuscope |
| | PE545A | Arthroscope/Sinuscope |
| | <i>Lot 3.</i> PE525A | Arthroscope/Sinuscope |
| Urology/Gynaecology | PE030A | Mini Hysteroscope (fibre optic) |
| | PE031A | Mini Hysteroscope |
| | PE218A | Hysteroscope |
| | PE522A | Cystoscope |
| | PE528A | Cystoscope/Hysteroscope |
| | PE508A | Cystoscope/Hysteroscope |
| | PE530A | Cystoscope |
| Laparoscopy | PE898A | Operating Laparoscope |
| | PE970A | N.O.T.E.S. Laparoscope |
| | PE590A | Laparoscope |
| | PE610A | Laparoscope |
| | PE889A | Laparoscope |
| | <i>Lot 6.</i> PE909A | Laparoscope |
| | PE969A | Laparoscope |
| Neurosurgery | PE206A | MINOP-TR Neuroscope |
| | PE184A | MINOP-TR Neuroscope |
| | PE204A | MINOP-TR Neuroscope |
| | PE486A | Neuroendoscope |
| | PE506A | Neuroendoscope |
| | PE526A | Neuroendoscope |
| | PE487A | MINOP Trend Neuroscope |
| PE507A | MINOP Trend Neuroscope | |

| Storz* connection | Diameter | Working length | Viewing angle | Scope Trays |
|-------------------|----------|----------------|------------------|---|
| Yes | 2.7 mm | 19 cm | 0° |  <p>JF431R Tray for one Scope, Shaft length < 340 mm Outer dimensions: 454 x 84 x 41 mm</p> |
| | 2.7 mm | 11 cm | 0° | |
| | 2.7 mm | 11 cm | 30° | |
| Yes | 2.7 mm | 19 cm | 30° | |
| Yes | 2.7 mm | 19 cm | 70° | |
| | 4.0 mm | 14 cm | 0° | |
| | 4.0 mm | 14 cm | 30° | |
| | 4.0 mm | 14 cm | 45° |  <p>JF432R Tray for two Scopes, Shaft length < 340 mm Outer dimensions: 454 x 104 x 41 mm</p> |
| | 4.0 mm | 14 cm | 70° | |
| Yes | 4.0 mm | 18 cm | 0° | |
| Yes | 4.0 mm | 18 cm | 30° <i>Lot 1</i> | |
| Yes | 4.0 mm | 18 cm | 45° | |
| Yes | 4.0 mm | 18 cm | 70° <i>Lot 3</i> | |
| | 4.0 mm | 18 cm | 70° | |
| | 2.0 mm | 30 cm | 0° |  <p>JF433R Tray for two Scopes, Shaft length < 340 mm, with additional support Outer dimensions: 454 x 104 x 41 mm</p> |
| | 2.0 mm | 30 cm | 30° | |
| Yes | 2.9 mm | 30 cm | 30° | |
| Yes | 4.0 mm | 30 cm | 0° | |
| Yes | 4.0 mm | 30 cm | 12° | |
| Yes | 4.0 mm | 30 cm | 30° | |
| Yes | 4.0 mm | 30 cm | 70° | |
| | 4.0 mm | 30 cm | 70° | |
| | 10.0 mm | 28 cm | 0° |  <p>JF434R Tray for Mini Hysteroscope, diam. < 4 mm Outer dimensions: 454 x 104 x 41 mm</p> |
| | 10.0 mm | 57 cm | 45° | |
| | 5.0 mm | 31 cm | 0° | |
| | 5.0 mm | 31 cm | 30° | |
| | 10.0 mm | 33 cm | 0° | |
| | 10.0 mm | 33 cm | 30° | |
| | 10.0 mm | 33 cm | 45° | |
| | 2.7 mm | 18 cm | 70° |  <p>JF436R Tray for one Scope, Shaft diam. 2.7 mm / 4 mm, Shaft length 140 – 200 mm, Outer dimensions: 273 x 84 x 41 mm</p> |
| | 2.7 mm | 18 cm | 0° | |
| | 2.7 mm | 18 cm | 30° | |
| | 4.0 mm | 16 cm | 0° | |
| | 4.0 mm | 16 cm | 30° | |
| | 4.0 mm | 16 cm | 70° | |
| | 4.0 mm | 19.5 cm | 0° | |
| | 4.0 mm | 19.5 cm | 30° | |



For more information see our brochure C26502 Scope Container

* other makes on request



Elektrochirurgie – Electro Surgery
Anschlusskabel
Connecting Cables

MONOPOLAR

GK

Geräteseite - Hersteller
On the equipment side - Manufacturer

Instrumentenseite
On the instrument side

GN202
3,5 m

Aesculap
ACMI
Berchtold
Martin



4 mm Buchse
Socket

GN204
3,5 m



5 mm Buchse
Socket

GK239
3,5 m

Erbe ACC/ICC



4 mm Buchse
Socket

GN216

Aesculap

Monopolar Adapter
Monopolar adapter



Erbe, Storz

GK245
3,5 m

Erbe T



4 mm Buchse
Socket

*Lot 5.
Lot 9.*

GK180
3,5 m



5 mm Buchse
Socket

GK246
3,5 m

ACMI
Conmed
Erbe ICC intern.
Eschmann
Valleylab
US-Norm



4 mm Buchse
Socket

GK181
3,5 m




5 mm Buchse
Socket



Accessories for Xenon Light Sources

To be ordered separately



OP931 Xenon replacement bulb
180 W

OP933 Xenon replacement bulb
300 W



Adapter for Xenon light source:

OP936 Wolf

OP937 Olympus (Xenon)

OP938 ACMI



Light guide cables, autoclavable, diam. 4.8 mm:

OP923 Full HD light guide cable, length: 250 cm

OP906 Length: 180 cm

OP913 Length: 250 cm

Lot 4

OP914 Length: 350 cm



OP917 Light guide cables tester


Measures the light transmission of Aesculap/Storz/Olympus light guide cables with \varnothing 3.5 mm and 4.8 mm

Light guide cables adapter for light source of other make:

TE683R Olympus

TE688R Olympus-Xenon


TE684R Wolf




To be ordered separately



PG012 Disposable tube set incl. CO₂ filter, sterile, package of 10 pieces



PG019 Disposable CO₂ filter, sterile, package of 25 pieces




PG082 Reusable silicone tube with gas warming for PG080 only, (100 x autoclavable)

Lot 8.



PG014 Reusable silicone tube without gas warming (20 x autoclavable)

All Aesculap endoscopy products on our Internet homepage:



...just a click away!

Scissors, Graspers, Dissectors - Modular System


SOVEREIGN® QUICK-SNAP™ design



Insulated metal design



Axial design



PO958R (Non-Ratchet)









PO959R (Ratchet)

PM950R (Non-Ratchet)

PM951R (Ratchet)

PM953R (In-Line)

Instruments may be ordered COMPLETE or assembled from COMPONENTS ordered separately

| | COMPLETE INSTRUMENT | COMPONENTS | | | |
|---|---|------------|-----------------------|-----------------|------------------|
| | | JAW INSERT | INSULATED OUTER TUBES | STANDARD HANDLE | OPTIONAL HANDLES |
| 1/2  | PO118R DeBakey Atraumatic Forceps, 50 mm Jaw, 10 mm, 37 cm | PO624R | PM977R | ■ | ■ ■ ■ ■ |
| 1/1  | PO137R DeBakey Atraumatic Forceps, 50 mm Jaw, 5 mm, 42 cm | PO657R | PM981R | ■ | ■ ■ ■ ■ |
| 1/1  | PO113R Babcock Grasping Forceps, Single Action, 5 mm, 31 cm | PO619R | PM973R | ■ | ■ ■ ■ ■ |
| 1/1  | PO212R Babcock Grasping Forceps Double Action, 5 mm, 31 cm | PO765R | PM973R | ■ | ■ ■ ■ ■ |
|  | PO209R Babcock Grasping Forceps, Double Action, 5 mm, 42 cm | PO762R | PM981R | ■ | ■ ■ ■ ■ |
| 1/1  | PO114R Babcock Grasping Forceps, Single Action, 10 mm, 31 cm | PO620R | PM974R | ■ | ■ ■ ■ ■ |
|  | PO205R Babcock Grasping Forceps, Single Action, 10 mm, 42 cm | PO757R | PM982R | ■ | ■ ■ ■ ■ |
| 1/2  | PO196R Babcock Grasping Forceps, Double Action, 10 mm, 37 cm | PO741R | PM977R | ■ | ■ ■ ■ ■ |



SOVEREIGN® QUICK-SNAP™ design



PO958R (Non-Ratchet)



PO959R (Ratchet)

Insulated metal design




PM950R (Non-Ratchet)



PM951R (Ratchet)








Axial design



PM953R (In-Line)

INSTRUMENTS

Instruments may be ordered COMPLETE or assembled from COMPONENTS ordered separately




| | COMPLETE INSTRUMENT | COMPONENTS | | | |
|---|---|------------|-----------------------|-----------------|------------------|
| | | JAW INSERT | INSULATED OUTER TUBES | STANDARD HANDLE | OPTIONAL HANDLES |
|  1/1 | PO117R Claw Grasper, 2 x 3 teeth, 10 mm, 31 cm | PO623R | PM974R | ■ | ■ ■ ■ ■ |
|  1/1 | PO104R Allis Atraumatic Grasping Forceps, 5 mm, 31 cm | PO610R | PM973R | ■ | ■ ■ ■ ■ |
|  1/1 | PO111R Allis Grasping Forceps, 5 mm, 31 cm | PO617R | PM973R | ■ | ■ ■ ■ ■ |
|  1/1 | PO128R Grasping Forceps, Fenestrated 5 mm, 31 cm | PO647R | PM973R | ■ | ■ ■ ■ ■ |
|  1/1 | PO132R Grasping Forceps, 2 x 4 teeth, serrated, 5 mm, 31 cm | PO648R | PM973R | ■ | ■ ■ ■ ■ |
|  1/1 | PO201R Grasping Forceps, 2 x 4 teeth, serrated, 5 mm, 42 cm | PO749R | PM981R | ■ | ■ ■ ■ ■ |
|  1/1 | PO134R Grasping Forceps, fine-toothed, non-serrated, 5 mm, 31 cm | PO650R | PM973R | ■ | ■ ■ ■ ■ |

let's

AdTec™ Reusable Monopolar Instruments

Grasping Forceps

Monopolar Instruments





| | | Complete Instrument | | |
|--|---|---------------------|-------|--------|
| Description | | Item No. | Diam. | Length |
|  1/1 | Fundus grasper | PO221R | 5 mm | 31 cm |
| | | PO230R | 5 mm | 42 cm |
|  1/1 | Bowel grasping forceps, fenestrated | PO216R | 5 mm | 31 cm |
| | | PO217R | 5 mm | 42 cm |
|  1/1 | Universal grasping forceps, fenestrated | PO128R | 5 mm | 31 cm |
| | | PO229R | 5 mm | 42 cm |

Let 14.

AdTec™ Reusable Monopolar Instruments

Dissecting Forceps

Monopolar Instruments




| | | Complete Instrument | | | |
|---|-----|--|--------------------|-------|--------|
| | | Description | Item No. | Diam. | Length |
| | | | Order by Component | 5 mm | 22 cm |
|  | 1/1 | MARYLAND Dissecting forceps | PO102R | 5 mm | 31 cm |
| | | | PO202R | 5 mm | 42 cm |
|  | 1/1 | MARYLAND Dissecting forceps, insulated to tip | PM165R | 5 mm | 31 cm |
|  | 1/1 | MARYLAND Dissecting forceps, diamond serration | PO237R | 5 mm | 31 cm |
| | | | PO238R | 5 mm | 42 cm |
|  | 1/1 | CROCE/OLMI Dissecting forceps, fenestrated | PO195R | 5 mm | 31 cm |

Lot 15.

AdTec™ Reusable Monopolar Instruments

Biopsy Forceps

Monopolar Instruments

| | | Complete Instrument | | | |
|--|-----------------------------|--------------------------|----------|-------|--------|
| | | Description | Item No. | Diam. | Length |
|  1/1 | Large biopsy forceps | PO500R | 10 mm | 31 cm | |
| | Biopsy forceps, fenestrated | PO501R | 5 mm | 31 cm | |
|  1/1 | Biopsy forceps, fenestrated | PO509R | 5 mm | 42 cm | |
| | Biopsy forceps with teeth | <i>Lot 16.</i> PO505R | 5 mm | 31 cm | |
|  1/1 | Biopsy forceps with teeth | PO511R | 5 mm | 42 cm | |




| Intracorporeal | Description | Item No. | Diam. | Length |
|---|--|----------------------|--------|--------|
|  1/1 | Durogrip™ TC needle holder, straight | PL419R | 3.5 mm | 20 cm |
| | | PL418R | 3.5 mm | 29 cm |
|  1/1 | Durogrip TC needle holder, straight | <i>Lot 18</i> PL407R | 5 mm | 31 cm |
| | | PL404R | 5 mm | 37 cm |
| | | PL416R | 5 mm | 42 cm |
|  1/1 | Durogrip TC needle holder, curved left | <i>Lot 17</i> PL408R | 5 mm | 31 cm |
| | | PL405R | 5 mm | 37 cm |
| | | PL417R | 5 mm | 42 cm |
|  1/1 | Durogrip TC needle holder, curved right | PL413R | 5 mm | 31 cm |
| | | PL415R | 5 mm | 37 cm |
|  1/1 | "The Viper" Durogrip TC suture Assistant/ needle holder, 2 x 3 Teeth | PL409R | 5 mm | 31 cm |
|  1/1 | Super righting needle holder | PL414R | 5 mm | 31 cm |
|  1/1 | Durogrip TC needle holder, fenestrated | PL410R | 5 mm | 31 cm |
|  1/1 | Durogrip TC needle holder, crimped/ fenestrated | PL411R | 5 mm | 31 cm |

Specialty Instruments


Closure

| Port Closure Instrument | Description | Item No. | Diam. | Length |
|-------------------------|--|----------|--------|--------|
| | Fascial suture instrument for subcutaneous closure of trocar incisions. Prevents the risk of postoperative hernias when using 10 mm trocars or bigger. | PL162R | 2.5 mm | 17 cm |
| | Shaft only for PL162R consisting of: outer tube, inner tube and jaw insert | PL163R | | |


Lot 19.




Access & Closure




Pic. 1:
The suture material held by the jaw part of the instrument will be placed under endoscopic visual control through all subcutaneous tissue layers into the abdominal cavity.



Pic. 2 and 3:
The suture material will then be grasped by a holding forceps. The instrument will be introduced into the pneumoperitoneum in the same way at the opposite of the first approach.



The suture material is being grasped by the fascial closure instrument and pulled through all tissue layers.



Pic. 4:
The trocar is being removed and the tightened suture material closed by conventional knot technique.

| Position | Product description | Material | Quantity Unit | List Price EUR | Discount % | Item Price EUR | Total Price EUR |
|----------|---------------------|----------|------------------|-------------------|---------------|-------------------|--------------------|
|----------|---------------------|----------|------------------|-------------------|---------------|-------------------|--------------------|

000010 HD Endoscope, 30°, 4 mm diam., 180 mm, to be used with EJ563R; EJ566A

PE505A

3 PC



000020 NO QUOTE

000030 HD Endoscope, 70°, 4 mm diam., 180 mm, to be used with EJ563R; EJ566A

PE525A

1 PC



000040 Light cable, 4.8 mm diam., 3.5 m, autoclavable, to be used with OP915; OP927; OP930; OP932

OP914

11 PC



000050 Monopolar connecting cable, 4 mm socket, 3.5 m, Erbe T, plug Ø 4 mm

GK245

2 PC



| Position | Product description | Material | Quantity Unit | List Price EUR | Discount % | Item Price EUR | Total Price EUR |
|----------|---------------------|----------|------------------|-------------------|---------------|-------------------|--------------------|
|----------|---------------------|----------|------------------|-------------------|---------------|-------------------|--------------------|

| | | | | | | | |
|--------|--|--------|-------|--|--|--|--|
| 000060 | HD Endoscope, 30°, 10 mm diam., 330 mm | PE909A | 18 PC | | | | |
|--------|--|--------|-------|--|--|--|--|



| | | | | | | | |
|--------|--|-------|-------|--|--|--|--|
| 000070 | Light cable, 4.8 mm diam., 3.5 m, autoclavable, to be used with OP915; OP927; OP930; OP932 | OP914 | 19 PC | | | | |
|--------|--|-------|-------|--|--|--|--|



| | | | | | | | |
|--------|---|-------|-------|--|--|--|--|
| 000080 | Insufflation tube, silicone, 12 mm diam., with luer-lock connector; reusable, to be used with PG060; PG080; PG081 | PG014 | 18 PC | | | | |
|--------|---|-------|-------|--|--|--|--|



| | | | | | | | |
|--------|---|-------|-------|--|--|--|--|
| 000090 | Monopolar connecting cable, 4 mm socket, 3.5 m, Erbe ACC/ICC, plug Ø 5 mm | GK239 | 34 PC | | | | |
|--------|---|-------|-------|--|--|--|--|



000100 SEE BELOW

| Position | Product description | Material | Quantity Unit | List Price EUR | Discount % | Item Price EUR | Total Price EUR |
|----------|---------------------|----------|------------------|-------------------|---------------|-------------------|--------------------|
|----------|---------------------|----------|------------------|-------------------|---------------|-------------------|--------------------|

000280 Reducing sleeve for reusable trocar, straight, blue, 5.5 mm diam., 150 mm, for suture and ligature instruments; for application of R oeder loops; inner diam. 4 mm, to be used with EJ700R; EJ710R; EJ701R; RT096R; RT093R



000290 BABCOCK ADTEC MONOPOLAR Grasping Forceps, complete instrument, straight, working length: 310 mm (12 1/4"), diam. 5 mm, serrated (cross), fenestrated, double action, consisting of PM973R, PO765R, PO959R, non-sterile, reusable



000300 ADTEC MONOPOLAR Grasping Forceps, complete instrument, straight, 310 mm, diam. 5 mm, toothing De Bakey, fenestrated, double action, consisting of PM973R, PO769R, PO958R, reusable



000310 ADTEC MONOPOLAR Grasping Forceps, complete instrument, straight, 310 mm, diam. 5 mm, serrated (coarse), fenestrated, double action, consisting of PM973R, PO647R, PO959R, reusable



| Position | Product description | Material | Quantity Unit | List Price EUR | Discount % | Item Price EUR | Total Price EUR |
|----------|---------------------|----------|------------------|-------------------|---------------|-------------------|--------------------|
|----------|---------------------|----------|------------------|-------------------|---------------|-------------------|--------------------|

000320 MARYLAND ADTEC MONOPOLAR Grasping Forceps, complete instrument, curved, 310 mm, diam. 5 mm, serrated, double action, consisting of PM973R, PO608R, PO958R, reusable

PO102R

9 PC



000330 ADTEC MONOPOLAR Biopsy Forceps, complete instrument, 310 mm, diam. 5 mm, fenestrated, single action, consisting of PM973R, PO626R, PO958R, reusable

PO501R

3 PC



000340 ADTEC TC Needleholder complete instrument, curved to left, 310 mm, diam. 5 mm, non-sterile, reusable

PL408R

3 PC



000350 ADTEC TC Needleholder complete instrument, straight, 310 mm, diam. 5 mm, non-sterile, reusable

PL407R

3 PC



| Position | Product description | Material | Quantity Unit | List Price EUR | Discount % | Item Price EUR | Total Price EUR |
|----------|---------------------|----------|------------------|-------------------|---------------|-------------------|--------------------|
|----------|---------------------|----------|------------------|-------------------|---------------|-------------------|--------------------|

000360 Fascial suture Instrument, 2.5 mm diam., 170 mm, for subcutaneous closure of trocar incisions

PL162R

3 PC



000370 NO QUOTE

000380 NO QUOTE

000390 NO QUOTE

000400 SEE BELOW

000410 MIASPAS TL TROCAR COMPLETE 10MM75MM

EJ342P

2 PC



000420 SEE ABOVE

Our offer is valid until 31.12.2019

Conditions of payment: Advance payment

Conditions of delivery: CPT Chisinau

Only our general terms and conditions are valid, available under our internet homepage.

Sole place of jurisdiction is Tuttlingen.

This document is not an invoice.