



CERTIFICAT D'EXAMEN UE DE TYPE



Le modèle d'équipement de protection individuelle suivant a été soumis à un examen UE de type conformément au module B du règlement sur les EPI (2016/425) et il a été démontré qu'il satisfaisait aux exigences essentielles de sécurité et de santé

Certificate N° 0075/1562/161/02/22/0341

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **CORTINA NV**
MEERSBLOEM-MELDEN 42, 9700 OUDENAARDEM
BELGIUM

Description

PPE Type : *an occupational and ESD control footwear*
Product reference : OXYCLOG(BLUE), OXYCLOG(E.BLUE), OXYCLOG(E.GREEN), OXYCLOG(FUXIA), OXYCLOG(L.BLUE), OXYCLOG(L.GREEN), OXYCLOG(LILAC), OXYCLOG(RED), OXYCLOG(WHITE), OXYCLOG(BLACK)

Construction and material of outsole : INJECTION,TPE

Pictures :

EU 41/42 US 9.5/10
UK 7.5/8.0 CE UK CA CM 26.5/27.0
SAFETY JOGGER
OXYCLOG (BLACK)
11/2020
O/26731
EN ISO 20347:2012 OB A E SRA
PERSONNEL GROUNDING ESD CONTROL FOOTWEAR
EN 61340-5-1:2016
US STANDARD
ASTM F2892-18 SD100
CORTINA NV
Meersbloem-Melden 42, B-9700
Oudenaarde, Belgium
Made in China
Hecho en China
Fabriqué en Chine



Reference standard : EN ISO 20347 : 2012 and EN 61340-5-1:2016

Classification : II **Category :** OB A E SRA

Size range : 35/36--47/48 **Slip resistance :** SRA

Toecap nature : N/A **Insert nature :** N/A

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 02 dated from AUGUST 2022 and the instruction for use index N°V01/2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Séverine AUBERT

CE Expert Team Coordinator

Date of first issue : 21 February 2022

End of validity date : 21 February 2027

Update 01 01 August 2022



En application du règlement 2016/425 du Parlement européen et du Conseil du 9 mars 2016 relatif aux équipements de protection individuelle et abrogeant la directive 89/686 / CEE



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

CORTINA NV

MANUFACTURER'S TECHNICAL FILE

Reference of the product : OXYCLOG(BLUE), OXYCLOG(E.BLUE),
OXYCLOG(E.GREEN), OXYCLOG(FUXIA),
OXYCLOG(L.BLUE), OXYCLOG(L.GREEN),
OXYCLOG(LILAC), OXYCLOG(RED),
OXYCLOG(WHITE), OXYCLOG(BLACK)

Article code :

Technical file index : 02

Last update : AUGUST 2022

IDENTIFICATION

Reference of the product : OXYCLOG(BLUE), OXYCLOG(E.BLUE), OXYCLOG(E.GREEN),
OXYCLOG(FUXIA), OXYCLOG(L.BLUE), OXYCLOG(L.GREEN),
OXYCLOG(LILAC), OXYCLOG(RED), OXYCLOG(WHITE),
OXYCLOG(BLACK)

Article Code :

Basic model

Technical file index : 02

Last update : AUGUST 2022

Manufacturer :

CORTINA NV
MEERSBLOEM-MELDEN 42, 9700 OUDENAARDEM
BELGIUM

tel : 32 55 33 56 56

fax : 32 55 33 56 57

Factory :

DONGGUAN YUYANG SHOE MATERIAL CO.,LTD
HEISHAN INDUSTRIAL AREA, QIAOTOU, HOUIE TOWN, DONGGUAN CITY,
GUANGDONG PROVINCE
CHINA

Tel : 0769-85996066/13926854399

Fax : 0769-85996166

FOOTWEAR DESCRIPTION

Footwear description:

The classification of this footwear is: II : All-rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded) footwear

The design of this footwear is: A : low shoe

Visual description:

General view :



Outsole view :



Reference of the mould : M1842

Range of sizes :

35/36--47/48

Construction and material of outsole :

INJECTION,TPE

Field of use

Hospital (for slip), Medical industry, for mechanical risks

| Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation) | | | | |
|--|--|-------------------------------------|-------------------------------------|---------------------|
| | | Applicable | Covered by | |
| §1 | Requirements defined in the Annex II §1 are applicable to all PPE | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard |
| | | | <input checked="" type="checkbox"/> | Instruction for use |
| | | | <input checked="" type="checkbox"/> | Marking |
| §1.4 | Manufacturer's instructions and information is available | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Standard |
| | | | <input checked="" type="checkbox"/> | Instruction for use |
| | | | <input type="checkbox"/> | Marking |
| §2.2 | PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration. | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard |
| | | | <input checked="" type="checkbox"/> | Instruction for use |
| | | | <input type="checkbox"/> | Marking |
| §2.4 | If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging. | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard |
| | | | <input checked="" type="checkbox"/> | Instruction for use |
| | | | <input checked="" type="checkbox"/> | Marking |
| §2.6 | PPE is intended for use in potentially explosive atmospheres | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard |
| | | | <input checked="" type="checkbox"/> | Instruction for use |
| | | | <input checked="" type="checkbox"/> | Marking |
| §2.12 | PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard |
| | | | <input checked="" type="checkbox"/> | Instruction for use |
| | | | <input checked="" type="checkbox"/> | Marking |
| §3.1.2.1 | The PPE is intended to protect against falls due to slipping | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard |
| | | | <input checked="" type="checkbox"/> | Instruction for use |
| | | | <input checked="" type="checkbox"/> | Marking |
| §3.3 | The PPE is intended to protect against mechanical injuries | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Standard |
| | | | <input checked="" type="checkbox"/> | Instruction for use |
| | | | <input checked="" type="checkbox"/> | Marking |

FOOTWEAR CONSTITUTION

| | Ref | Material | Color |
|---------|-----------|-----------------------------------|---|
| UPPER | 91726-TPE | TPE | BLUE, E.BLUE, GREEN, FUSCHIA, L.BLUE, L.GREEN, LILAC, WHITE, RED, BLACK |
| | 91726-TPE | TPE(back stripe) | BLUE, E.BLUE, GREEN, FUSCHIA, L.BLUE, L.GREEN, LILAC, WHITE, RED, BLACK |
| | 20819-1 | plastic (stud buckle) | WHITE |
| | 20819-2 | plastic (stud) | YELLOW |
| | 20819-3 | small plastic pad of instep | ORANGE |
| OUTSOLE | M1842 | TPE | BLUE, E.BLUE, GREEN, FUSCHIA, L.BLUE, L.GREEN, LILAC, WHITE, RED, BLACK |
| | 20819-4 | rubber insert post of heel(M1842) | Black |

PROTECTION SCOPE

Basic requirements :

This product has been designed to be an occupational and ESD control footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20347 : 2012 : Personal protective equipment - Occupational footwear

EN 61340-5-1:2016

It is a category II product

Requirement of the standard EN ISO 20347 : 2012 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution (SRA)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20347 : 2012 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)


Additional requirements :

The additional requirements are :

- Antistatic footwear
- Energy absorption of seat region

MARKING - PACKAGING

Information printed on the footwear :

- * Logo of the Manufacturer
- * Logo 
- * Manufacturer's type designation
- * Postal address of manufacturer
- * Footwear's reference OXYCLOG(BLUE), OXYCLOG(E.BLUE), OXYCLOG(E.GREEN), OXYCLOG(FUXIA), OXYCLOG(L.BLUE), OXYCLOG(L.GREEN), OXYCLOG(LILAC), OXYCLOG(RED), OXYCLOG(WHITE), OXYCLOG(BLACK)
- * Article code
- * Size
- * Year of manufacture and at least quarter
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements

Marking example :



The location of marking is : inner side of back strap

Method of marking on the footwear :

Laserprinting

Packaging :

one pair in one inner box, 12 boxes per carton

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

| Laboratory | References |
|------------|--------------|
| CTC | D200812911_1 |
| CTC | D200915434_1 |
| CTC | D201118218_1 |
| CTC | D211123571_2 |
| CTC | D220201893_1 |
| INTERTEK | GZHT90877106 |
| INTERTEK | GZHT90883794 |

MEANS OF CONTROL

- A. Choose the proper suppliers for raw material. Any purchase will depend on the good material which can meet relevant physical and chemical requirements of EN ISO 20347:2012 and relevant Regulation (EU) 2016/425 ;
- B. QC will inspect all raw material of mass production before entering warehouse; if material has some defects which cannot be accepted, which will be rejected;
- C. Strictly quality control from cutting, stitching, and moulding; QC will perform relevant inspection for each stage;
- D. Random samples from production line will be carried out relevant items, such as impact resistance, compression resistance, slip resistance and outsole flexing. Any problems, make sure to solve them at once;
- E. QC need to check each pair of shoes when off line, and the shoes with some unacceptable defects will be discarded.
- F. Before products delivery, QC will choose some cartons of shoes for final inspection randomly, in order that every pair of shoes has good quality for delivery.
- G. If the products exported to EU, will apply for EU type examination and EU certificate.
- H. Will inspect DMFu, PAHs...chemical tests per year and inspect SRA, upper tensile...critical physical tests per batch.

PPE subject to ageing :

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available on : <http://dw.safetyjogger.com/?dir=certificates/>