



Backrest



Legrest



Auto Contour



Knee Break



High / Low



Trendelenburg



Rvs. Trendelenburg



Cardiac Chair

INFINITUM SERIES

IN 44 ELECTRONIC INTENSIVE CARE BED, COLUMNAR MOTOR

The INFINITUM 44 Bed provides an intuitive, empowering experience for your patients and your caregivers. It's simple yet sophisticated design and innovative features promote patient safety and satisfaction, while helping streamline caregiver workflows. Enhancing Patient Safety and Satisfaction



- Linak brand Columnar Motors
- Electrical operated backrest, height and legrest adjustment
- Electrical operated Trendelenburg, Reverse Trendelenburg, fowler and vascular position
- Footrest adjustment by ratchet
- Remote control for adjusting positions
- Auto-CPR
- Auto Regression system on backrest
- Auto contour
- Hygienic design (PP), lockable and tuck away side rails
- Easy removable ABS mattress platform
- Removable head and footboards
- Electrostatic epoxy painted metal frame
- Height adjustable stainless steel IV pole
- Protective plastic crash bumpers on four corners
- Central Lockable Castors, 150mm
- Angle indicator for backrest
- Angle indicator for Trendelenburg and reverse Trendelenburg positions
- Cardiac chair position
- Shock position
- Semi-Fowler position
- Bed exit position
- Examination position
- CPR activation with one touch button
- Foot end nurse control panel
- Urine bag holder
- Activation key at remote control to prevent any undesired positions
- Dual sided manual CPR levers at backrest (optional)
- X-ray translucent HPL backrest with X-ray cassette holder (optional)
- Rechargeable Battery Backup (optional)
- Integrated Linak brand weight scale system (optional)
- Bed size extension (optional)
- IPX6 standard electronic system

TECHNICAL DETAILS

Overall Length:	216 cm
Overall Width:	102 cm
Height:	44-84 cm
Trendelenburg:	0°-16°
Reverse Trendelenburg:	0°-16°
Backrest Angle:	0°-70°
Legrest Angle:	0°-35°
Castor Diameter:	15 cm
Under bed Clearance:	15 cm
Product Weight:	130 kg
Safe Working Load:	250 kg


ELECTRICAL DATA

Power In:	1.5A max. At 230V AC 50-60 Hz
Electrical Shock Protection:	Class I, Type B
Liquid Ingress Protection:	IPX6

Accessories



Central Brake Castors
150 mm



Nurse Control
Panel



Rechargeable Battery
Backup



X-Ray Translucent Backrest
with Cassette Holder



Dual Sided Manual
CPR at Backrest



Control Panels
Embedded on Side Rails



Oxygen Cylinder Holder



Stationary Headboard



Urine Bag Basket



Bed Extension



Lifting Pole




Monitor & Defibrillator
Shelf



Weighing Scale System



Nurse Panel Shelf



Orthopedic Traction
System

Color Options



P01



P02



P03



P04



P05



P06



P07



P08