



LIGHT TOWER

www.gucbirjenerator.com

.

GIICR4R

GJY75MT-L SERIES LIGHT TOWERS

GENERAL	Product Code	GJY75MT-L
	Standby Power	75kVA/60kW
	Prime Power	68kVA/54,4kW
	Standart Voltage	400/230V
	Frequency	50Hz
ENGINE	Brand	YANG DONG
	Model	YD4EZLD
	Fuel, Cooling, Speed	DIESEL, WATER COOLED, 1500rpm
ALTERNATOR	Alternator Type	Maranello M75
	Standby Power	75
LIGTING TOWER	Lamp Type	LED
	Lamp Power	200W
	Lamp Quantity	4
	Mass Height	7.5m
	Mass Lifting System	Mechanic
DIMENSIONS	Width (A-A1)	1450/1720
	Length (B-B1)	2450/4125
	Height (C-C1)	2340/7500
	Fuel Tank Capacity	300



GUCB4R GENERATOR

STANDARD EQUIPMENT

- 2500 hours salt spray tested galvanized sheet metal cabinet
- Resistance to wind speeds of 60-70 km
- 4x200 watt Led lamps
- 7.5 m Mechanical pole
- Mechanical stabilizer
- Single axle trailer
- Removable drawbar
- Single-phase and three-phase energy sockets on the cabin
- Suitable for outdoor use.

SPECIFICATIONS

- Designed for long term working conditions.
- 1500 rpm, water cooled
- Led lamp is used as standard
- Optionally halide lamps are used.
- The structure of the tower poles is produced as galvanized.
- It is produced as 7.5m as standard.
- It provides ease of transportation thanks to its trailer structure.
- The product structure is designed to be loaded on top of each other and provides transportation advantage.
- It has low noise level
- Single-phase and three-phase energy is possible on the light







