



The Mercedes-Benz Sprinter.

Prices effective from April 2022.

Mercedes-Benz



The Mercedes-Benz Sprinter.

2 van models:



Panel Van - 3 seats



Chassis Cab - 3 seats

Available in 2 emission categories:
Euro 6d temp (Light duty)
Euro IV (Heavy duty)

4 lengths:



Compact 5267mm.



Standard 5932mm.



Long 6967mm.



Extra Long 7376mm.

3 heights



Standard roof 2356mm.



High roof 2638mm.



Super-high roof 2861mm.

Discover more about the other Mercedes-Benz Sprinter models in our range:

➤ <https://www.mercedes-benz.ie/vans/en/sprinter>

The Sprinter Panel Van.

Features included as standard in the FWD Sprinter Panel Van:

Interior

- Comfort overhead control panel
- Co-driver's double seat
- Eco Start/Stop
- Dashboard charging pack
- Digital radio (DAB)
- Full-width partition
- Multi-function steering wheel
- Comfort driver seat
- Armrest for driver's seat
- Driver airbag

Exterior

- Headlight assistant
- Sliding left door
- Electrically adjustable heated mirrors

Safety, security and connectivity

- Keyless start
- Crosswind ASSIST
- Breakdown management
- Reversing camera
- MBUX multimedia system with 7-inch touch screen

Additional features included with the RWD Sprinter Panel Van:

- Cruise control
- Radiator grille frame in vehicle colour
- Lumbar support, driver's seat
- Rear doors, double-wing, opening to side wall
- Rear door step

From €26,600*

*Based on a Sprinter 211.32 3.0t low-roof

➤ [Arrange a test drive at your nearest Dealership](#)



Image shows upgraded alloy wheels



Colours and upholstery.

Solid paints



Arctic White



Jupiter Red



Steel Blue



Blue Grey



Jet Black

Metallic paints



Cavansite Blue Metallic



Tenorite Grey Metallic



Selenite Grey Metallic




Obsidian Black Metallic




Iridium Silver Metallic


Interior upholstery



Maturin black fabric



Caluma black fabric



Black ARTICO man-made leather

➤ [For paint pricing, see page 10](#)

➤ [For upholstery pricing, see page 12](#)

Engine and gearbox.

	Euro 6d-TEMP				Euro VI		
	x11CDI	x14CDI	x15CDI	x17CDI	x14CDI	x16CDI	x19CDI
Fuel	Diesel				Diesel		
Mixture preparation/ injection method	Common-rail direct injection with twin stage turbocharging				Common-rail direct injection with twin stage turbocharging		
Cylinder arrangement	4 cyl 16v				4 cyl 16v		6cyl 24v
Cubic capacity	2,143cc		1,950cc		2,143cc		2,987cc
EU exhaust emission standard	Euro 6d-TEMP				Euro VI		
Output, max. at 3,800rpm	114hp	143hp	150hp	170hp	143hp	163hp	190hp
	84kW	105kW	110kW	125kW	100kW	120kW	140kW
Torque, max.	300 Nm at 1,200-2,200rpm	330 Nm at 1,200-2,400rpm	340 Nm at 1,500-2,400rpm	380 Nm at 1,600-2,400rpm	330 Nm at 1,200-2,400rpm	360 Nm at 1,400-2,400rpm	440 Nm at 1,400-2,400rpm
Fuel tank capacity FWD	65 Litres		-	-	-		
Fuel tank capacity RWD	-		71 litres		71 litres		
AbBlue ® capacity	22 litres				22 litres		
6-speed manual transmission	●	●	●	●	●	●	●
7G-TRONIC	-	-	-	-	○	○	○
9G-TRONIC	○	○	○	○	○	○	○
Front-wheel drive	●	●	-	-	-	-	-
Real-wheel drive	-	-	●	●	●	●	●
Alternator	14 V / 175 A		14 V / 180 A		14 V / 180 A		
Battery	Heavy-duty battery (12v 92 aH)				Heavy-duty battery (12v 92 aH)		

● Standard ○ Optional - Not available

Fuel consumption, performance and CO₂ emissions.

Euro 6d-TEMP						
Model	Emissions	Combined	Low Speed	Medium Speed	High Speed	Extra High Speed
	CO2 g/km	L/100km	L/100km	L/100km	L/100km	L/100km
FWD						
211.32 High roof	237	9	10	8.3	7.6	10.4
211.32 low roof	231	8.8	9.9	8.2	7.3	10.1
211.39 high roof	239	9.1	10.1	8.4	7.7	10.4
211.39 low roof	233	8.9	10	8.3	7.4	10.2
214.32 high roof	237	9	9.8	8	7.8	10.4
214.32 low roof	229	8.7	9.7	7.9	7.5	9.9
214.39 high roof	240	9.2	10	8.2	7.9	10.5
214.39 low roof	232	8.8	9.9	8	7.6	10
311.32 High roof	240	9.2	10.3	8.5	7.8	10.4
311.32 low roof	234	8.9	10.2	8.4	7.5	10.1
311.39 high roof	242	9.2	10.4	8.6	7.9	10.4
311.39 low roof	236	9	10.3	8.5	7.6	10.1
314.32 high roof	242	9.2	10.1	8.3	7.9	10.6
314.32 low roof	234	8.9	10	8.1	7.7	10
314.39 high roof	245	9.3	10.2	8.4	8	10.7
314.39 low roof	237	9	10.1	8.2	7.8	10.1
RWD						
311.36 CDI VAN Low roof	234	8.9	9.4	8	7.7	10.5
311.36 CDI VAN (3500KG)	241	9.2	9.5	8.1	8	10.9
315.36 CDI VAN (3500KG)	244	9.3	9.2	8.2	8	11.1
317.36 CDI VAN (3500KG)	245	9.3	9.3	8.2	8.1	11.1
314.43 CDI VAN Long (3500KG)	288	11	10.1	9.4	9.2	13.7
315.43 CDI VAN Long (3500KG)	251	9.6	9.6	8.5	8.3	11.4
316.43 CDI VAN Long (3500KG)	288	11	10.5	9.5	9.3	13.4
317.43 CDI VAN Long (3500KG)	253	9.6	9.6	8.6	8.4	11.3
317.43 CDI VAN Long (3500KG) A/T	263	10	10.6	9.1	8.8	11.5
319.43 CDI VAN Long (3500KG) A/T	327	12.5	14	11.4	10.9	13.8
314.43 CDI VAN Extra Long (3500KG)	288	11	10.1	9.4	9.2	13.7
315.43 CDI VAN Extra Long (3500KG)	252	9.6	9.6	8.5	8.3	11.4
316.43 CDI VAN Extra Long (3500KG)	288	11	10.5	9.5	9.3	13.4
317.43 CDI VAN Extra Long (3500KG)	253	9.7	9.7	8.6	8.4	11.4
319.43 CDI VAN Extra Long (3500KG) A/T	327	12.5	14	11.4	10.9	13.8
414 - 43 CDI VAN (4100KG)	293	11.2	10.5	9.5	9.8	13.5
417 - 43 CDI VAN (4100KG)	245	9.3	10	8.9	8.5	9.9
419 - 43 CDI VAN (4100KG)	327	12.5	14	11.4	10.9	13.8

All figures are based on a standard specification. The choice of wheels and transmission may affect CO₂ emissions and corresponding Road Fund Licence. The indicated values were determined according to the prescribed measurement method – Worldwide Harmonised Light Vehicle Test Procedure (WLTP). Figures shown may include options which are not available in Ireland. Figures shown are for comparability purposes; only compare with other vans tested to the same technical procedures. Figures may not reflect real life driving results, which will depend upon a number of factors including factory-fitted options, accessories fitted (post registration), variations in weather, driving styles and vehicle load. Further information about the test used to establish fuel consumption and CO₂ figures can be found at <https://www.mercedes-benz.ie/vans/en/WLTP>

Euro 6d-TEMP						
Model	Emissions	Combined	Low Speed	Medium Speed	High Speed	Extra High Speed
	CO2 g/km	L/100km	L/100km	L/100km	L/100km	L/100km
RWD						
414 - 43 CDI VAN (4600KG)						
416 - 43 CDI VAN (4600KG)						
514 - 43 CDI VAN (3500KG)						
516 - 43 CDI VAN (3500KG)						
519 - 43 CDI VAN (3500KG) A/T						
519 - 36 CDI VAN (3500KG) A/T						
514 - 43 CDI VAN (4600KG)						
516 - 43 CDI VAN (4600KG)						
519 - 43 CDI VAN (4600KG) A/T						
514 - 43 CDI VAN (5000KG)						
516 - 43 CDI VAN (5000KG)						
519 - 43 CDI VAN (5000KG) A/T						
514 - 43 CDI VAN (5500KG)						
516 - 43 CDI VAN (5500KG)						
519 - 43 CDI VAN (5500KG) A/T						
514 - 43 CDI VAN extra long (3500KG)						
516 - 43 CDI VAN (3500KG)						
519 - 43 CDI VAN (3500KG) A/T						
514 - 43 CDI VAN (5000KG)						
516 - 43 CDI VAN (5000KG)						
519 - 43 CDI VAN (5000KG) A/T						
514 - 43 CDI VAN (5500KG)						
516 - 43 CDI VAN (5500KG)						
519 - 43 CDI VAN (5500KG) A/T						

Coming soon.

Weights and payloads.

Euro VI				
Model	Kerb weight (kg)	Gross Vehicle Weight (kg)	Payload (kg)	Gross Train Weight (kg)
Panel Van - PROGRESSIVE				
419 - 43 CDI VAN (4100KG)	2498	4100	1602	6100
414 - 43 CDI VAN (4600KG)	2587	4600	2013	6600
416 - 43 CDI VAN (4600KG)	2587	4600	2013	6600
514 - 43 CDI VAN (3500KG)	2621	3500	879	5500
516 - 43 CDI VAN (3500KG)	2621	3500	879	5500
519 - 43 CDI VAN (3500KG) A/T	2654	3500	846	5500
519 - 36 CDI VAN (3500KG) A/T	2508	3500	992	5500
514 - 43 CDI VAN (4600KG)	2629	4600	1971	6600
516 - 43 CDI VAN (4600KG)	2629	4600	1971	6600
519 - 43 CDI VAN (4600KG) A/T	2671	4600	1929	6600
514 - 43 CDI VAN (5000KG)	2629	5000	2371	7000
516 - 43 CDI VAN (5000KG)	2629	5000	2371	7000
519 - 43 CDI VAN (5000KG) A/T	2671	5000	2329	7000
514 - 43 CDI VAN (5500KG)	2660	5500	2840	7000
516 - 43 CDI VAN (5500KG)	2660	5500	2840	7000
519 - 43 CDI VAN (5500KG) A/T	2702	5500	2798	7000
514 - 43 Extra long CDI VAN (3500KG)	2656	3500	844	5500
516 - 43 CDI VAN (3500KG)	2656	3500	844	5500
519 - 43 CDI VAN (3500KG) A/T	2689	3500	811	5500
514 - 43 CDI VAN (5000KG)	2664	5000	2336	7000
516 - 43 CDI VAN (5000KG)	2664	5000	2336	7000
519 - 43 CDI VAN (5000KG) A/T	2706	5000	2294	7000
514 - 43 CDI VAN (5500KG)	2695	5500	2805	7000
516 - 43 CDI VAN (5500KG)	2695	5500	2805	7000
519 - 43 CDI VAN (5500KG) A/T	2737	5500	2763	7000
319 CDi Van L3 H2 RWD	2,492	3,500	1,008	5,500
319 CDi Van L4 H2 RWD	2,539	5,000	961	7,000
514 CDi Van L2 H2 RWD	2,492	5,000	2,508	7,000
514 CDi Van L3 H2 RWD	2,656	5,000	2,344	7,000
514 CDi Van L4 H2 RWD	2,702	5,000	2,298	7,000
516 CDi Van L2 H2 RWD	2,492	5,000	2,508	7,000
516 CDi Van L3 H2 RWD	2,656	5,000	2,344	7,000
516 CDi Van L4 H2 RWD	2,702	5,000	2,298	7,000
519 CDi Van L2 H2 RWD	2,525	5,000	2,475	7,000
519 CDi Van L3 H2 RWD	2,689	5,000	2,311	7,000
519 CDi Van L4 H2 RWD	2,735	5,000	2,265	7,000

For the information on a Sprinter platform vehicle or Chassis Cab please speak to your local Dealer:

➤ [Find your nearest Dealership](#)

Dimensions.

STANDARD, HIGH ROOF, REAR WHEEL DRIVE – PANEL VAN*		
Wheelbase	Wheelbase length	3,665mm
	Turning circle	13.3m
	Front track width	1,726mm
	Rear track width	1,732mm
Vehicle	Length	5,932mm
	Height (unladen)	2,650mm
	Width (inc. wing mirrors)	2,345mm
	Ground clearance	188mm
Load compartment	Load floor length	3,375mm
	Max. width	1,787mm
	Width between wheel arches	1,350mm
	Height	2,009mm
	Rear loading height (step height from ground to load floor)	656mm

