

ISUZU 4×2 Tractor Truck



project	Descriptions	Specifications
Basic	Truck model	QL4180W6JDR
	Overall dimensions(mm)	5940×2540×3970
	curb weight(Kg)	6870
	Total mass(Kg)	35000
	Max speed(Km/h)	89
	Persons in cab	3
Chassis	Chassis brand	ISUZU
	Drive form	4*2
	Steering wheel	Left hand drive
	Steering device	Power assisted steering
	Wheelbase(mm)	3600
	Engine brand and model	ISUZU/6WG1-TCG61
	Max engine power(Kw)	338
	Engine displacement(ml)	15681
	Engine emission standard	Euro 6
	Number of engine cylinders	6
	Fuel type	Diesel
	Gearbox	ZF12 AMT,12 speed forward 2 reverse
	Front/rear axle(t)	6.5/10
	Suspension	Multi leaf springs
	Brake system	Front/Rear Drum full air braking
	Wheels and tyre size	6+1/(295/80R22.5)
	Cab configuration	High-roof double sleeper cab, air conditioning, radio, MP3 and USB port
	Rated voltage	24V,DC
Cab color	White,other color is optional	

30,000 CBM semi trailer fuel tank truck



project	Descriptions	Specifications
Basic	Truck model	AK9401GYLV
	Overall dimensions(mm)	10800×2500×3800
	curb weight(Kg)	6000
	Loading capacity(Kg)	34000
	Total mass(Kg)	40000
Body	Tank volume(L)	30000
	Tank material	aluminum alloy
	Tank thickness(mm)	6
	Number of independent compartments	4
	Top lift guardrail	YES
	European standard mouth(pcs)	4
	emergency shutoff valve(pcs)	1
	Discharge orifice	DN80
	Oil gas recovery unit	YES
	Bottom feed port	YES
	Anti-overflow alarm	YES
	fuel transfer pump	YES
	Fuel nozzle	YES
	tool box(pcs)	1
	delivery hose(pcs)	2
	fire extinguisher(pcs)	2
electrostatic belt(pcs)	1	
Chassis	Number of axle	3
	Axle brand	FUWA
	Tire model	12R22.5
	Number of tires	12
	ABS	YES
	Wheelbase(mm)	4980+1310+1310

Movable leg	2
Leg load(T)	28
Traction post	1
spare wheel carrier	1
suspension form	air suspension
brake mode	air