

MXM600 TETRA mobile radio

MXM600 Mission-Critical
TETRA mobile radio

Frontline safety, today and tomorrow.

The MXM600 TETRA mobile radio supports various installation options including: control room, vehicle, and custom installation. The radio includes noise suppression technology, trained through AI machine learning. It has Wi-Fi over-the-air Programming, Bluetooth® 5.3, and automated configuration to ease installation.



MOTOROLA SOLUTIONS

MXM600

TETRA mobile radio



MXM600 dash/desk mount



MXM600 single remote



MXM600 dual remote



MXM600 databox

Mobile Microphones

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Desktop microphone with push-to-talk Compatible with desk mount installation. Transmit only.	RMN5106	Heavy duty fist microphone with push-to-talk Compatible with dash/desk, single remote, dual remote mounts. Transmit only.	RMN5111
			
DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Remote Speaker Microphone with 3.5mm jack Volume control and emergency button. Compatible with dash/desk, single remote, dual remote mounts.	PMMN4086	Compact mobile fist microphone with push-to-talk Compatible with dash/desk, single remote, dual remote mounts. Transmit only.	RMN5107
			
DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
IMPRES™ visor microphone Requires external PTT. Compatible with dash mount/remote mount.	RMN5054	Visor mounted microphone Requires external PTT. Compatible with dash mount/remote mount.	PMMN4087
			



Mobile handset

DESCRIPTION	PART NUMBER
IMPRES™ telephone style handset kit Compatible with dash/desk, single remote, dual remote mounts..	MDHLN7016



Wireless remote speaker microphone

DESCRIPTION	PART NUMBER
WM500 bluetooth remote speaker microphone Equipped with a windporting microphone, emergency button, 4 front programmable buttons, volume control, 3.5mm audio jack,USB-C charging. The WM500 also works with PTT-over-cellular applications.	PMMN4127



Speakers

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
13W external speaker Compatible with dash/desk, single remote, dual remote mounts.	RSN4002	7.5W external speaker Compatible with dash/desk, single remote, dual remote mounts.	RSN4003	5W external speaker Compatible with dash/desk, single remote, dual remote mounts..	RSN4004




DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Speaker extension cable Compatible with external speakers RSN4002/RSN4003/RSN4004.	PMKN4119	15.6W Speaker Supports narrowband and wideband audio. Compatible with MXM600 dash/desk, single remote, dual remote mounts	AC000240A02





Push-to-talk and specific kits

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Push button push-to-talk Can be held in the hand or mounted to vehicles. Compatible with dash mount/remote mount.	RLN5926	Gooseneck push-to-talk Placed in the steering wheel column, it remotely activates the PTT in the microphone. Compatible dash, single remote, dual remote mounts.	RLN4858	Emergency foot switch Easily and secretly triggers an emergency signal that is sent to the base station. Compatible with dash, single remote, dual remote mounts.	RLN4836
					


DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
External alarm relay Compatible with dash, single remote, dual remote mounts.	GMLN5091	Cable with 26-pin rear connector 26-pin rear connector with pre-crimped, open-ended cable, compatible with all mobile models	PMKN4303A
			





Junction box and cables

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Data junction box with accessory connector Compatible accessories: RMN5106, RMN5111, PMMN4086, RMN5107, MDHLN7016, RMN5054, PMMN4087, RSN4002, RSN4003, RLN5926, RLN4858, RLN4836, PMKN4120, PMKN4119 Compatible with all MXM600 models.	GMLN7825	5m junction box to transceiver cable Compatible with all MXM600 models.	PMKN4302	4m junction box to transceiver cable Compatible with all MXM600 models.	PMKN4301
					

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
2m junction box to transceiver cable Compatible with all MXM600 models.	PMKN4300	Expanded accessory terminal kit Hardware kit for use with the expanded accessory connector (includes 16 connector pins, (9) 8" wires with pins attached and an extra housing). Compatible with dash mount/remote mount.	HLN9457
			

Mounting solutions for control heads

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Standard remote mount trunnion kit Compatible with remote mount.	PMLN4912	Enhanced control head DIN trunnion Compatible with remote mount.	PMLN5093	Motorcycle enhanced control head trunnion Compatible with remote mount.	PMLN5092	Slim mounting bracket for control head Compatible with TSCH only.	PMLN6346
							

Mounting solutions for transceivers

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
High profile mounting trunnion Compatible with all MXM600 transceivers.	PMLN8620A	DIN mounting kit Compatible with all mobile transceivers.	PMLN5094	Key lock mounting bracket Compatible with all mobile transceivers.	RLN4779
					

Desktop mounting solutions

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Base tray without speaker Compatible with desk mount.	GLN7318	Desktop tray with 5W speaker Compatible with desk mount.	RSN4005
			



Power solutions

DESCRIPTION	PART NUMBER
Wedge power supply AC-DC power adapter. Small compact design and true desktop styling. 6 Amp continuous usage. Requires DC cable PMKN4305A and line cord. Compatible with desk mount.	PMPN4076



DESCRIPTION	PART NUMBER
DC power cable For use with PMPN4076 AC-DC power adapter.	PMKN4305A



DESCRIPTION	PART NUMBER
Power cable Right-angled connector. Compatible with desk mount.	NTN7375 - UK plug
	NTN7373 - US plug
	NTN7374 - EURO plug



Cables

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
RJ50 Ethernet control head cable Compatible with IP54 RECH & TSCH 	PMKN4280 .5m	Multi radio control cross over ethernet cable 	PMKN4176 0.5m	IP67 RJ50 Ethernet control head cable Compatible with IP67 RECH 	PMKN4320A 3m
	PMKN4141 3m		PMKN4177 3m		PMKN4321A 5m
	PMKN4140 5m		PMKN4178 7m		PMKN4322A 7m
	PMKN4139 7m				PMKN4323A 10m
	PMKN4138 10m				PMKN4324A 15m
	PMKN4136 12m				PMKN4325A 40m
	PMKN4146 15m				
	PMKN4135 40m				



Cables (continued)

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
IP54 RECH accessory Y-cable 	PMKN4133	Telephone style control head accessory Y-cable 	PMKN4134	Accessory Y-cable connector kit For extending audio from rear of ethernet control head and telephone style control head.	PMLN6487	Y-cable for IP67 RECH 	PMKN4333

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
IP67 expansion cables for IP67 RECH 	PMKN4429 2.3m PMKN4456 4m	IP54 expansion cables for IP54 RECH 	GMDN3836 2m

Telephone style control head identification

DESCRIPTION	PART NUMBER
Colour strip Pack of five.	PMLN6339 (White)
	PMLN6339 (Green)
	PMLN6339 (Red)
	PMLN6339 (Yellow)
	PMLN6339 (Blue)



Programming and data cables

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Active data cable RS232-to-26 pin rear accessory connector data cable Compatible with dash mount/remote mount/motorcycle mount/data mount.	PMKN4104	Mobile programming cable GCAI MMP-to-USB cable. Programming from the front of the radio control head connection. Compatible with dash/desk mount and remote mount with IP54 RECH and IP67 RECH.	HKN6184	USB flash cable USB-to-26-pin rear accessory connector cable. USB cable to connect to the rear of the transceiver.	PMKN4110 iTM (Integrated Terminal Management)
					

Battery power cables

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Ignition sense cable Compatible with all transceivers.	PMKN4120	12v power cable to battery with fuse 15a (1m) Compatible with all transceivers.	PMKN4289 1m
			PMKN4243 3m
			PMKN4275 6m
			



Combined antennas

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Combined antenna TETRA/GPS 380 - 430mhz sma Mounting Type: direct Dimension (HxWxL) (mm): 18 x 50 x 60 Height: 154mm	GMAE4507	Gps only antenna panel mount sma mounting type: direct (panel/roof) Dimension (HxWxL) (mm): 18x50x60.	GMAG4253
			

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
GPS only antenna magnetic mount sma Mounting type: magnetic mount Dimension (HxWxL) (mm): 18x50x60.	GMAG4254	TETRA 350-470 MHz/BT/WiFi/GNSS combined antenna direct mount	PMAE4115
			

DESCRIPTION	PART NUMBER
TETRA 350-470 MHz/BT/WiFi/GNSS magnetic antenna	PMAE4116
	





TETRA mobile antennas 380 - 430mhz

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Antenna panel mount 380 - 430 MHz. Mounting Type: panel mount Height: 176mm	GMAE4255	Antenna magnetic mount 380 - 430mhz Mounting Type: magnetic mount. Height: 165mm.	GMAE4256	Antenna covert strip 410 - 430mhz Mounting type: glass mountable strip. Dimension (HxWxL) (mm): 2.5 (6.5 At cable entry) x19x217.	GMAE4258
					

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Antenna covert strip 410 - 430mhz Mounting type: glass mountable strip. Dimension (HxWxL) (mm): 2.5 (6.5 At cable entry) x19x217.	GMAE4259	Antenna TETRA wall mount 380 - 400 mhz Mounting type: 4 screws to a wall or other surface. Dimension (HxWxL) (mm): 252 x 32.7	GMAE4262	Antenna wall mount 410-430mhz Mounting type: 4 screws to a wall or other surface. Dimension (HxWxL) (mm): 252x32.7	GMAE4263
					

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Antenna motorcycle mount 380 - 400mhz Mounting type: centre bolt with adhesive pad. Height: 420mm. Base diameter: 35mm.	GMAE4266	Antenna motorcycle mount 410 - 430 mhz Mounting type: centre bolt with adhesive pad. Height: 355mm. Base diameter: 35mm.	GMAE4267
			





TETRA mobile antennas 430-470mhz

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Antenna glass mount 450 - 470MHz Mounting type: external glass mount Height: 176mm	GMAE4270	Antenna panel mount 430 - 470mhz Mounting type: panel mount. Height: 176mm	GMAE4271	Antenna magnetic mount 430 - 470mhz Mounting type: magnetic Height: 140mm	GMAE4272
					

DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER
Antenna covert strip 430 - 465mhz Mounting type: glass mountable strip. Dimension: (HxWxL)(mm): 2.5 (6.5 At cable entry) x 19 x 217	GMAE4273	Antenna wall mount 450 - 470mhz Mounting Type: 4 screws to a wall or other surface Dimensions: (HxWxL) (mm): 220 x 32.7 x 150	GMAE4275
			

GPS only antenna

DESCRIPTION	PART NUMBER
Combined antenna TETRA/GPS 380 - 430mhz sma	GMAE4507
Mounting Type: direct Dimension (HxWxL) (mm): 18 x 50 x 60 Height: 154mm	



Bluetooth/Wifi only antenna

DESCRIPTION	PART NUMBER
BT/Wifi magnetic antenna	AN000459A01





To learn more, visit: www.motorolasolutions.com/mxm600



Motorola Solutions UK Ltd. Nova South, 160 Victoria Street, London, SW1E 5LB, United Kingdom

All specifications are subject to change without notice.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2024 Motorola Solutions, Inc. All rights reserved. 07-2024 [CK03]