

Category		Description	Footnote
Operating	1, 2	Windows 11 Pro 64-bit (Acer recommends Windows 11 Pro for business.)	
system		Windows 11 Home 64-bit.	
		UEFI Shell	
CPU and chipset	1	CPU	
		• Intel [®] Core [™] i9 14th gen processors, Intel [®] UHD Graphics 770	
		• Intel [®] Core [™] i7 14th gen processors, Intel [®] UHD Graphics 770	
		• Intel [®] Core [™] i5 14th gen processors, Intel [®] UHD Graphics 770 / 730	
		• Intel [®] Core [™] i3 14th gen processors, Intel [®] UHD Graphics 730	
		Chipset	
		Intel® B760 Chipset	
Memory	1, 3, 4	·	
Storage	1, 5	Hard disk drive	
_		2048 GB M.2 2280 PCI-e Gen4 Performance SSD	
		1024 GB M.2 2280 PCI-e Gen4 Performance SSD	
		512 GB M.2 2280 PCI-e Gen4 Performance SSD	
		1024 GB M.2 2280 PCI-e Gen4 SSD	
		512 GB M.2 2280 PCI-e Gen4 SSD	
		256 GB M.2 2280 PCI-e Gen4 SSD	
Display		Touch support: N	
		• Size (Inches): 23.8	
		Display max resolution: 1920*1080	
		Backlight: LED	
		Brightness (cd/m2): 250nits	
		Aspect ratio: 16:9	
Audio		Built-in stereo speakers	
Webcam		Video conferencing	
		Integrated 5.0 MP webcam with 2 stereo microphones	
Communication		WLAN	
		802.11ax/ac/a/b/g/n, Wi-Fi 6E and Bluetooth® 5.3	
Input and output		Front/Side I/O connectors	
		Card reader: N	
		Audio jack(s): 1	
		USB 3.2 Gen1 5Gbps Type A port(s): 2	
		USB 3.2 Gen2x2 20Gbps Type C port(s): 1	
		Rear I/O connectors	
		HDMI port(s)	
		Port 1	
		HDMI-in	

Veriton Z2724G (W	in11) Specifications (v2-0-1)	
	DisplayPort (DP) ports: 1	
	• LAN port(s): 1	
	USB 2.0 Type A port(s): 1	
	 USB 3.2 Gen2 10Gbps Type A port(s): 2 	
Expansion slot(s)	M.2 slot (for SSD): 2	
	M.2 slot (for WLAN): 1	
Commercial	TPM v2.0 (Trusted Platform Module)	
features	One-button recovery (OBR)	
	Kensington lock slot	
	100% solid capacitors	
	Hard drive password protection (via BIOS)	
	WOL (Wake On Lan)	Ī
Dimensions and	Dimensions	
weight	• 540.4 (W) x 48.41 (D) x 341.8 (H) mm (21.28 x 1.91 x 13.46 inches)	
Hinge	Panel tiltable from -5° to 35°, Swivel: +/- 30°, Pivot:90°, Height	
	Adjustment:155mm	
Power supply	Adapter	
and adapter	3-pin 120 W AC adapter	
	3-pin 135 W AC adapter	
System	RoHS	
compliance	DMI	
	GS	
	ENERGY STAR®	
	PC2001	
	EPEAT Silver [®] design (EPEAT registration varies by country)	6
Certification	EPEAT Silver	
	BSMI	
	CCC	
	CE	
	FCC	
	СВ	

- 1. Specifications vary depending on model.
- 2. 64-bit software is required to enjoy the advantages of 64-bit processing.
- 3. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
- 4. Memory speed may vary, depending on the CPU, chipset or memory fitted.
- 5. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.
- 6. EPEAT® registration varies by country and configuration. See http://www.epeat.net/ for registration status for each country.

Arc, Arria, Celeron, Cyclone, eASIC, Intel Ethernet, Intel,the Intel Iogo, Intel Agilex, Intel Atom, Intel Core, Intel Evo, Intel Inside, the Intel Inside Iogo, Intel Optane, Intel vPro, Iris, Killer, MAX, Movidius, Pentium, Intel RealSense, Intel Select Solutions, Intel Si Photonics, Stratix, the Stratix Iogo, Tofino, Ultrabook, Xeon are trademarks of Intel Corporation or its subsidiaries.

Veriton Z2724G (Win11) Specifications (v2-0-1)

© 2024. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.















Appendix

v2-0-1 (Ver. 2)

Communication

[update]

802.11ax/ac/a/b/g/n, Wi-Fi 6E and Bluetooth® 5.3

Dimensions and weight

System compliance

[add]

EPEAT Silver [®] design (EPEAT registration varies by country)