

SPECIFICATION

NO	Item No	Description	Adhesive	Packaging	Size (± 1mm)
1	SF01	Foam, Solid gel	High-tack	50 pcs/Pack, Pack size: 200*270mm 40 Packs per carton Carton size:400*360*280mm	36*44
2	SF02	Foam, Solid gel	High-tack	50 pcs/Pack, Pack size: 200*270mm 40 Packs per carton Carton size:400*360*280mm	42*45
3	SF03	Foam, Solid gel	High-tack	50 pcs/Pack, Pack size: 200*270mm 40 Packs per carton Carton size:480*360*280mm	54.3*49.3









Foam ECG Electrode

- Medical grade foam
- American imported AG/AGCL sensor
- Excellent signal transmission
- high tack,short/long-term monitoring
- ICU/CCU, Anesthesiology

KONIX® CATHETER GEL^(STERILE)

KONIX® KATETER JEL / KONIX® GEL POUR CATHÉTER / KONIX® GEL DE CATÉTER



Cardboard Camera Cover



REF 202-01

REF NO	PRODUCT NAME	STERILIZATION	PACKAGING UNIT
202-15	Cardboard Camera Cover 14x140 cm	EO	50 pcs inner box
202-01	Cardboard Camera Cover 14x250 cm	EO	400 pcs outerbox

Lot 27 Set pentru aspirator

Yankauer Suction Set

With Standard and Bulb Tip

- ▶ Standard and bulb tip Yankauer suction handle
- ▶ 24 Ch (Ø 5.6 x 8.0 mm) kink resistant tubing
- ▶ Available in different tubing lengths
- ▶ Cut-to-fit and tunnel connectors prevents kinking and clogging
- ▶ Accepts 6.35 mm (1/4") and 9.50 mm (3/8") connections



Standard Tip

Bulb Tip

Ref			
w/Standard Tip		w/Bulb Tip	
Double Pouch	PE Band		
165 2210 1	165 0210 1	164 0210 1	Without Vacuum Control
165 3210 1	165 1210 1	164 1210 1	With Vacuum Control

ANGIOGRAPHIC SYRINGE ACCESSORIES

Medical imaging / www.scw-medicath.com



Connecting Tubing(300psl)

Product No.	Description	Length(cm)	ID(mm)	OD(mm)
42.02.90000	Y tube with two check valves	150	1,8	3,6
42.02.90001	Coiled tube	150	1,6	3
42.02.90002	Y tube with two check valves	250	1,8	3,6
42.02.90003	Y tube with one check valve	150	1,8	3,6
42.02.90004	Y tube with one check valve	250	1,8	3,6
42.02.90005	Double infusion line with two check valves	150	2,8	4
42.02.90006	Straight tube	150	1,6	3
42.02.90007	Straight tube	20	1,6	3
42.02.90008	Straight tube with two male check valves	150	1,8	3,6
42.02.90009	Straight tube with two male check valves	250	1,8	3,6
42.02.90010	Coiled tube	150	1,8	3,6
42.02.90011	Straight tube with one needless adapter and spike	25	1,8	3,6
42.02.90012	Y tube with two check valves	15	1,8	3,6
42.02.90013	Coiled tube	50	1,6	3
42.02.90014	Coiled tube	100	1,6	3
42.02.90015	Straight tube with one check valve	12	1,8	3,6
42.02.90016	T tube with one coiled tube 150cm and 100cm spike tube	150	1,8	3,6

Angiographic Syringes

Mediuk Imaging / www.scoy-medical.ro

- Clear body: Provides excellent clarification and smooth as glass feeling, it could see air bubble and contrast medium.
- It could be used for computed tomographic scanning, angiography, Nuclear magnetic resonance and imaging.
- Great Variety of Syringes, it could match so many injectors.



Product No.		Volume(ml)	Description	Models	
Single	Dual			Single	Dual
42.16.10000	42.16.10001	200	Used for CT: MCT+ OP-100; VCT610; ECT710	CT-200-A1	CT-200/200-A1
42.16.10002	42.16.10003	200	Used for CT: STELANT	CT-200-A2	CT-200/200-A2
42.16.10004		150	Used for DSA: Mark V & Mark V Provis	DSA-150-A1	
42.16.10005		200	Used for DSA: Mark V & Mark V Provis	DSA-200-A1	
42.16.10007		130	Used for DSA: Mark III & Mark IV	DSA-130-A1	
	42.16.10008	65	Used for MRI: Spectris		MRI-65/65-A1
	42.16.10009	115	Used for MRI: Spectris		MRI-115/115-A1
	42.16.10010	65/115	Used for MRI: Spectris		MRI-65/115-A1
42.16.10011	42.16.10012	190	Used for CT: SALENT	CT-190-A1	CT-190/190-A1
42.16.10016		150	Used for DSA: Mark 7	DSA-150-A2	
	42.16.10019	200	Used for CT STELANT		CT-200/200-A2

Products

■ ULSTAR-1100 Series for SONY



- | | |
|----------------------|-------------|
| ▶ ULSTAR-1100HG | 110mm × 18m |
| ▶ ULSTAR-1100HD | 110mm × 20m |
| ▶ ULSTAR-1100S | 110mm × 20m |
| ▶ ULSTAR-1100HD Matt | 110mm × 20m |

Compatibility - UP-895 / 897 / 898 Series

Packaging - 5 rolls/box 50 rolls/carton

■ ULSTAR-1100 Series for MITSUBISHI



- | | |
|----------------------|-------------|
| ▶ ULSTAR-1100HG | 110mm × 18m |
| ▶ ULSTAR-1100HD mibi | 110mm × 20m |
| ▶ ULSTAR-1100S mibi | 110mm × 20m |

Compatibility - P93 / P95

Packaging - 5 rolls/box 50 rolls/carton