




<b>Manufacturer:</b> BAS STEEL PROFILE SRL F/C:1019603000893 c.TVA:1019603000893 or.Taraclia, str.Voccalnaia 28 rep.Moldova		<b>MILL'S TEST CERTIFICATE</b> (ACC. TO EN10204 / 3.1) No. 3018 Date: 10.03.2025		<b>A01</b> A02 Transport:		<b>A10</b> 			
<b>Customer:</b> Metalica - Zuev SRL SEC.CIOCANIA Industriala nr.48		A06 Welded cold sized tubes STEEL Grade Direct welded Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO		B03-B06 Total weight, Kg 22 476		B12 Total Length Pieces: 2 970		B08 Bundles: 11	
<b>Contract No.</b> Specification No Order No. Destination		A07 Plain ends, straight cut from mill		EN 10219-1/2 S235JRH					
						2174			

**Product description**

Nr.crt.	Nr. Bundles	Heat	Product	Dimension(mm)	Thickness	Length(mm)	Deviation	Bundles	Pieces	Netto Weight (Kg)	Brutto weight, kg	Meters
1	51945	524197	S235JRH EN 10219-1/2	80 x 80 x 5 x 12000mm		12 000	+50/-0	1	25	3 209	-	300
2	51939	524197	S235JRH EN 10219-1/2	80 x 80 x 5 x 12000mm		12 000	+50/-0	1	25	3 257	-	300
3	46718	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x12000mm		12 000	+50/-0	1	20	3 328	-	240
4	46717	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x12000mm		12 000	+50/-0	1	20	3 328	-	240
5	45516	143048	S235JRH EN 10219-1/2	50 x 50 x 4.0 x 6000mm		6 000	+50/-0	1	49	1 506	-	294
6	45513	143048	S235JRH EN 10219-1/2	50 x 50 x 4.0 x 6000mm		6 000	+50/-0	1	49	1 498	-	294
7	45510	143048	S235JRH EN 10219-1/2	50 x 50 x 4.0 x 6000mm		6 000	+50/-0	1	49	1 503	-	294
8	49265	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000mm		6 000	+50/-0	1	42	1 190	-	252
9	49194	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000mm		6 000	+50/-0	1	42	1 200	-	252
10	48934	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000mm		6 000	+50/-0	1	42	1 238	-	252
11	48935	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000mm		6 000	+50/-0	1	42	1 219	-	252

**«BAS STEEL PROFILE» S.R.L.**  
**OTK**

N <sup>o</sup> crt.	B07		B01-B02		B09		C x100	Si x100	Mn x100	S x10000	P x1000	Cr x100	Ni x100	Cu x100	As x100	N x10000	Al x1000
	Nr. Bundles	Heat	Product	Dimension(mm)													
1 51945	524197	S235JRH EN 10219-1/2	80 x 80 x 5 x 12000	14	1,5	41	35	22	4		3					2	
2 51939	524197	S235JRH EN 10219-1/2	80 x 80 x 5 x 12000	14	1,5	41	35	22	4		3					2	
3 46718	813116	S235JRH EN 10219-1/2	100 x 100 x 5,0 x 12000mm	14	1,8	40	35	14	6		2					1	
4 46717	813116	S235JRH EN 10219-1/2	100 x 100 x 5,0 x 12000mm	15	1,8	40	35	14	6		2					1	
5 45516	143048	S235JRH EN 10219-1/2	50 x 50 x 4,0 x 6000	15	1,7	40	24	25	3		3					3	
6 45513	143048	S235JRH EN 10219-1/2	50 x 50 x 4,0 x 6000	15	1,7	40	24	25	3		3					3	
7 45510	143048	S235JRH EN 10219-1/2	50 x 50 x 4,0 x 6000	15	1,7	40	24	25	3		3					3	
8 49265	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000m	13	1,5	35	22	15	4		2					2	
9 49194	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000m	13	1,5	35	22	15	4		2					2	
10 48934	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000m	13	1,5	35	22	15	4		2					2	
11 48935	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000m	13	1,5	35	22	15	4		2					2	

«BAS STEEL PROFILE» S.R.L.  
 OTK

Nr.crt.	Nr. Bundles	Heat	Product	Dimension(mm)	Mechanical Test			Ra, µm	D02	D03
					C02	C03	C11			
1	51945	524197	S235JRH EN 10219-1/2	80 x 80 x 5 x 12000mm	Direction of the test pieces	Test temperature	ReH	Rm	A	Hydraulic Pressure, bar./min.
2	51939	524197	S235JRH EN 10219-1/2	80 x 80 x 5 x 12000mm		ambient	265	397	38	
3	46718	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x 12000mm		ambient	329	397	31	
4	46717	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x 12000mm		ambient	329	397	31	
5	45516	143048	S235JRH EN 10219-1/2	50 x 50 x 4.0 x 6000mm		ambient	294	427	38	
6	45513	143048	S235JRH EN 10219-1/2	50 x 50 x 4.0 x 6000mm		ambient	294	427	38	
7	45510	143048	S235JRH EN 10219-1/2	50 x 50 x 4.0 x 6000mm		ambient	294	427	38	
8	49265	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000mm		ambient	279	387	35	
9	49194	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000mm		ambient	279	387	35	
10	48934	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000mm		ambient	279	387	35	
11	48935	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000mm		ambient	279	387	35	

We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.  
 Visual inspection: checked without any objection  
 Tolerances on dimensions and shape: pass

Draweted up,  
 Eng.Filipov Nicolai

Signature of the QCD representative,  
 Eng.Nekit Yurii

*Handwritten signature*

*Handwritten signature*

