

## EC Certificate

## **Full Quality Assurance System**

Directive 93/42/EEC on Medical Devices (MDD), Annex II excluding (4) (Devices in Class IIa, IIb or III)

No. G1 18 03 84065 005

Manufacturer:

**Nuova GmbH** 

Lübecker Str. 17 23909 Ratzeburg **GERMANY** 



Facility(ies):

Nuova GmbH

Lübecker Str. 17, 23909 Ratzeburg, GERMANY

**Product** Category(ies):

Oxygen sensors

The Certification Body of TÜV SÜD Product Service GmbH declares that the aforementioned manufacturer has implemented a quality assurance system for design, manufacture and final inspection of the respective devices / device categories in accordance with MDD Annex II. This quality assurance system conforms to the requirements of this Directive and is subject to periodical surveillance. For marketing of class III devices an additional Annex II (4) certificate is mandatory. See also notes overleaf.

Report No.:

713129331

Valid from:

2018-06-18 2023-06-17

Valid until:

1. Punil

Date, 2018-04-18

Stefan Preiß



TÜV SÜD Product Service GmbH is Notified Body with identification no. 0123

Page 1 of 1

DAKKS CRT2 / 10.13



## CERTIFICATE

No. Q1N 16 04 84065 003

**Holder of Certificate: Nuova GmbH** 

> Lübecker Str. 17 23909 Ratzeburg **GERMANY**

Facility(ies):

Nuova GmbH

Lübecker Str. 17, 23909 Ratzeburg, GERMANY

**Certification Mark:** 



Scope of Certificate: Design and development, production and

> distribution of oxygen sensors, pulse oximetry sensors, blood warmer and breathing tubes

**Applied** 

EN ISO 13485:2012 + AC:2012

Standard(s):

Medical devices - Quality management systems -

Requirements for regulatory purposes (ISO 13485:2003 + Cor. 1:2009)

DIN EN ISO 13485:2012

The Certification Body of TÜV SÜD Product Service GmbH certifies that the company mentioned above has established and is maintaining a quality management system, which meets the requirements of the listed standard(s). See also notes overleaf.

Report No.:

713081659

Valid from:

2016-06-18

2019-06-17

Valid until:

Date, 2016-06-15

Stefan Preiß

Page 1 of 1









## E-75/9 (new release)

- Connector: 3.5 phone jack
- Measuring range 0-100% O<sub>2</sub>
- Output signal: 10-13,5 mV
- Response time: 13 seconds
- Warranty: 22 months
- Storage: up to 6 months
- with flow diverter