



BC "MOLDINDCONBANK" S.A.

Filiala "Invest"

Republica Moldova, MD-2068
mun. Chișinău, bd. Moscovei, 14/1
Tel. : (373-22) 43-44-81, 43-46-24
Fax : (373-22) 43-44-22
cod: MOLDMD2X329

Data 14. IAN. 2016
Nr. 03/2 - 19/23

Республика Молдова, MD-2068
мун. Кишинэу, бул. Московей, 14/1
Тел. : (373-22) 43-44-81, 43-46-24
Факс : (373-22) 43-44-22
код: MOLDMD2X329

Filiala „Invest” BC „Moldindconbank” SA confirmă existența contului curent
in moneda nationala al “BIOSISTEM MLD” S.R.L. (c/f 1010600028048), cu
IBAN MD95ML000000002251429243.

Codul băncii MOLDMD2X329.

Director

Nina Turcan

Director financiar



Nina Balmuş

Ex. Diana Brinza
Tel. 43-45-96

REPUBLICA



MOLDOVA

CERTIFICAT DE ÎNREGISTRARE

Societatea cu Răspundere Limitată "BIOSISTEM MLD"
— ESTE ÎNREGISTRATĂ LA CAMERA ÎNREGISTRĂRII DE STAT —

Numărul de identificare de stat - codul fiscal
1010600028048

Data înregistrării

12.08.2010

Data eliberării

12.08.2010

Svirepova Ludmila, registrator

Funcția, numele, prenumele persoanei
care a eliberat certificatul

L. Svirepova
semnătura

MD 0101250





„CAMERA ÎNREGISTRĂRII DE STAT” Î.S.
Secția fonduri speciale și informații curente

EXTRAS
din Registrul de stat al persoanelor juridice

nr. 14419 din 11.07.2016

Denumirea completă: **Societatea cu Răspundere Limitată «BIOSISTEM MLD».**

Denumirea prescurtată: **«BIOSISTEM MLD» S.R.L.**

Forma juridică de organizare: **Societate cu Răspundere Limitată.**

Numărul de identificare de stat și codul fiscal: **1010600028048.**

Data înregistrării de stat: **12.08.2010.**

Sediul: **MD-2001, str. Albișoara, 16/1, ap.(of.) 7, mun. Chișinău, Republica Moldova.**

Modul de constituire: **nou creată.**

Obiectul principal de activitate:

- 1 Activitatea farmaceutică;**
- 2 Importul, fabricarea, comercializarea, asistența tehnică și (sau) reparația dispozitivelor medicale și (sau) a opticii;**
- 3 Acordarea asistenței medicale de către instituțiile medico-sanitare private;**
- 4 Comerțul cu ridicata al calculatoarelor, echipamentelor periferice și software-ului;**
- 5 Întreținerea și repararea mașinilor de birou și a tehnicii de calcul;**
- 6 Consultații în domeniul sistemelor de calcul.**

Capitalul social: **5400 lei.**

Administrator: POIATA VITALIE, IDNP 0983103892591,

Asociați:

1. POIATA VITALIE , IDNP 0983103892591

cota 1803.60 lei, ce constituie 33,4 %

2. NASEDCHIN ALEXANDR , IDNP 2002001070747

cota 1798.20 lei, ce constituie 33,3 %

3. KOJEVNIKOV DMITRII , IDNP 0972305012362

cota 1798.20 lei, ce constituie 33,3 %.

Prezentul extras este eliberat în temeiul art. 34 al Legii nr. 220-XVI din 19 octombrie 2007 privind înregistrarea de stat a persoanelor juridice și a întreprinzătorilor individuali și confirmă datele din Registrul de stat la data de: 11.07.2016.

Specialist principal
tel. 022-266-252



Lazari Aliona



Lista fondatorilor Biosistem-mld SRL

Nr.	Nume, Prenume	IDNP
1.	Vitalie Poiata	0983103892591
2.	Alexandru Nasedchin	2002001070747
3.	Dmitrii Kojevnikov	0972305012362

CERTIFICAT
privind lipsa sau existența restanțelor față de bugetul public național

Nr.
№ **A2100779**

din
от **20.01.2021**

1. Destinația / Назначение

Pentru participarea la proceduri de achiziții publice

2. Date despre contribuabil / Информация о налогоплательщике

Denumirea Наименование	Codul fiscal / Numărul de identificare Фискальный код / Идентификационный номер
BIOSISTEM MLD S.R.L.	1010600028048
Adresa sediului de bază (strada, numărul) Адрес основного месторасположения (улица, номер)	Codul - Denumirea localității Код - Наименование населенного пункта
Albisoara nr.16 bl.1 of.7	0150-SEC.RISCANI

3. Atestarea lipsei sau existenței restanțelor conform datelor Sistemului Informațional Automatizat /

Подтверждение отсутствия или наличия недоимки согласно данных Информационной автоматизированной системы

La data emiterii prezentului certificat restanța față de bugetul public național constituie/ На дату выдачи данной справки недоимка перед национальным публичным бюджетом составляет:
0,00 lei/лей.

4. Valabil până la / Действителен до 04.02.2021

5. Autentificarea Serviciului Fiscal de Stat / Подтверждение Государственной налоговой службы

Șef DDF Rîșcani
a DGAF mun.Chisinau
Funcția/Dолжность


Semnătura/Подпись

Viorica CĂUȘ

Numele și prenumele/Фамилия и имя

L.Ș/ М.П.

Executor: **Claudia GOJAN**

Numele și prenumele/Фамилия и имя



Este extras din Sistemul Informațional al SFS SIA „Contul curent al contribuabilului”// 20.01.2021 ora 15:30:49
cu aplicarea prevederilor pct. 82-83 Ordin IFPS nr.400 din 14.03.2014 (Monitorul Oficial 72-77/399, 28.03.2014)

NOTA (1,16)

EC DECLARATION OF CONFORMITY

BioSystems S.A., a company placed in Costa Brava 30, 08030 Barcelona (Spain) dedicated to the design, development and manufacturing of *in vitro* diagnostic medical devices,

Hereby DECLARES

That the products stated in the annex of five (5) pages joined herewith, meet the applicable provisions of the

Directive on in Vitro Diagnostic Medical Devices (98/79/EC)

under the specifications declared by BioSystems S.A.

It means that the products:

- complies with all applicable Essential Requirements as set out in the Annex I, and its technical documentation is performed following the requirements of the Annex III
- is classified as Other Device (all devices except Annex II and Self-Testing Devices), that is why the Conformity Assessment follows the procedure stated in the Annex III of the Directive without the intervention of a Notified Body.

Barcelona, November 6th, 2012



Dr. Antonio Elduque
Managing director
BioSystems S.A.



• Certified Management
System
• EN ISO 9001
• EN ISO 13485



CLINICAL CHEMISTRY – BIOCHEMISTRY:

a-Amylase-Direct	Creatine Kinase (CK)
a-Amylase-EPS	Creatine Kinase-MB (CK-MB)
a-Amylase-Pancreatic	Creatinine
Acid Phosphatase (ACP)	Fructosamine
Alanine Aminotransferase (ALT/GPT)	Fructose
Albumin	g-Glutamyltransferase (g-GT)
Alkaline Phosphatase (ALP)-AMP	Glucose
Alkaline Phosphatase (ALP)-DEA	Iron – Chromazurol
AspartateAminotranferase (AST/GOT)	Iron – Ferrozine
Bilirubin (direct)	Iron Binding Capacity
Bilirubin (total and direct)	Lactate Dehydrogenase (LDH)
Bilirubin (total)	Lactate Dehydrogenase (LDH) – IFCC
Calcium – Arsenazo	Lipase
Calcium – MTB	Magnesium
Cholesterol	Phosphorus
Cholesterol HDL	Protein (total)
Cholesterol HDL direct	Protein (urine)
Cholesterol HDL Precipitating reagent	Pyridoxal Phosphate
Cholesterol LDL direct	Triglycerides
Cholesterol LDL Precipitating reagent	Urea/BUN-Color
Cholinesterase (CHE)	Urea/BUN-UV
Citrate	Uric Acid

CLINICAL CHEMISTRY – TURBIDIMETRY:

a1-acid Glycoprotein	C-Reactive Protein (CRP)
Albumin (Microalbuminuria)	C-Reactive Protein-hs (CRP-hs)
Anti-Streptolysin O (ASO)	Ferritin
Antithrombin III	Immunoglobulin A (IgA)
Apolipoprotein A-I (Apo A-I)	Immunoglobulin G (IgG)
Apolipoprotein B (Apo B)	Immunoglobulin M (IgM)
b2-Microglobulin	Prealbumin
Complement Component C3	Rheumatoid Factors (RF)
Complement Component C4	Transferrin

CLINICAL CHEMISTRY – MICROCOLUMN CHROMATOGRAPHY:

17-Hydroxycorticosteroids	Hemoglobin A1C
17-Ketosteroids	Hemoglobin A2
5-Aminolevulinic Acid (ALA) / Porphobilinogen (PBG)	Metanephtrines
5-Hydroxyindoleacetic acid (5-HIAA)	Vanilmandelic Acid



CLINICAL CHEMISTRY – STANDARDS and CALIBRATORS:

a-1-acid Glycoprotein Standard	Biochemistry Calibrator (Human)
Adenosine Deaminase (ADA) Standard	Cholesterol HDL/LDL Calibrator
Albumin (Microalbuminuria) Standard	CRP/CRP-hs Standard
Anti-Streptolysin O (ASO) Standard	Ferritin Standard
Antithrombin III Standard	Hemoglobin A1C-Turbi (HbA1C-Turbi) Standard
Apolipoprotein A-I Standard	Prealbumin Standard
Apolipoprotein B Standard	Protein Calibrators
b2-Microglobulin Standard	Protein (urine) Standard
Bilirubin Standard	Rheumatoid Factors (RF) Standard
Biochemistry Calibrator	

CLINICAL CHEMISTRY – INSTRUMENTS:

A15	BA400
A25	BTS-350

CLINICAL CHEMISTRY – BIOCHEMISTRY – REAGENTS AUTOMATED SYSTEMS:

a-Amylase-Direct	Creatine Kinase (CK)
a-Amylase-Pancreatic	Creatine Kinase-MB (CK-MB)
Adenosine Deaminase (ADA)	Creatinine
Alanine Aminotransferase (ALT/GPT)	g-Glutamyltransferase (g-GT)
Albumin	Glucose
Alkaline Phosphatase (ALP)-AMP	Iron Ferrozine
Alkaline Phosphatase (ALP)-DEA	Lactate dehydrogenase (LDH)
Aspartate Aminotransferase (AST/GOT)	Lipase
Bilirubin (direct)	Magnesium
Bilirubin (total)	Phosphorus
Calcium-Arsenazo	Protein (total)
Cholesterol	Protein (urine)
Cholesterol HDL direct	Triglycerides
Cholesterol LDL direct	Urea/BUN UV
	Uric acid



CLINICAL CHEMISTRY – TURBIDIMETRY – REAGENTS AUTOMATED SYSTEMS:

Albumin (Microalbuminuria)	Ferritin
Anti-Streptolysin O (ASO)	Hemoglobin A1C-Turbi (HbA1C-Turbi)
Antithrombin III	Immunoglobulin A (IgA)
Complement Component C3	Immunoglobulin G (IgG)
Complement Component C4	Immunoglobulin M (IgM)
C-Reactive Protein (CRP)	Rheumatoid Factors (RF)
C-Reactive Protein-hs (CRP-hs)	Transferrin

CLINICAL CHEMISTRY – INTERNAL QUALITY CONTROL:

ADA Controls	Hemoglobin A1C Control (Normal)
Biochemistry Control Serum (Human) I	Hemoglobin A2 Control
Biochemistry Control Serum (Human) II	Lipid Control Serum I
Biochemistry Control Serum I	Lipid Control Serum II
Biochemistry Control Serum II	Protein Control Serum I
CK-MB Control Serum	Protein Control Serum II
Control Urine	Rheumatoid Control Serum I
Fertility Biochemistry Control	Rheumatoid Control Serum II
Hemoglobin A1C Control (Elevated)	

AUTOIMMUNITY – IFA (IMMUNOFLUORESCENCE):

Anti-Adrenal Cortex Antibodies (AACA)	Anti-Thyroid Antibodies (ATA)
Anti-Endomysium Antibodies (AEA)	Autoantibodies DUO-HEp2/ML (DUO-HEp2/ML)
Anti-Islet Cell Antibodies (AICA)	Autoantibodies MsK/MsS (AA-MsK/MsS)
Anti-Keratin Antibodies (AKA)	Autoantibodies MsL/MsK/MsS (AA-MsL/MsK/MsS)
Anti-Mitochondrial Antibodies (AMA)	Autoantibodies RK/RS (AA-RK/RS)
Anti-nDNA antibodies (nDNA)	Autoantibodies RL/RK/RS (AA-RL/RK/RS)
Anti-Neutrophil Cytoplasmic Antibodies (ANCA)	Autoantibodies RL/RKm/RS (AA-RL/RKm/RS)
Anti-Nuclear Antibodies HEp-2 (ANA HEp-2)	Glomerular Basement Membrane Antibodies (GBMA)
Anti-Nuclear Antibodies RL (ANA-RL)	
Anti-Skin Antibodies (ASA)	
Anti-Smooth Muscle Antibodies (ASMA)	
Anti-Striated Muscle Antibodies (AStMA)	



AUTOIMMUNITY – ELISA:

ANA Screening	Anti-MPO Antibodies
Anti-Annexin V IgG/IgM (ANX)	Anti-Nucleosome Antibodies (NCL)
Anti-b2-Glycoprotein 1 IgG/IgM (b2GP1)	Anti-Phospholipid IgG/IgM (APLA)
Anti-Cardiolipin Antibodies (ACA-IgG/IgM)	Anti-PR3 Antibodies
Anti-Centromere B Antibodies (CENP-B)	Anti-Ribosomal P Antibodies (Rib P)
Anti-Citrullinated Protein Antibodies (ACPA)	Anti-Scl70 Antibodies
Anti-Deamidated Gliadin Peptides IgA (DGP IgA)	Anti-Sm Antibodies
Anti-Deamidated Gliadin Peptides IgG (DGP IgG)	Anti-Sm/RNP Antibodies
Anti-dsDNA Antibodies	Anti-SSA (Ro) Antibodies
Anti-GBM Antibodies - EIA (GBM)	Anti-SSB (La) Antibodies
Anti-Gliadin Antibodies (AGA-IgG/IgA)	Anti-Thyroglobulin Antibodies (Anti-Tg)
Anti-Histones Antibodies (HIST)	Anti-Thyroid Peroxidase Antibodies (Anti-TPO)
Anti-Insulin Antibodies (INS)	Anti-tTransglutaminase IgA Antibodies (Anti- tTG IgA)
Anti-Jo1 Antibodies	Anti-tTransglutaminase IgG Antibodies (Anti- tTG IgG)
Anti-M2 Antibodies (M2)	ASCA-IgG/IgA (ASCA)
	ENA 4-Profile
	ENA 6-Screening

AUTOINMUNIDAD – INSTRUMENTOS: AUTOIMMUNITY – INSTRUMENTS:

iPRO



RAPID TESTS – LATEX AGGLUTINATION:

Anti-Streptolysin O (ASO) - Slide
C-Reactive Protein (CRP) - Slide

Rheumatoid factors (RF) - Slide

INFECTIOUS IMMUNOLOGY – SYPHILIS:

RPR-Carbon

TPHA

INFECTIOUS IMMUNOLOGY – FEBRILE ANTIGENS:

Febrile Serodiagnostics Multiscreening
Febrile Serodiagnostics Salmonella
Brucella abortus
Brucella abortus, Rose Bengal
Proteus Ox19
Salmonella paratyphi AH
Salmonella paratyphi AO
Salmonella paratyphi BH
Salmonella paratyphi BO
Salmonella paratyphi CH
Salmonella paratyphi CO
Salmonella typhi H
Salmonella typhi O
Brucella Positive Control
Proteus Positive Control
Salmonella Positive Control
Serology Negative Control

Certificate

Standard **ISO 9001:2015**

Certificate Registr. No. **01 100 6696**

Certificate Holder: **BIOSYSTEMS S.A.**
Costa Brava 30
08030 Barcelona
Spain

Scope: Design, development, manufacture, distribution, servicing of:
-Instruments and reagents for clinical diagnostic.
-Instruments and reagents for agro-alimentary analysis.
Distribution and service of reagents and instruments for veterinary diagnosis.

Proof has been furnished by means of an audit that the requirements of ISO 9001:2015 are met.

Validity: The certificate is valid from 2019-12-19 until 2022-12-18.
First certification 1996

2019-12-20

TÜV Rheinland Cert GmbH
Am Grauen Stein · 51105 Köln

www.tuv.com

www.tuv.com



TÜVRheinland®
Precisely Right.

Annex to certificate

Standard **ISO 9001:2015**

Certificate Registr. No. **01 100 6696**

No.	Location	Scope
/02	BIOSYSTEMS S.A. Pol. Ind. Can Tapioles naus 7-12-13 08110 Montcada i Reixac Spain	Labeling and assembly of reagent. Storage, and shipping of: - Instruments and reagents for diagnosis and reagents for clinical diagnosis.- Instruments and reagents for agri- food analysis.- Instruments and reagents for veterinary diagnosis.

2019-12-20



TÜV Rheinland Cert GmbH
Am Grauen Stein · 51105 Köln

Page 1 of 1

Klicken Sie hier, um Text einzugeben.

www.tuv.com

 **TÜVRheinland®**
Precisely Right.

Certificate

The Certification Body of
TÜV Rheinland LGA Products GmbH

hereby certifies that the organization

BIOSYSTEMS S.A.
Costa Brava 30
08030 Barcelona
Spain

has established and applies a quality management system for medical devices
for the following scope:

**Design and development, manufacture, distribution and
servicing of instruments and reagents for
clinical diagnostic
(see attachment for sites included)**

Proof has been furnished that the requirements specified in

EN ISO 13485:2016

are fulfilled. The quality management system is subject to yearly surveillance.

Effective Date: 2020-01-08
Certificate Registration No.: SX 60145545 0001
An audit was performed. Report No.: 28300434 004
This Certificate is valid until: 2022-12-12

Certification Body



Date 2020-01-08



D. Swiatko

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: +49 221 806-1371 Fax: +49 221 806-3935 e-mail: cert-validity@de.tuv.com <http://www.tuv.com/safety>

TÜV Rheinland
LGA Products GmbH
Tillystraße 2, 90431 Nürnberg

Doc. 1/1, Rev. 0

**Attachment to
Certificate**

Registration No.: SX 60145545 0001
Report No.: 28300434 004

Organization: BIOSYSTEMS S.A.
Costa Brava 30
08030 Barcelona
Spain

Scope:

Site included:

Polígono Industrial Can Tapioles
Naves 7, 12 y 13
08110 Montcada i Reixac
Spain

Activity: Labelling and assembling of reagents,
warehousing and shipment of instruments
and reagents for clinical diagnostic

Certification Body



Date: 2020-01-08

D. Swiatko



Declaration of Conformity



According to the In Vitro Diagnostic Medical Devices Directive 98/79/EC

Manufacturer: Dirui Industrial Co., Ltd.
95 Yunhe Street New& High Tech. Development Zone
Changchun Jilin 130012 P.R. China

Authorized Representative : Emergo Europe
Molenstraat 15 2513 BH The Hague
The Netherlands

Medical Device : Product Name: Reagent strips for Urinalysis
IVDD-Classification: Professional use

Lot/batches/Serial mber, Type, Periods of manufacture
(where applicable)

DIRUI 1 ITEMS (GLU)	DIRUI 1 ITEMS (KET)	DIRUI 1 ITEMS (PRO)
DIRUI 2 ITEMS (PRO, GLU)	DIRUI 2 ITEMS (KET, GLU)	
DIRUI 3 ITEMS (PRO, PH, GLU)	DIRUI 3 ITEMS (PRO, KET, GLU)	
DIRUI 4 ITEMS (PRO, PH, BLD, GLU)	DIRUI 4 ITEMS (PRO, PH, SG, GLU)	
DIRUI 5 ITEMS (PRO, PH, BLD, KET, GLU)		
DIRUI 8 ITEMS	DIRUI H8	
DIRUI 9 ITEMS		
DIRUI A10	DIRUI H10	DIRUI E10
DIRUI H11	DIRUI H11-MA	DIRUI M10
DIRUI H11-800MA	DIRUI H12-800MA	DIRUI H10-800
DIRUI H13-Cr	DIRUI H14-Ca	
DIRUI H13-Cr (H-800)	DIRUI H14-Ca (H-800)	

The undersigned hereby declares that the In Vitro Diagnostic medical device as specified above conforms with the essential requirements listed in the Annex 1 of the European In Vitro Diagnostic Medical Device Directive 98/79/EC (IVDD)

This declaration of conformity is based on the European In Vitro Diagnostic Medical Device Directive 98/79/EC, Annex III.

Valid Since

May 9th, 2012
Changchun, China

(place and date of issue)

Representative:

Yu Ge

Dirui Industrial Co., Ltd.

于歌

(name and signature or equivalent
marking of authorized person)



认证证书

标准 **ISO 9001:2015**

证书登记号码 **01 100 1832306**


证书持有者：**迪瑞医疗科技股份有限公司**
统一社会信用代码：91220101605902656F
注册地址：中华人民共和国吉林省长春市
高新技术产业开发区云河街 95 号
邮编：130012
经营地址：同上述地址

认证范围：**体外诊断医疗器械的设计开发、生产和销售**

证明完成了审核并满足了 ISO 9001:2015 标准的要求。

有效期：**证书有效期从 2018-05-03 至 2021-05-02。**
此证书须经过符合要求的监督审核保持有效。

2018-05-03


TÜV Rheinland Cert GmbH
Am Grauen Stein · 51105 Köln

Certificate

Standard **ISO 9001:2015**

Certificate Registr. No. **01 100 1832306**

Certificate Holder: **Dirui Industrial Co., Ltd.**
Unified Social Credit Code: 91220101605902656F
Registration Address: 95 Yunhe Street,
New & High Tech. Development Zone,
Changchun City, Jilin Province 130012, P. R. China
Operation Address: same as above

Scope: **Design and Development, Manufacture and Distribution of in Vitro
Diagnostic Medical Test Systems**

Proof has been furnished by means of an audit that the
requirements of ISO 9001:2015 are met.

Validity: **The certificate is valid from 2018-05-03 until 2021-05-02.
It remains valid subject to satisfactory surveillance audits.**

2018-05-03


TÜV Rheinland Cert GmbH
Am Grauen Stein · 51105 Köln

Certificate

The Certification Body of
TÜV Rheinland LGA Products GmbH

hereby certifies that the organization

Dirui Industrial Co., Ltd.
95 Yunhe Street
New & High Tech.
Development Zone
Changchun
Jilin Province 130012
China

has established and applies a quality management system for medical devices
for the following scope:

Design and Development, Manufacture and Distribution of
In vitro Diagnostic Medical Test Systems
(see attachment for products and additional site included)

Proof has been furnished that the requirements specified in

EN ISO 13485:2016


are fulfilled. The quality management system is subject to yearly surveillance.

Effective Date: 2018-06-26
Certificate Registration No.: SX 60127937 0001
An audit was performed. Report No.: 15047317 007
This Certificate is valid until: 2020-03-01

Certification Body



Date 2018-06-26



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: +49 221 806-1371 Fax: +49 221 806-3935 e-mail: cert-validity@de.tuv.com <http://www.tuv.com/safety>

TÜV Rheinland
LGA Products GmbH
Tillystraße 2, 90431 Nürnberg

Doc. 1/1, Rev. 0

**Attachment to
Certificate**

Registration No.: SX 60127937 0001
Report No.: 15047317 007

Organization: Dirui Industrial Co., Ltd.
95 Yunhe Street
New & High Tech.
Development Zone
Changchun
Jilin Province 130012
China

Scope:

Products:

- Urine Test Systems (Reagents, Analyzers, Controls)
- Hematology Test Systems (Reagents, Analyzers, Controls)
- Clinical Chemistry Test Systems (Reagents, Analyzers, Controls)
- Immunochemistry Test Systems (Reagents, Analyzers, Controls)
- Vaginal Infections Test Systems (Reagents, Analyzers, Controls)

Site included:


3333 Yiju Street, New & High Tech. Development Zone,
Changchun, 130103 Jilin, China

Design and Development, Manufacture and Distribution of
Urine Test Analyzers, Hematology Test Analyzers, Clinical
Chemistry Test Analyzers, Immunochemistry Test Analyzers,
Vaginal Infections Test Analyzers

Certification Body



Date: 2018-06-26



Declaration of Conformity



Manufacturer: Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
Mindray Building, Keji 12th Road South, Hi-tech Industrial
Park, Nanshan, Shenzhen, 518057, P. R. China

EC-Representative: Shanghai International Holding Corp. GmbH (Europe)
Eiffestraße 80
20537 Hamburg, Germany

Product: Auto Hematology Analyzer

Model: BC-20s

Including reagents as following:

M-30D DILUENT

M-30CFL LYSE

PROBE CLEANSER

Classification: The device not in IVDD annex II and not for self
testing/performance evaluation

Conformity Assessment Route: IVDD Annex III(excluding Section 6)

We herewith declare that the above mentioned products meet the provisions of the Directive 98/79/EC on In Vitro Diagnostic Medical Devices. All supporting documentations are retained under the premises of the manufacturer.

Standards Applied:

List of (harmonized) standards for which documented evidence for compliance can be provided as attachment.

Start of CE-Marking: 2015-3-31

Place, Date of Issue: Shenzhen, 2015-3-31

Signature:

Name of Authorized Signatory: Mr.tan ChuanBin

Position Held in Company: Manager ,Technical Regulation

Declaration of Conformity



Manufacturer: Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
Mindray Building, Keji 12th Road South, Hi-tech Industrial
Park, Nanshan, Shenzhen, 518057, P. R. China

EC-Representative: Shanghai International Holding Corp. GmbH (Europe)
Eiffestraße 80
20537 Hamburg, Germany

Product: Auto Hematology Analyzer

Model: BC-30s
Including reagents as following:
M-30D DILUENT
M-30CFL LYSE
PROBE CLEANSER

Classification: The device not in IVDD annex II and not for self
testing/performance evaluation

Conformity Assessment Route: IVDD Annex III(excluding Section 6)

We herewith declare that the above mentioned products meet the provisions of the Directive 98/79/EC on In Vitro Diagnostic Medical Devices. All supporting documentations are retained under the premises of the manufacturer.

Standards Applied:

List of (harmonized) standards for which documented evidence for compliance can be provided as attachment.

Start of CE-Marking: 2015-3-31

Place, Date of Issue: Shenzhen, 2015-3-31

Signature:

Name of Authorized Signatory: Mr.tan ChuanBin

Position Held in Company: Manager ,Technical Regulation

Declaration of Conformity V 1.0

Applied Standards List

Product: **Auto Hematology Analyzer**

BC-20s、BC-30s

Including reagents as following:

M-30D DILUENT

M-30CFL LYSE

PROBE CLEANSER

Applied Standards:

EN ISO 18113-1:2011	In vitro diagnostic medical devices — Information supplied by the manufacturer (labelling) Part 1: Terms, definitions and general requirements
EN ISO 18113-2:2011	In vitro diagnostic medical devices - Information supplied by the manufacturer (labelling) - Part 2: In vitro diagnostic reagents for professional use
EN ISO 18113-3:2011	In vitro diagnostic medical devices — Information supplied by the manufacturer (labelling) Part 3: In vitro diagnostic instruments for professional use
EN ISO 15223-1:2012	Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements
EN 13612: 2002	Performance evaluation of in vitro diagnostic medical devices
ISO 14971:2012	Medical devices – Application of risk management to medical devices
EN 61010-1:2001	Safety requirements for electrical equipment for measurement, control, and laboratory use Part 1: General requirement
EN 61010-2-081:2002+A1: 2003+A1: 2003	Safety requirements for electrical equipment for measurement, control and laboratory use - Part 2-081: Particular requirements for automatic and semi-automatic laboratory equipment for analysis and other purposes
EN 61010-2-101: 2002	Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 2-101: Particular requirements for in vitro diagnostic (IVD) medical equipment
IEC 61010-2-010: 2005	Safety requirements for electrical equipment for measurement, control and

Declaration of Conformity V 1.0

	laboratory use - Part 2-010: Particular requirements for laboratory equipment for the heating of materials
EN 61326-1:2006	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements
EN 61326-2-6:2006	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 2-6: Particular requirements - In vitro diagnostic (IVD) medical equipment
EN 62304:2006	Medical device software- Software life cycle processes
EN 62366:2008	Medical devices — Application of usability engineering to medical devices
EN 13640: 2002	Stability testing of in vitro diagnostic medical devices
EN ISO13485:2012	Medical devices - Quality management systems - Requirements for regulatory purposes



America

CERTIFICATE

No. QS6 044751 0135 Rev. 01

Certificate Holder:

**Shenzhen Mindray Bio-Medical
Electronics Co., Ltd.**
Mindray Building
Keji 12th Road South
High-Tech Industrial Park
Nanshan
518057 Shenzhen
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Scope of Certificate:

See Page 2 for Overall Scope Statement.

Standard(s):

ISO 13485:2016

Regulatory Authority(ies):

**Australia TGA, Brazil ANVISA, Health Canada, USA FDA,
MHLW / PMDA. See attached for listing of specific
regulatory requirements.**

The Certification Body of TÜV SÜD America Inc. certifies that the quality management system of the manufacturer listed above has been audited against the stated criteria and found to conform to those criteria for the scope of certification listed. Validity of this certificate can be obtained by visiting the website <https://www.tuev-sued.de/product-testing/certificates>

TÜV SÜD America Inc. is an MDSAP Recognized Auditing Organization.

DUNS No:

65-467-1304

Effective Date:

2019-08-26

Expiry Date:

2021-10-23

Page 1 of 4

Date of Issue: 2019-11-25

(Dawn M. Tibodeau)
Manager, Certification Body MHS

TÜV SÜD America Inc. • 10 Centennial Drive Ste 207 • Peabody, MA 01960 USA • www.tuvsud.com

CERTIFICATE

No. QS6 044751 0135 Rev. 01

Regulatory Requirements: Audit/Certification Criteria

Australia

- Therapeutic Goods (Medical Devices) Regulations 2002
- Schedule 3, Part 1

Brazil

- RDC ANVISA n. 16/2013
- RDC ANVISA n. 23/2012
- RDC ANVISA n. 67/2009

Canada

- Medical Device Regulations SOR/98-282, Part 1

United States

- 21 CFR Part 803
- 21 CFR Part 806
- 21 CFR Part 807
- 21 CFR Part 820

Japan

- MHLW Ministerial Ordinance 169, Article 4 to Article 68
- PMD Act

Overall Scope Statement:

Design and Development, Production and Distribution of Medical Electronic Equipment (including Patient Monitor and Accessories (NIBP House, NIBP Cuff, Sensor Cables including SPO2 Cable and Temperature Cable, SPO2 Sensor, ECG Cables and Leadsets, Temperature Probe, Probe Cover), Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories (Vaporizer), Ventilator, Ultrasonic Diagnostic Equipment, Ultrasonic Transducer, Hematology Analyzer, Clinical Chemistry Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunossay Analyzer, Flow Cytometer, Auto Sample Processing System, Auto Slide Maker and Stainer;) Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls; Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag

Page 2 of 4

Date of Issue: 2019-11-25



(Dawn M. Tibodeau)
Manager, Certification Body MHS

TÜV SÜD America Inc. • 10 Centennial Drive Ste 207 • Peabody, MA 01960 USA • www.tuvsud.com

No. QS6 044751 0135 Rev. 01

Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
Mindray Building, Keji 12th Road South, High-Tech Industrial
Park, Nanshan, 518057 Shenzhen, PEOPLE'S REPUBLIC OF
CHINA

Facility Scopes:

Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
Mindray Building, Keji 12th Road South, High-Tech Industrial
Park Nanshan, 518057, Shenzhen, PEOPLE'S REPUBLIC OF
CHINA

Design and Development, Production and Distribution of Medical Electronic Equipment (including Patient Monitor and Accessories (NIBP House, NIBP Cuff, Sensor Cables including SPO2 Cable and Temperature Cable, SPO2 Sensor, ECG Cables and Leadsets, Temperature Probe, Probe Cover), Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories (Vaporizer), Ventilator, Ultrasonic Diagnostic Equipment, Ultrasonic Transducer, Hematology Analyzer, Clinical Chemistry Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunoassay Analyzer, Flow Cytometer, Auto Sample Processing System, Auto Slide Maker and Stainer;) Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls; Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag
DUNS No: 65-467-1304

Gwyn Thomas

(Dawn M. Tibodeau)
Manager, Certification Body MHS

CERTIFICATE

No. QS6 044751 0135 Rev. 01

Shenzhen Mindray Bio-Medical Electronics Co., Ltd.

1203 Nanhuan Avenue, Guangming District, 518106, Shenzhen
PEOPLE'S REPUBLIC OF CHINA

Production of Medical Electronic Equipment (including Patient Monitor and Accessories (NIBP House, NIBP Cuff, Sensor Cables including SPO2 Cable and Temperature Cable, SPO2 Sensor, ECG Cables and Leadsets, Temperature Probe, Probe Cover), Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories (Vaporizer), Ventilator, Ultrasonic Diagnostic Equipment, Ultrasonic Transducer, Hematology Analyzer, Clinical Chemistry Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunossay Analyzer, Flow Cytometer, Auto Sample Processing System, Auto Slide Maker and Stainer;) Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls; Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag
DUNS No: 54-459-5743

Page 4 of 4

Date of Issue: 2019-11-25



(Dawn M. Tibodeau)
Manager, Certification Body MHS

TÜV SÜD America Inc. • 10 Centennial Drive Ste 207 • Peabody, MA 01960 USA • www.tuvsud.com



America

CERTIFICATE

No. QS5 044751 0140 Rev. 02

Certificate Holder:

**Shenzhen Mindray Bio-Medical
Electronics Co., Ltd.**
Mindray Building
Keji 12th Road South
High-Tech Industrial Park
Nanshan
518057 Shenzhen
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Scope of Certificate:

See Page 2 for Overall Scope Statement.

Standard(s):

ISO 9001:2015

The Certification Body of TÜV SÜD America Inc. certifies that the company mentioned above has established and is maintaining a quality management system that meets the requirements of the listed standards.

Report No.:

SH2005501

Effective Date:

2020-08-12

Expiry Date:

2023-06-30

Page 1 of 4

Date of Issue: 2020-08-20

Tina Israel
Manager, US Certification Body,
Medical and Health Services



America

CERTIFICATE

No. QS5 044751 0140 Rev. 02

Overall Scope Statement

Design and Development, Production and Distribution of Medical Electronic Equipment (including Patient Monitor and Accessories, Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Temperature Probe, Flow Sensor, Ambulatory Blood Pressure Monitor, Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories, Ventilator, Air Compressor, Endoscope Camera System, Ultrasonic Diagnostic Equipment and Accessories, Digital Radiography System, Radiography System, Hematology Analyzer, Clinical Chemistry Analyzer, Urine Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunoassay Analyzer, Flow Cytometer, (Auto) Sample Processing System, Auto Slide Maker and Stainer, Glycohemoglobin Analyzer, Specific Protein Analyzer), Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls, Reagents for Flow Cytometer, Reagents for Glycohemoglobin Analyzer, Calibrators and Controls for Glycohemoglobin Analyzer, Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag

Page 2 of 4

Date of Issue: 2020-08-20

Tina Israel
Manager, US Certification Body,
Medical and Health Services



America

CERTIFICATE

No. QS5 044751 0140 Rev. 02

Facility(ies):

Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
Mindray Building, Keji 12th Road South, High-Tech
Industrial Park, Nanshan, 518057, Shenzhen,
PEOPLE'S REPUBLIC OF CHINA

Facility Scopes:

Design and Development, Production and Distribution of Medical Electronic Equipment (including Patient Monitor and Accessories, Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Temperature Probe, Flow Sensor, Ambulatory Blood Pressure Monitor, Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories, Ventilator, Air Compressor, Endoscope Camera System, Ultrasonic Diagnostic Equipment and Accessories, Digital Radiography System, Radiography System, Hematology Analyzer, Clinical Chemistry Analyzer, Urine Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunoassay Analyzer, Flow Cytometer, (Auto) Sample Processing System, Auto Slide Maker and Stainer, Glycohemoglobin Analyzer, Specific Protein Analyzer), Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls, Reagents for Flow Cytometer, Reagents for Glycohemoglobin Analyzer, Calibrators and Controls for Glycohemoglobin Analyzer, Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag

Page 3 of 4

Date of Issue: 2020-08-20

Tina Israel
Manager, US Certification Body,
Medical and Health Services



America

CERTIFICATE

No. QS5 044751 0140 Rev. 02

Facility(ies)

Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
1203 Nanhuan Avenue, Guangming District, 518106
Shenzhen, PEOPLE'S REPUBLIC OF CHINA

Facility Scopes:

Design and Development, Production and Distribution of Medical Electronic Equipment (including Patient Monitor and Accessories, Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Temperature Probe, Flow Sensor, Ambulatory Blood Pressure Monitor, Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories, Ventilator, Air Compressor, Endoscope Camera System, Ultrasonic Diagnostic Equipment and Accessories, Digital Radiography System, Radiography System, Hematology Analyzer, Clinical Chemistry Analyzer, Urine Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunoassay Analyzer, Flow Cytometer, (Auto) Sample Processing System, Auto Slide Maker and Stainer, Glycohemoglobin Analyzer, Specific Protein Analyzer), Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls, Reagents for Flow Cytometer, Reagents for Glycohemoglobin Analyzer, Calibrators and Controls for Glycohemoglobin Analyzer, Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag

Page 4 of 4

Date of Issue: 2020-08-20

Tina Israel
Manager, US Certification Body,
Medical and Health Services

21.08.2016
İzmir / Turkey

DECLARATION FOR THE ISSUANCE OF QUALITY CERTIFICATES

To Whom It May Concern,

According to IVD 98/79/EC directive,

FOR ANNEX II LIST A which includes HIV, Hepatitis B and Hepatitis C tests; the Notified Body must verify that the product meets the Common Technical Specification (CTS) and must release each batch of product before it is placed on the European market. The batch release often requires testing. These have EC Design Examination certificates by the notified body.

FOR ANNEX III which includes all other tests for Professional use; the manufacturer prepares a declaration of conformity in a similar way to the general devices.

For the above mentioned reason, we hereby declare that we provide CE Certificate for only the Hepatitis B, Hepatitis C and HIV tests for Professional use. For the group of other Professional tests; it is enough to present a self-Declaration of Conformity to the EU standards.

Cordially,

TURKLAB TIBBİ MALZEMELER SAN TİC A.Ş



EC CERTIFICATE No. 1434-IVDD-56/2016

EC Design-Examination

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies that the design documentation relating to in vitro diagnostic medical device, List A:

HBsAg Test

Brands: Info®, Toyo®, Rapidan Tester®, Labmen®

manufactured by:

TÜKLAB Tıbbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
İzmir, Turkey

was examined by PCBC according to Annex IV p. 4 Directive 98/79/EC (with subsequent amendments) transposed into the Polish law and comply with the essential requirements of the Directive.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Anna Wyroba
Vice President of PCBC

CE 1434

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

Application No. 45/2016
Contract No. MD-18/2016

Module H6



EC CERTIFICATE No. 1434-IVDD-57/2016

Full Quality Assurance System

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies quality assurance system in company:

TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
ITOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey

for the design, manufacture and final inspection of in vitro diagnostic medical devices,
List A:

HBsAg Test
Brands: Info®, Toyo®, Rapidan Tester®, Labmen®

complies with the requirements of Annex IV excl. 4, 6 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law. The audit of the quality
assurance system carried out by PCBC has provided evidence of the above.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 45/2016
Contract No. MD-18/2016

Module H7



EC CERTIFICATE No. 1434-IVDD-52/2016

EC Design-Examination

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies that the design documentation relating to in vitro diagnostic medical
device, List A:

Anti-HCV Test
Brands: Info®, Toyo®, Rapidan Tester®, Labmen®

manufactured by:

TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
ITOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey

was examined by PCBC according to Annex IV p. 4 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law and comply with the
essential requirements of the Directive.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 43/2016
Contract No. MD-16/2016

Module H6



EC CERTIFICATE No. 1434-IVDD-53/2016

Full Quality Assurance System

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies quality assurance system in company:

TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey

for the design, manufacture and final inspection of in vitro diagnostic medical devices,
List A:

Anti-HCV Test
Brands: Info®, Toyo®, Rapidan Tester®, Labmen®

complies with the requirements of Annex IV excl. p. 4, 6 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law. The audit of the quality
assurance system carried out by PCBC has provided evidence of the above.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 43/2016
Contract No. MD-16/2016

Module H7



EC CERTIFICATE No. 1434-IVDD-54/2016

EC Design-Examination

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies that the design documentation relating to in vitro diagnostic medical
device, List A:

Anti-HBs Test
Brands: Info®, Toyo®, Rapidan Tester®, Labmen®
manufactured by:

TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey

was examined by PCBC according to Annex IV p. 4 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law and comply with the
essential requirements of the Directive.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 44/2016
Contract No. MD-17/2016

Module H6



EC CERTIFICATE No. 1434-IVDD-55/2016

Full Quality Assurance System

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies quality assurance system in company:

TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey

for the design, manufacture and final inspection of in vitro diagnostic medical devices,
List A:

Anti-HBs Test
Brands: Info®, Toyo®, Rapidan Tester®, Labmen®

complies with the requirements of Annex IV excl. p. 4, 6 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law. The audit of the quality
assurance system carried out by PCBC has provided evidence of the above.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 44/2016
Contract No. MD-17/2016

Module H7



EC CERTIFICATE No. 1434-IVDD-58/2016

EC Design - Examination

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies that the design documentation relating to in vitro diagnostic medical
device, List A:

Anti - HIV 1/2 Test
Brands: Info®, Toyo®, Rapidan Tester®, Labmen®
manufactured by:

TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey

was examined by PCBC according to Annex IV p. 4 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law and comply with the
essential requirements of the Directive.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 46/2016
Contract No. MD-19/2016

Module H6



EC CERTIFICATE No. 1434-IVDD-59/2016

Full Quality Assurance System

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies quality assurance system in company:

TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey

for the design, manufacture and final inspection of in vitro diagnostic medical devices,
List A:

Anti - HIV 1/2 Test
Brands: Info®, Toyo®, Rapidan Tester®, Labmen®

complies with the requirements of Annex IV excl. p. 4, 6 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law. The audit of the quality
assurance system carried out by PCBC has provided evidence of the above.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 46/2016
Contract No. MD-19/2016

Module H7



EC CERTIFICATE No. 1434-IVDD-51/2016

EC Design-Examination

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies that the design documentation relating to in vitro diagnostic medical
device for self-testing:

hCG Pregnancy Test
Brands: Rapidan Nova®, Rapidan Optima®, Info®, Toyo®, Rapidan
Tester®, Rapidan Compact®, Labmen®

manufactured by:

TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey

was examined by PCBC according to Annex III p. 6 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law and comply with the
essential requirements of the Directive.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 42/2016
Contract No. MD-15/2016

Module A1



CERTIFICATE

No. J - 2670/2/2018

This is to certify that:

TÜRKLAB TIBBI MALZ. SAN. VE TIC. A.Ş.
Sasalı Merkez Mh. Doğa Dostları Sitesi 131 Sk. No: 2/5
35621 Çiğli, İzmir, Turkey
Factory: ITOB 10031 Sk. No: 15 Menderes / İzmir - Turkey

is in conformance with

EN ISO 9001:2015

in the following scope of activities:

**design, development, manufacturing, final control
and distribution of in vitro diagnostic medical devices
intended for self-testing and professional use,
ECG electrodes and antibiotic susceptibility discs**

The audit carried out by the Polish Centre for Testing and Certification has afforded evidence of the above.

This Certificate shall remain valid provided that above standard are respected by the Organization.

This certificate is valid:

from **24.08.2018** to **21.12.2020**



AC 019
QMS




Anna Wyroba, M.Sc.
Vice President



Certificate No. **J - 2670/2/2018**

Issued under the Contract No. 2897/JM/3/2017

Date of certification decision: 24.08.2018

Bears the PCBC hologram.

Warsaw, 24.08.2018



CERTIFICATE

No. M - 56/2/2018

This is to certify that:

TÜRKLAB TIBBI MALZ. SAN. VE TIC. A.Ş.
Sasalı Merkez Mh. Doğa Dostları Sitesi 131 Sk. No: 2/5
35621 Çiğli, İzmir, Turkey
Factory: ITOB 10031 Sk. No: 15 Menderes / İzmir - Turkey

is in conformance with

EN ISO 13485:2016

in the following scope of activities:

**design, development, manufacturing, final control
and distribution of in vitro diagnostic medical devices
intended for self-testing and professional use,
ECG electrodes and antibiotic susceptibility discs**

The audit carried out by the Polish Centre for Testing and Certification has afforded evidence of the above.

This Certificate shall remain valid provided that above standard are respected by the Organization.

This certificate is valid:

from **24.08.2018** to **21.12.2020**



AC 019
QMS



Anna Wyroba
Anna Wyroba, M.Sc.
Vice President



Certificate No. **M-56/2/2018**

Issued under the Contract No. 2897/JM/3/2017

Date of certification decision: 24.08.2018

Bears the PCBC hologram.

Warsaw, 24.08.2018