Medtronic

Engineering the extraordinary

Cannula catalog

Medtronic in cardiac surgery

A company like no other

The largest cannula portfolio worldwide, backed by an even larger commitment

- to you.

The products in this catalog are available for our customers in Europe, Middle East, Africa and Russia



- Durable, non-leaching end point-attached heparin
- Provides thromboresistance and enhanced blood compatibility

All product codes with * are also available with Cortiva™ BioActive Surface. For more information, contact your local Medtronic Cannula Products representative.



Contents

For more information, contact your local Medtronic cannula products representative.

Extracorporeal circuit	
Arterial Cannulae	<i>4</i>
Femoral Cannulae	19
🕑 Venous Cannulae	28
Cardioplegia circuit	
Antegrade Perfusion Cannulae	37
Retrograde Perfusion Cannulae	47
Cardioplegia Adapters	55
Suction circuit and surgical accessories	
Suction, Sumps, and Vents	67
Surgical Support Products	75
Appendix	
Product Codes	86
▶ Index	87
• List of products available with Cortiva™ BioActive Surface	93





Alleviate pain. Restore health. Extend life.

Living our mission with you

Our Mission guides our day-to-day work and reminds us that our efforts, large and small, transform the lives of millions of people each year.

We have been working with you to deliver trusted and innovative cannula options for more than 40 years for standard, pediatric, and MICS procedures – more recently ECLS – while offering your favorite cardiac suction, surgical support items, and cardio-kits.

Together, we can deliver the cardiac cannula solutions that matter most to you – and your patients.






Arterial cannulae



Arterial cannulae are intended to deliver blood to the patient during cardiopulmonary bypass. Medtronic understands the importance of gentle flow in the often fragile aorta. We offer a number of different product variations to facilitate a variety of surgical techniques and to accommodate varying patient anatomies. Our adult and pediatric arterial cannulae are available in sizes from 6 Fr to 24 Fr in a variety of tip configurations, lengths, and connector sizes to meet your specific needs.








E(OPA 3D***	6
► Se	elect 3D™ II	7
▶ EC	OPA™ Elongated One-Piece	8
DI	DLP™ One-Piece Pediatric	9
D D	DLP™ Straight Tip	10
D D	DLP™ Flexible Arch	11
▶ Se	elect Series™ Straight Tip	12
▶ Se	elect Series™ Angled Tip	13
D D	DLP™ Curved Tip with One-Piece Wirewound Body	14
D D	DLP™ Curved Tip Cannulae with Wirewound Body	15
▶ D	DLP™ Curved Tip	16
D D	DLP™ Curved Metal Tip1	18

Arterial Cannulae EOPA 3D™ Arterial cannulae



These cannulae offer unique tapered diffuse flow tips and kink-resistant, elongated wirewound bodies. The 3-D tip is designed with three integrated flutes to diffuse and disperse blood flow. Features include adjustable radiopaque suture ring, obturator, hemostasis cap, and depth markings.






Vented 3/8 in (0.95 cm) connector		
78220*	20 Fr (6.7 mm)	
78222	22 Fr (7.3 mm)	

Non-vented	13/8	in (0	.95 d	cm)	connector
------------	------	-------	-------	-----	-----------

78320	20 Fr (6.7 mm)
78322*	22 Fr (7.3 mm)







^{*} Also available with Cortiva™ BioActive Surface.

Arterial Cannulae Select 3D™ II Arterial cannulae



These cannulae offer beveled tips and tapered, one-piece, kink-resistant wirewound bodies. The tips feature three integrated flutes, which help diffuse and disperse blood flow.



11.5 in (29.2 cm) overall length 45° tip

Vented 3/8 in (0.95 cm) connector		
78420	20 Fr (6.7 mm)	
78422	22 Fr (7.3 mm)	
78424	24 Fr (8.0 mm)	




Non-vented 3/8 in (0.95 cm) connector		
78520	20 Fr (6.7 mm)	
78522	22 Fr (7.3 mm)	
78524	24 Fr (8.0 mm)	
20 per carton		

Arterial Cannulae EOPA™ Elongated One-Piece Arterial Cannulae



These cannulae offer elongated, one-piece, kink-resistant wirewound bodies with an introducer and hemostasis cap. Features include depth markings and an adjustable radiopaque suture ring.





Vented 3/8 in (0.95 cm)

12 in (30.5 cm) overall length

Blunt tip introducer without guidewire

connector		
77418	18 Fr (6.0 mm)	
77420*	20 Fr (6.7 mm)	
77422*	22 Fr (7.3 mm)	
77424	24 Fr (8.0 mm)	

Non-vented 3/8 in (0.95 cm) connector

77518	18 Fr (6.0 mm)
77520*	20 Fr (6.7 mm)
77522*	22 Fr (7.3 mm)
77524	24 Fr (8.0 mm)

10 per carton



12 in (30.5 cm) overall length

Dilator tip introducer with 0.038 in (0.0965 mm) guidewire

Vented 3/8 in (0.95 cm) connector				
77618*	18 Fr (6.0 mm)			
77620*	20 Fr (6.7 mm)			
77622*	22 Fr (7.3 mm)			
77624	24 Fr (8.0 mm)			

Non-vented	3/8	in	(0.95 cm)
connector			

77718	18 Fr (6.0 mm)
77720*	20 Fr (6.7 mm)
77722*	22 Fr (7.3 mm)
77724	24 Fr (8.0 mm)

10 per cartor


8

^{*} Also available with Cortiva™ BioActive Surface.

Arterial Cannulae DLP™ One-Piece Pediatric Arterial Cannulae



These cannulae offer beveled tips with elongated, one-piece, kink-resistant wirewound bodies. Features include an adjustable hemostasis introducer system and depth markings.



9 in (22.9 cm) overall length Vented 1/4 in (0.64 cm) connector (blue hub) 77006* 6 Fr (2.0 mm) 77008* 8 Fr (2.7 mm) 10 Fr (3.3 mm) 77010* 77012* 12 Fr (4.0 mm) 77014* 14 Fr (4.7 mm) **77016*** 16 Fr (5.3 mm) Non-vented 1/4 in (0.64 cm) connector (blue hub) 77106 6 Fr (2.0 mm) 77108 8 Fr (2.7 mm) 77110 10 Fr (3.3 mm) 77112 12 Fr (4.0 mm) 77114 14 Fr (4.7 mm)

16 Fr (5.3 mm)

77116

5 per carton

Vented 3/16 in (0.48 cm) connector (grey hub)

77206	6 Fr (2.0 mm)
77208	8 Fr (2.7 mm)
77210	10 Fr (3.3 mm)
77212	12 Fr (4.0 mm)

Non-vented 3/16 in (0.48 cm) connector (grey hub)

77306	6 Fr (2.0 mm)
77308	8 Fr (2.7 mm)
77310	10 Fr (3.3 mm)
77312	12 Fr (4.0 mm)




⁹ in (22.9 cm) overall length

^{*} Also available with Cortiva $^{\mathrm{m}}$ BioActive Surface.

Arterial Cannulae DLP™ Straight Tip Arterial Cannulae



These pediatric and adult cannulae feature beveled tips and tapered bodies. A variety of sizes are available.



⁷ in (17.8 cm) overall length

Connection site 1/4 in (0.64 cm)	
75008	8 Fr (2.7 mm)
75010	10 Fr (3.3 mm)
75012	12 Fr (4.0 mm)
75014	14 Fr (4.7 mm)

8 in (20.3 cm)			
	overall length		
	Vented 3/8 in (0.95 cm) con		

vented 3/8 in (0.95 cm) connector	
76020	20 Fr (6.7 mm)
76022	22 Fr (7.3 mm)
76024	24 Fr (8.0 mm)

Connection site 3/8 in (0.95 cm)	
75318*	18 Fr (6.0 mm)
75320*	20 Fr (6.7 mm)
75322	22 Fr (7.3 mm)
75324	24 Fr (8.0 mm)
20 per carton	

Non-vented 3/8 in (0.95 cm) connector	
76118	18 Fr (6.0 mm)
76120	20 Fr (6.7 mm)
76122	22 Fr (7.3 mm)
76124	24 Fr (8.0 mm)
20 per carton	


^{*} Also available with Cortiva $^{\mathsf{m}}$ BioActive Surface.

Arterial Cannulae DLP™ Flexible Arch Arterial Cannulae



These cannulae offer beveled tips and tapered, one-piece bodies. Features include adjustable ring and depth markings.





11 in (27.9 cm) overall length

Vented 3/8 in (0.95 cm) connector	
70420	20 Fr (6.7 mm)
70422	22 Fr (7.3 mm)
70424	24 Fr (8.0 mm)

Non-vented 3/8 in (0.95 cm) connector	
71420	20 Fr (6.7 mm)
71422	22 Fr (7.3 mm)
71424*	24 Fr (8.0 mm)


^{*} Also available with Cortiva™ BioActive Surface.

Arterial Cannulae Select Series™ Straight Tip Arterial Cannulae



These cannulae feature beveled tips and tapered, one-piece, kink-resistant wirewound bodies, and connector peel cap.





12 in (30.5 cm) overall length

Vented 3/8 in (0.95 cm) connector	
72120	20 Fr (6.7 mm)
72122	22 Fr (7.3 mm)
72124*	24 Fr (8.0 mm)

Non-vented 3/8 in (0.95 cm) connector	
72220	20 Fr (6.7 mm)
72222	22 Fr (7.3 mm)
72224*	24 Fr (8.0 mm)


^{*} Also available with Cortiva™ BioActive Surface.


Arterial Cannulae Select Series™ Angled Tip Arterial Cannulae



These cannulae feature beveled tips and tapered, one-piece, kink-resistant wirewound bodies, and connector peel cap.









12 in (30.5 cm) overall length

45° tip without side holes

20 per carton

Vented 3/8 in (0.95 cm) connector	
72420	20 Fr (6.7 mm)
72422	22 Fr (7.3 mm)
72424	24 Fr (8.0 mm)

Non-vented 3/8 in (0.95 c	:m)
connector	

72520	20 Fr (6.7 mm)
72522	22 Fr (7.3 mm)
72524	24 Fr (8.0 mm)



12 in (30.5 cm) overall length


45° tip with side holes

Vented 3/8 in (0.95 cm) connector	
73420	20 Fr (6.7 mm)
73422	22 Fr (7.3 mm)
73424	24 Fr (8.0 mm)

Arterial Cannulae DLP™ Curved Tip Arterial Cannulae with One-piece Wirewound Body



These cannulae feature beveled curved tips and tapered, one-piece, kink-resistant wirewound bodies, tip orientation line, and connector peel cap.



11 in (27.9 cm) overall length

Round flange

Vented 3/8 in (0.95 cm) connector		
87220	20 Fr (6.7 mm)	
87222*	22 Fr (7.3 mm)	
87224	24 Fr (8.0 mm)	

Non-vented 3/8 in	(0.95 cm)) connector
-------------------	-----------	-------------


87120	20 Fr (6.7 mm)
87122	22 Fr (7.3 mm)
87124	24 Fr (8.0 mm)

^{*} Also available with Cortiva™ BioActive Surface.

Arterial Cannulae DLP™ Curved Tip Arterial Cannulae with Wirewound Body



These cannulae feature an overall longer length, beveled curved tips, and wirewound bodies with tip orientation line.



13 in (33.0 cm) overall length

Curved tip with flange

Connection site 3/8 in (0.95 cm)

87024 24 Fr (8.0 mm)

10 per carton



13 in (33.0 cm) overall length

Curved tip without flange

Connection site 3/8 in (0.95 cm)

87924 24 Fr (8.0 mm)




Arterial Cannulae DLP™ Curved Tip Arterial Cannulae



These cannulae feature beveled curved tips and tapered bodies with tip orientation line.





7 in (17.8 cm) overall length

Curved tip with flange

Connection site 3/8 in (0.95 cm)	
83020	20 Fr (6.7 mm)
83022	22 Fr (7.3 mm)
83024	24 Fr (8.0 mm)
20 per carton	

8 in (20.3 cm) overall length

Curved tip with flange

Vented 3/8 in (0.95 cm) connector	
88020	20 Fr (6.7 mm)
88022	22 Fr (7.3 mm)
88024	24 Fr (8.0 mm)

Non-vented 3/8 in (0.95 cm) connector	
88120	20 Fr (6.7 mm)
88122	22 Fr (7.3 mm)
88124	24 Fr (8.0 mm)
20 per carton	

7 in (17.8 cm) overall length

Curved tip without flange

Connection site 3/8 in (0.95 cm)	
84020	20 Fr (6.7 mm)
84022	22 Fr (7.3 mm)
84024	24 Fr (8.0 mm)
20	

20 per carton

8 in (20.3 cm) overall length

Curved tip without flange


Vented 3/8 in (0.95 cm) connector	
89020	20 Fr (6.7 mm)
89022	22 Fr (7.3 mm)
89024	24 Fr (8.0 mm)

Non-vented 3/8 in (0.95 cm) connector	
89120	20 Fr (6.7 mm)
89122	22 Fr (7.3 mm)
89124	24 Fr (8.0 mm)
0.0	

Arterial Cannulae DLP™ Curved Tip Arterial Cannulae



These cannulae feature beveled curved tips and tapered bodies with tip orientation line.



10 in (25.4 cm) overall length

Curved tip with flange and soft body

Vented 3/8 in (0.95 cm) connector		
81020	20 Fr (6.7 mm)	
81022	22 Fr (7.3 mm)	

Non-vented 3/8 in (0.95 cm) connector		
81120* 20 Fr (6.7 mm)		
81122* 22 Fr (7.3 mm)		
20 per carton		

10 in (25.4 cm) overall length

Curved tip without flange and soft body

Vented 3/8 in (0.95 cm) connector		
82020	20 Fr (6.7 mm)	
82022	22 Fr (7.3 mm)	

Non-vented 3/8 in (0.95 cm) connector		
82120	20 Fr (6.7 mm)	
82122	22 Fr (7.3 mm)	
20 per carton		


^{*} Also available with Cortiva $^{\mathsf{m}}$ BioActive Surface.

Arterial Cannulae DLP™ Curved Metal Tip Arterial Cannulae



These cannulae feature beveled metal tips and tapered bodies with tip orientation line. A choice of either standard or soft flange is available.





10.5 in (26.7 cm) overall length

Soft flange

Vented 3/8 in (0.95 cm) connector		
80020	20 Fr (6.7 mm)	
80022	22 Fr (7.3 mm)	

Non-vented 3/8 in (0.95 cm) connector		
80120* 20 Fr (6.7 mm)		
80122 22 Fr (7.3 mm)		
20 per carton		

10.5 in (26.7 cm) overall length

Standard flange

Vented 3/8 in (0.95 cm) connector		
80220	20 Fr (6.7 mm)	
80222	22 Fr (7.3 mm)	

Non-vented 3/8 in (0.95 cm) connector		
80320	20 Fr (6.7 mm)	
80322 22 Fr (7.3 mm)		
20 per carton		

^{*} Also available with Cortiva $^{\mathsf{m}}$ BioActive Surface.





Femoral cannulae



The largest cannula portfolio worldwide.

Our commitment

- to you.

Femoral cannulae provide greater versatility of cannulation techniques to meet the needs of the changing patient population and the desire for smaller thoracic incisions. Designed to be placed in the femoral vein and/or artery, Medtronic femoral cannulae are ideally suited for both percutaneous and direct insertion. The unique flat wirewound, thin-wall construction of the Bio-Medicus™ cannulae maximizes flow rates and cannula flexibility. Our various sizes ensure the availability of a cannula to meet your specific needs.







(Bio-Medicus™ NextGen Pediatric Arterial and Venous	21
•	Bio-Medicus™ NextGen Arterial or Jugular Venous	22
•	Bio-Medicus™ Percutaneous Kit, Multi-Stage venous	23
•	Bio-Medicus™ NextGen Bi-caval Venous	24
•	Bio-Medicus™ NextGen Insertion Kits	25
•	DLP™ Venous	26
•	DLP™ Arterial	27

Femoral Cannulae Bio-Medicus™ NextGen Pediatric Arterial and Venous Cannulae




These pediatric cannulae offer a flexible, kink-resistant, thin-wall design that promotes maximum flow rates. The tip design eases insertion and provides a reinforced non-step transition zone along with smooth side holes. Both venous and arterial models are packaged with a tapered solid core and a percutaneous-style, guidewire-capable (0.025 mm dia), non-phthalate PVC introducer, allowing for either a traditional or Seldinger insertion. Each cannula includes a repositionable radiopaque suture ring, an improved friction-fit hemostasis cap, and a retention clip that aids in tubing management. These products are manufactured without DEHP.

Arterial

Non-vented 1/4 in (0.64 cm) connector

		Overall	Тір
96820-108	820-108 8 Fr (2.7 mm)		10.0 cm
96820-110 10 Fr (3.3 mm)		22.9 cm	10.5 cm
96820-112	96820-112 12 Fr (4.0 mm)		11.0 cm
96820-114	14 Fr (4.7 mm)	22.9 cm	11.5 cm

1 per carton





The Annual or The Control of the Con

Venous

Non-vented 1/4 in (0.64 cm) connector

		Overall	Tip
96830-108	8 Fr (2.7 mm)	22.9 cm	10.0 cm
96830-110 10 Fr (3.3 mm)		22.9 cm	10.5 cm
96830-112 12 Fr (4.0 mm)		22.9 cm	11.0 cm
96830-114 14 Fr (4.7 mm)		22.9 cm	11.5 cm
1 per carton			





Retention Clip




See page 25 for 96553 insertion kit.

Femoral Cannulae Bio-Medicus™ NextGen Femoral Arterial or Jugular Venous Cannulae



These cannulae offer a flexible, kink-resistant, thin-wall design that promotes maximum flow rates. The tip design eases insertion with a reinforced nonstep transition zone, and smooth side holes. A silicone friction-fit cap and non-phthalate PVC introducer provide improved function as well. The percutaneous-style introducer, a repositionable radiopaque suture ring, and a 3/8 inch connection site are standard on all models.

Cannula kit includes: White color dilator included with 21 Fr, 23 Fr, and 25 Fr models



12.5 in (31.8 cm) overall length

7.09 in (18.0 cm) tip


Vented 3/8 in (0.95 cm) connector				
Cannula	Cannula Kit	French Size		

96570-115	96530-115	15 Fr (5.0 mm)
96570-117	96530-117	17 Fr (5.7 mm)
96570-119	96530-119	19 Fr (6.3 mm)
96570-121	96530-121	21 Fr (7.0 mm)
96570-123	96530-123	23 Fr (7.7 mm)
96570-125	96530-125	25 Fr (8.3 mm)

1 per carton

Order your cannulae as single stand-alone units or with a kit included. For cannula singles, an insertion kit should be ordered.





- Bio-Medicus NextGen Femoral Arterial Cannulae
- Bio-Medicus NextGen Jugular Venous Cannulae



See page 25 for 96552 insertion kit.


Femoral Cannulae



Bio-Medicus™ Percutaneous Kit, Multi-Stage Venous Femoral

These adult cannulae feature one-piece, kink-resistant, wirewound bodies with multiple side ports, an introducer with depth markings, and a tip taper location indicator. Insertion kit components are listed below.


Cannula kit includes:



30 in (76.2 cm) overall length

23.6 in (60 cm) tip

Non-vented 3/8 in (0.95 cm) connector		



Femoral Cannulae Bio-Medicus™ NextGen Femoral Bi-caval Venous Cannulae



These cannulae feature a flexible, kink-resistant, thin-wall design that promotes maximum flow rates. The tip design offers an elongated tapered introducer, a reinforced non-step tip transition zone, and smooth side holes. All of these enhancements add up to an easier insertion. Side holes positioned in the SVC and IVC near hepatic veins allow bi-caval drainage and optional isolation of the right atrium. A silicone friction fit cap and non-phthalate PVC introducer provide improved function as well. Each model is standard with a percutaneous-style introducer, a repositionable radiopaque suture ring, and a 3/8 inch connection site.

Cannulae with a kit include:





Bi-caval capability with optimized basket placement

Enables increased venous drainage; ideal for MICS or traditional cases.

Designed to enable right atrium occlusion and access.


Non-vented 3/8 in (0.95 cm) connector

Cannula Singles	Cannula Kit	French Size	Overall Length	Tip Length
96670-115	96600-115	15 Fr (5.0 mm)	64.8 cm	48.9 cm
96670-117	96600-117	17 Fr (5.7 mm)	64.8 cm	48.9 cm
96670-119	96600-119	19 Fr (6.3 mm)	69.9 cm	54.0 cm
96670-121	96600-121	21 Fr (7.0 mm)	69.9 cm	54.0 cm
96670-123 [†]	96600-123 [†]	23 Fr (7.7 mm)	76.2 cm	60.0 cm
96670-125 [†]	96600-125 [†]	25 Fr (8.3 mm)	76.2 cm	60.0 cm
96670-127 [†]	96600-127 [†]	27 Fr (9.0 mm)	76.2 cm	60.0 cm
96670-129 [†]	96600-129 [†]	29 Fr (9.7 mm)	76.2 cm	60.0 cm

¹ per carton

Order your cannulae as single stand-alone units or with a kit included. For cannula singles, an insertion kit should be ordered.

 $^{^{\}dagger}$ 1/2 in (1.27 cm) to 3/8 in (0.95 cm) tubing adapter included.





Femoral Cannulae Bio-Medicus™ NextGen Insertion Kits



These adult and pediatric insertion kits provide components for peripheral cannulation via Seldinger technique. Designed for percutaneous or direct visualization insertion, these kits provide the following insertion components as listed below.



Venous

- 0.038 in (0.0965 mm) diameter;180 cm (70.87 in) guidewire
- #11 scalpel blade
- 10 cc syringe
 - Stepped vessel dilator, 8 Fr/10 Fr, 12 Fr/14 Fr, and 16 Fr/18 Fr
 - Seldinger needle, 18 ga (1.02 mm)

5 kits per carton



Pediatric Arterial/Venous

- 0.025 in (0.0635 mm) diameter; 60 cm (23.62 in) guidewire
- #11 scalpel blade
- 10 cc syringe
- Stepped vessel dilator, 8 Fr/10 Fr, and 12 Fr/14 Fr
- Seldinger needle, 18 ga (1.02 mm)

5 kits per carton



Arterial/Jugular


- 0.038 in (0.0965 mm) diameter;
 100 cm (39.37 in) guidewire
- #11 scalpel blade
- 10 cc syringe
 - Stepped vessel dilator, 8 Fr/10 Fr, 12 Fr/14 Fr, and 16 Fr/18 Fr
 - Seldinger needle, 18 ga (1.02 mm)


5 kits per carton

Femoral Cannulae DLP™ Femoral Venous Cannulae



These cannulae feature multiple side holes, depth markings, and tapered tip introducer.





Non-vented 3/8 in (0.95 cm) connector and 0.038 in (0.0965 cm) x 180 cm (70.87 in) guidewire


96428 28 Fr (9.3 mm)



Femoral Cannulae DLP™ Femoral Arterial Cannulae



These cannulae feature multiple side holes, depth markings, and tapered tip introducer for placement over a 0.038 in (0.0965 cm) guidewire (not included).



7 in (17.8 cm) insertion length

Vented 3/8 in (0.95 cm) connector		
57414	14 Fr (4.7 mm)	
57417	17 Fr (5.7 mm)	
57421	21 Fr (7.0 mm)	

⁴ per carton





Venous cannulae



Venous cannulae are designed to provide optimal venous drainage while providing flexibility and ease of use. We offer a variety of single stage venous cannulae with kink-resistant, wirewound bodies in sizes from 12 Fr to 40 Fr. These cannulae are offered in both straight and right angle with multiport tips and the option for a thin-wall metal tip design. Our product breadth ensures the availability of a cannula to meet your specific needs.









DLP™ Single Stage with Right Angle Metal Tip	30
DLP™ Single Stage	3 [,]
DLP™ Single Stage with right angle	32
DLP™ Malleable Single Stage	3
▶ VC2 [™]	34
MC2™ Two Stage	3!
MC2X™ Three Stage	30

Venous Cannulae DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip



These pediatric and adult cannulae feature beveled metal, multiport tips, and kink-resistant wirewound bodies with a tip orientation line. This construction allows for high flow rates with minimal pressure differential.





^{*} Also available with Cortiva™ BioActive Surface.



Connection site 1/4 in (0.64 cm)	
67312*	12 Fr (4.0 mm)
67314*	14 Fr (4.7 mm)
67316*	16 Fr (5.3 mm)
67318*	18 Fr (6.0 mm)
67320*	20 Fr (6.7 mm)


Connection site 3/8 in (0.95 cm)	
69312	12 Fr (4.0 mm)
69314	14 Fr (4.7 mm)
69316	16 Fr (5.3 mm)
69318	18 Fr (6.0 mm)
69320*	20 Fr (6.7 mm)
69322	22 Fr (7.3 mm)
69324*	24 Fr (8.0 mm)
69328*	28 Fr (9.3 mm)
69331	31 Fr (10.3 mm)
10 per carton	



Venous Cannulae DLP™ Single Stage Venous Cannulae



These pediatric and adult cannulae feature tapered, multiport tips and one-piece, kink-resistant wirewound bodies with depth markings.



12-16 in (30.5-40.6 cm) overall length

Connection site 1/4 in (0.64 cm)	
66112*	12 Fr (4.0 mm)
66114*	14 Fr (4.7 mm)
66116*	16 Fr (5.3 mm)

Connection site 1/4 in-3/8 in
(0.64-0.95 cm)

66118*	18 Fr (6.0 mm)
66120*	20 Fr (6.7 mm)
66122	22 Fr (7.3 mm)
66124*	24 Fr (8.0 mm)

Connection site 3/8 in (0.95 cm)		
66126	26 Fr (8.7 mm)	
66128*	28 Fr (9.3 mm)	
66130	30 Fr (10.0 mm)	
66132*	32 Fr (10.7 mm)	
66134	34 Fr (11.3 mm)	
66236*	36 Fr (12.0 mm)	

Connection site 1/2 in (1.27 cm)

66136	36 Fr (12.0 mm)
66140	40 Fr (13.3 mm)

10 per carton

Flow Rate (L/min of water)


10


^{*} Also available with Cortiva $^{\mathsf{m}}$ BioActive Surface.

Venous Cannulae DLP™ Single Stage Venous Cannulae with right angle



These pediatric and adult cannulae feature tapered, multiport tips and one-piece, kink-resistant wirewound bodies with depth markings.





^{*} Also available with Cortiva™ BioActive Surface.

12-15 in (30.5-38.1 cm) overall length

Connection	on site 1/4 in (0.64 cm)
67512	12 Fr (4.0 mm)
67514	14 Fr (4.7 mm)
67516	16 Fr (5.3 mm)

(0.64-0.9	5 cm)
67518	18 Fr (6.0 mm)
67520*	20 Fr (6.7 mm)
67522	22 Fr (7.3 mm)
67524*	24 Fr (8.0 mm)

Connection site 1/4 in-3/8 in


Connection site 3/8 in (0.95 cm)	
67526	26 Fr (8.7 mm)
67528*	28 Fr (9.3 mm)
67530*	30 Fr (10.0 mm)
67532*	32 Fr (10.7 mm)
67534*	34 Fr (11.3 mm)
67636*	36 Fr (12.0 mm)
67638	38 Fr (12.7 mm)
10 per carton	


Venous Cannulae DLP™ Malleable Single Stage Venous Cannulae




These pediatric and adult cannulae feature multiport tips and malleable, one-piece, kink-resistant wirewound bodies with depth markings. This construction allows the surgeon to shape the cannulae. An integrated malleable wire outside the wirewinding optimizes the inner diameter (I.D.) for maximum flow performance.








Venous Cannulae



Models 68124, 24 Fr, and 68130, 30 Fr

Competitive Cannulae



Edwards™* Malleable Single Stage Venous Cannula, Model TFM024L, 24 Fr ¹2013 Medtronic data on file.

12-15 in (30.5-38.1 cm) overall length

Connection	on site 1/4 in (0.64 cm)
68112*	12 Fr (4.0 mm)
68114*	14 Fr (4.7 mm)
68116*	16 Fr (5.3 mm)

Connection site 1/4 in-3/8 in		
(0.64-0.95 cm)		

68118*	18 Fr (6.0 mm)
68120*	20 Fr (6.7 mm)
68122	22 Fr (7.3 mm)
68124*	24 Fr (8.0 mm)

Connection site 3/8 in (0.95 cr	
I ANNACTION SITA 3/X IN III YA CI	n١


68126	26 Fr (8.7 mm)
68128*	28 Fr (9.3 mm)
68130	30 Fr (10.0 mm)
68132*	32 Fr (10.7 mm)
68134	34 Fr (11.3 mm)

Connection site 1/2 in (1.27 cm)

68136*	36 Fr (12.0 mm)
68138	38 Fr (12.7 mm)

10 per carton






The malleable single stage venous cannulae allow the surgeon to manipulate the cannula shape into virtually any position.


* Also available with Cortiva™ BioActive Surface.

Venous Cannulae VC2[™] Venous Cannulae



These cannulae offer swirl tips with slotted atrial baskets and kink-resistant, wirewound bodies that feature depth markings. The oval body presents a lower profile in the surgical field.





Flow Rate (L/min of water)



15 in (38.1 cm) overall length

Wirewound body
Connection site 3/8 in (0.95 cm)

93438	34/38 Fr (11.3/12.7 mm)
75450	04/0011 (11.0/12./ 11111)

Wirewound body Connection site 1/2 in (1.27 cm)

93448	34/48 Fr (11.3/16.0 mm
-------	------------------------

Wirewound body, non-vented 1/2 in (1.27 cm) connector

93438C*	34/38 Fr (11.3/12.7 mm)
93448C	34/48 Fr (11.3/16.0 mm)

Oval wirewound body Connection site 3/8 in (0.95 cm)

93463	34/38 Fr (11.3/12.7 mm)
-------	-------------------------

Oval wirewound body Connection site 1/2 in (1.27 cm)

93464 34/48 Fr (11.3/16.0 mm)

Oval wirewound body, non-vented 1/2 in (1.27 cm) connector


93463C	34/38 Fr (11.3/12.7 mm)
93464C	34/48 Fr (11.3/16.0 mm)


Venous Cannulae MC2™ Two Stage Venous Cannulae



These cannulae feature multiport tips with atrial baskets and kink-resistant, wirewound bodies with depth markings. The oval body presents a lower profile in the surgical field.







^{*} Also available with Cortiva $^{\mathrm{m}}$ BioActive Surface.

15 in (38.1 cm) overall length

Non-vented

Confidence of a m (0.70 cm)	
91228*	28/36 Fr (9.3/12.0 mm)
Connection site 1/2 in (1.27 cm)	
91236	36/46 Fr (12.0/15.3 mm)
91240*	32/40 Fr (10.7/13.3 mm)
91246*	34/46 Fr (11.3/15.3 mm)
91251	36/51 Fr (12.0/17.0 mm)

Connection site 3/8 in (0.95 cm)

1/2 in (1.27 cm) connector	
91228C*	28/36 Fr (9.3/12.0 mm)
91236C*	36/46 Fr (12.0/15.3 mm)
91240C*	32/40 Fr (10.7/13.3 mm)
91246C*	34/46 Fr (11.3/15.3 mm)
91251C	36/51 Fr (12.0/17.0 mm)
10 per carton	

15 in (38.1 cm) overall length

Reduced stage body Connection site 1/2 in (1.27 cm)

91229 29/37 Fr (9.7/12.3 mm)	91229	29/37 Fr (9.7/12.3 mm)
---------------------------------------	-------	------------------------

Non-vented 1/2 in (1.27 cm) connector

91229C 29/37 Fr (9.7/12.3 mm)

Thin-wall body Connection site 3/8 in (0.95 cm)

91329* 29/29 Fr (9.7/9.7 mm)

Non-vented 3/8 in (0.95 cm) connector

91329C* 29/29 Fr (9.7/9.7 mm)

Oval body Connection site 1/2 in (1.27 cm)

91263*	32/40 Fr (10.7/13.3 mm)
91265*	36/46 Fr (12.0/15.3 mm)

Oval body Non-vented 1/2 in (1.27 cm) connector


91263C*	32/40 Fr (10.7/13.3 mm)
91265C*	36/46 Fr (12.0/15.3 mm)

Venous Cannulae MC2X[™] Three Stage Venous Cannulae



These cannulae feature a thin-wall design that provides minimal pressure differential for use with vacuum or kinetically assisted venous drainage.





Thinner Wall Design



Competitive (29/29/29) Cannula

MC2X has a 31% thinner wall for a larger inner diameter when compared to competitive cannula²



Larger end hole of the MC2X allows for better flow opportunity³ ^{2,3} 2013 Medtronic data on file.

15 in (38.1 cm) overall length

Connection site 3/8 in (0.95 cm)

91429*

29/29/29 Fr (9.7/9.7/9.7 mm)

Non-vented 3/8 in (0.95 cm) connector

91429C*

29/29/29 Fr (9.7/9.7/9.7 mm)

10 per carton






15.5 in (39 cm) overall length

Connection site 3/8 in (0.95 cm)

29/46/37 Fr (9.7/15.3/12.3 mm)

Non-vented 3/8 in (0.95 cm) connector

91437C 29/46/37 Fr (9.7/15.3/12.3 mm)



^{*} Also available with Cortiva™ BioActive Surface.





Antegrade cannulae



Antegrade cannulae are designed to deliver cardioplegia solution to the heart via the arteries in the normal direction of blood flow (antegrade perfusion). Aortic root cannulae are intended to either aspirate air from the aorta or infuse cardioplegia solution directly into the aortic root near the aortic valve. We offer adult and pediatric aortic root cannulae in varying lengths to accommodate various techniques and patient anatomies. Our product breadth ensures the availability of a cannula to meet your specific needs.








•	MīAR™ Aortic Root with Flow-Guard	39
•	DLP™ Dual Lumen Cardioplegia	40
•	DLP™ Aortic Root	41
•	DLP™ Aortic Root with Vent Line	42
•	DLP™ Cardioplegia Needles	43
(DLP™ Coronary Ostial Perfusion	44

Antegrade Cannulae MīAR™ Aortic Root Cannulae with Flow-Guard



These Minimally Invasive Aortic Root (MīAR) models feature a 12.25 in (31 cm) cannula body to allow access into the chest for small incision techniques. This length also allows positioning of the luer connection to the cardioplegia line out of the surgeon's way, outside the chest incision. Additionally, these MīAR models include the Flow-Guard™ feature to maintain hemostasis during removal of the needle from the cannula.






12.25 in (31 cm) overall length

Flanged standard tip and Flow-Guard introducer

11012L	12 ga (9 Fr)
11014L	14 ga (7 Fr)




Antegrade Cannulae DLP™ Dual Lumen Cardioplegia Cannulae



The dual lumen cannula features a tip attached to a clear body with a separate vent line. Additional features include left heart venting and simultaneous cardioplegia delivery and aspiration. Each cannula is supplied with a stainless steel introducer needle.





3.25 in (8.3 cm) overall length

Standard tip

30401 12 ga (9 Fr)





Dual Lumen Aortic Root Application Detail

Antegrade Cannulae DLP™ Aortic Root Cannulae



These pediatric and adult cannulae feature radiopaque tips attached to clear PVC bodies. Additional features available with these cannulae include aortic root pressure monitoring and left heart venting. All cannulae are supplied with a stainless steel introducer needle. All DLP Aortic Root Cannulae can be used to aspirate air emboli as well as administer cardioplegia.







Flow-Guard™ Introducer

2.5 in (6.4 cm) overall length

Flanged standard tip and standard introducer

10218	18 ga (4 Fr) white tip and clear flange
12218	18 ga (4 Fr) blue one-piece tip and flange

20 per carton

5.5 in (14.0 cm) overall length

Flanged standard tip and standard introducer

10009	9 ga (11 Fr)
10012*	12 ga (9 Fr)
10014	14 ga (7 Fr)
10016	16 ga (5 Fr)
10018	18 ga (4 Fr)

Flanged standard tip and Flow-Guard introducer

11012	12 ga (9 Fr)
11014	14 ga (7 Fr)

²⁰ per carton

5.75 in (14.6 cm) overall length

Slotted long tip and standard introducer

10112	12 ga (9 Fr)
10114	14 ga (7 Fr)


20 per carton



Flanged pressure monitoring tip and standard introducer

23009 9 ga (11 Fr)

20 per carton




Flow-Guard Introducer Application Detail

* Also available with Cortiva™ BioActive Surface.

Antegrade Cannulae DLP™ Aortic Root Cannulae with Vent Line



These cannulae feature radiopaque tips attached to clear bodies with separate vent lines. Additional features available with these cannulae include aortic root pressure monitoring and left heart venting. All cannulae are supplied with a stainless steel introducer needle.



5.5 in (14.0 cm) overall length

Flanged standard tip and
standard introducer

20009	9 ga (11 Fr)
20012*	12 ga (9 Fr)
200125	12 ga (9 Fr) with two clamps
20014	14 ga (7 Fr)
20014L	14 ga (7 Fr), 8 in (20.3 cm) vent line
20016	16 ga (5 Fr)

Flanged standard tip and Flow-Guard™ introducer

21012	12 ga (9 Fr)
21014	14 ga (7 Fr)

20 per carton

5.75 in (14.6 cm) overall length

Slotted long tip and standard introducer

20112	12 ga (9 Fr)
20114	14 ga (7 Fr)

20 per carton



Flanged long tip and standard introducer

20114WF	14 ga (7 Fr)
20114HWF	14 ga (7 Fr) with side holes

20 per carton

5.25 in (13.3 cm) overall length

Flanged pressure monitoring tip and standard introducer



^{*} Also available with Cortiva™ BioActive Surface.

Antegrade Cannulae DLP™ Cardioplegia Needles



These needles feature stainless steel tips with a plastic depth stop. These needles are attached to flexible tubing with drape clamp and female luer.



Pediatric

6.5 in (16.5 cm) overall length

Tip length 1/4 in (0.64 cm) with hub stop

11316 16 ga (5 Fr)

20 per carton

Adult

10 in (25.4 cm) overall length

Tip length 5/8 in (1.59 cm) with 4 side holes and flange stop


10313 13 ga (8 Fr)

Antegrade Cannulae DLP™ Coronary Ostial Perfusion Cannulae



These cannulae feature silicone bodies with soft bulb-shaped tips. All cannulae have a female luer connection site.






10 in (25.4 cm) overall length

30315	15 Fr (5.0 mm) bulb
30317	17 Fr (5.7 mm) bulb
30320	20 Fr (6.7 mm) bulb

Intracoronary cardioplegia





Antegrade Cannulae DLP™ Coronary Ostial Perfusion Cannulae



These cannulae feature flanged, radiopaque basket tips or soft tips attached to malleable stainless steel shafts. All cannulae have a female luer connection site.









6 in (15.2 cm) overall length

Basket tip

zuomot up	
30010	10 Fr (3.3 mm)
30012	12 Fr (4.0 mm)
30014	14 Fr (4.7 mm)

20 per carton



6 in (15.2 cm) overall length

Soft, concave tip

30050

10 per carton



Soft, convex tip


30055



Antegrade Cannulae DLP™ Coronary Ostial Perfusion Cannulae



These high flow cannulae feature flanged, radiopaque basket tips or soft silicone tips attached to large-bore, malleable stainless steel shafts. All cannulae have a female luer connection site.





7.5 in (19.1 cm) overall length

90° angle basket tip

30110	10 Fr (3.3 mm)
30112	12 Fr (4.0 mm)
30114	14 Fr (4.7 mm)

10 per carton



7.5 in (19.1 cm) overall length

 90° angle soft silicone tip

30155	10 Fr (3.3 mm)

10 per carton



7.5 in (19.1 cm) overall length

45° angle basket tip

30212 12 Fr (4.0 mm)

10 per carton



7.5 in (19.1 cm) overall length

45° angle soft silicone tip

30255 10 Fr (3.3 mm)





Retrograde cannulae



Retrograde cannulae are designed to deliver cardioplegia solution to the heart via the coronary sinus in the reverse direction of normal blood flow (retrograde perfusion). We offer the retrograde cannulae in pediatric and adult sizes. The pediatric cannulae are offered with silicone bodies, with or without a guidewire stylet, and a manual-inflate cuff. Adult models are offered with a silicone or PVC body, a solid or guidewire stylet with a variety of handle options, and an auto- or manual-inflate cuff. Silicone bodies ensure product malleability under cold cardioplegia temperatures. The purpose of the cuff is to occlude the opening of the coronary sinus, forcing cardioplegia flow to the coronary vessel bed of the heart. Manual-inflate models require the clinician to inflate the cuff prior to delivering cardioplegia. Our product breadth ensures the availability of a cannula to meet your specific needs.









•	Gundry™ Retrograde Coronary Sinus Perfusion with Manual-Inflate Cuff	49
•	DLP™ Retrograde Coronary Sinus Perfusion with Manual-Inflate Cuff	50
	DLP™ Retrograde Coronary Sinus Perfusion with Auto-Inflate Cuff	52

Retrograde Cannulae Gundry™ Retrograde Coronary Sinus Perfusion Cannulae with Manual-Inflate Cuff



These pediatric and adult cannulae feature silicone bodies and manual-inflate cuffs with pressure monitoring lines. All cannulae have a guidewire stylet and either a male luer handle or a $Tru-Touch^{\mathsf{TM}}$ handle. All cannulae come with a syringe for cuff inflation.





9 in (22.9 cm) overall length Smooth cuff and wirewound body 94110 10 Fr (3.3 mm) guidewire styletw 4 per carton





1	12.5 in (31.8 cm) overall length Smooth cuff and wirewound body	
	94115T	15 Fr (5.0 mm) guidewire stylet
	10 per carton	

Retrograde Cannulae DLP™ Retrograde Coronary Sinus Perfusion Cannulae with Manual-Inflate Cuff



These pediatric and adult cannulae feature silicone bodies and manual-inflate cuffs with pressure monitoring lines. All cannulae come with a smooth cuff and a syringe for cuff inflation.





9.5 in (24.1 cm) overall length

Smooth cuff, non-wirewound body, and integral stopcock

94006	6 Fr (2.0 mm) no stylet
94106	6 Fr (2.0 mm) guidewire stylet

4 per carton

12.5 in (31.8 cm) overall length

Smooth cuff and wirewound body

94215T	15 Fr (5.0 mm) solid stylet
10 per carton	

12.5 in (31.8 cm) overall length


Smooth cuff, wirewound body, and integral stopcock

	15 Fr (5.0 mm)
94725	15 Fr (5.0 mm) solid stylet with Tru-Touch™ handle

Retrograde Cannulae DLP™ Retrograde Coronary Sinus Perfusion Cannulae with Manual-Inflate Cuff



These pediatric and adult cannulae feature silicone bodies and manual-inflate cuffs with pressure monitoring lines. A variety of cuffs and stylets are available. All cannulae come with a syringe for cuff inflation.





12.5 in (31.8 cm) overall length

Elongated cuff, wirewound body, and integral stopcock

94625	15 Fr (5.0 mm) solid stylet
94665	15 Fr (5.0 mm) guidewire stylet

10 per carton



12.5 in (31.8 cm) overall length

Ridged cuff, wirewound body, and integral stopcock


	•
94913	13 Fr (4.3 mm) guidewire stylet
94913L	13 Fr (4.3 mm) guide- wire stylet and 6 in (15.2 cm) pressure monitoring and inflation line
94915	15 Fr (5.0 mm) guidewire stylet
94965	15 Fr (5.0 mm) guide- wire stylet with Tru- Touch™ handle
94975	15 Fr (5.0 mm) solid stylet with Tru-Touch handle

Retrograde Cannulae DLP™ Retrograde Coronary Sinus Perfusion Cannulae with Auto-Inflate Cuff



These cannulae feature silicone bodies and auto-inflate cuffs with pressure monitoring lines. A variety of cuffs and stylets are available.







12.5 in (31.8 cm) overall length

Smooth preformed cuff and wirewound body

94315T	15 Fr (5.0 mm) solid stylet
94415T	15 Fr (5.0 mm) guide- wire stylet
94735	15 Fr (5.0 mm) solid stylet with Tru-Touch™ handle
94745	15 Fr (5.0 mm) guidewire stylet with Tru-Touch handle


10 per carton



12.5 in (31.8 cm) overall length

Ridged preformed cuff, wirewound body, and integral stopcock

10 per carton




Silicone Auto-inflate Cuff Flow Detail Silicone auto-inflating cuffs offer the convenience of cuff inflation without the need for a syringe. Their unique flow-through design allows cardioplegia to circulate through the cuff before exiting the cannula tip. These cuffs also feature a dual pressure monitoring system, which normally provides intra-sinus pressure monitoring through the port in the tip. However, should the tip inadvertently become occluded, the second port will monitor intra-cuff pressure. This feature greatly reduces the potential for coronary sinus damage due to overinflation.

Retrograde Cannulae DLP™ Retrograde Coronary Sinus Perfusion Cannulae with Auto-Inflate Cuff



These cannulae feature PVC bodies and polyurethane auto-inflate smooth cuffs with pressure monitoring lines. A variety of stylets are available.







10 in (25.4 cm) overall length

Smooth preformed cuff, short fluted bullet-nosed tip, and integral stopcock

94885K	15 Fr (5.0 mm) solid stylet with Tru- Touch™ handle
--------	--

10 per carton



11 in (27.9 cm) overall length

Smooth preformed cuff, multiport tip, and integral stopcock

94533	13 Fr (4.3 mm) solid stylet with Tru-Touch handle
94535	15 Fr (5.0 mm) solid stylet with Tru-Touch handle

Retrograde Cannulae DLP™ Retrograde Coronary Sinus Perfusion Cannulae with Auto-Inflate Cuff



These cannulae feature PVC bodies and polyurethane auto-inflate cuffs with pressure monitoring lines. A variety of cuffs and stylets are available.





10 per carton

12 in (30.5 cm) overall length

Smooth preformed cuff, short fluted bullet-nosed tip, and integral stopcock

bullet-nosed tip, and integral stopcock	
94885	15 Fr (5.0 mm) solid stylet with Tru-Touch™ handle
94895	15 Fr (5.0 mm) guidewire stylet with Tru-Touch handle



12.5 in (31.8 cm) overall length

Smooth preformed cuff, fluted bullet-nosed tip, and integral stopcock


10 per carton



12.5 in (31.8 cm) overall length

Ridged preformed silicone cuff, short fluted bullet-nosed tip, and integral stopcock

94935	15 Fr (5.0 mm) solid stylet with Tru- Touch handle



PVC Auto-inflate Cuff Flow Detail






Cardiograde adapters



Cardioplegia adapters are designed to permit customization of the cardioplegia circuit. Medtronic adapters can be used to connect multiple cardioplegia cannulae and/or vein graft cannulae to a single inlet source, switch between antegrade and retrograde delivery of cardioplegia, and provide the option for attaching a vent line to cardioplegia cannulae. Additional adapters are available to extend the length of the cardioplegia circuit, recirculate the cardioplegia solution, or provide an extension to the pressure monitoring line.







DLP™ Perfusion	57
DLP™ Perfusion/Venting	57
DLP™ Extension Line	58
DLP™ Pressure Monitoring Extension Line	58
DLP™ Straight	59
▶ DLP™ "Y"	59
DLP™ "Y" Type Recirculating	60
DLP™ "Y" Type Coronary Perfusion	60
▶ DLP™ "Y"	61
DLP™ Vein Graft Cannula	62
DLP™ Cardioplegia Adapter with Pressure Port	63
▶ ARISS™ Perfusion Switches	63
DLP™ Cardioplegia Management Set	64
DLP™ Antegrade/Retrograde Stopcock	64
DLP™ Multiple Perfusion Sets	65

Cardioplegia Adapters DLP™ Perfusion Adapters



These adapters feature a barbed connector on one end and either a male luer or female luer on the other. Some models have a length of tubing between the barbed connector and luers.

2 in (5.1 cm) overall length

Male luer	
10007	1/4 in (0.64 cm) barbed connector
10008	3/8 in (0.95 cm) barbed connector
40 per carton	



3.25 in (8.3 cm) overall length

Tubing and female luer

10022 1/4 in (0.64 cm) barbed connector

40 per carton



DLP™ Perfusion/Venting Adapter

This adapter is a combination of perfusion adapter 10007 with an added high-flow stopcock that allows for venting. This 3-way stopcock has a large-bore inner diameter and has female and male luers on the ends.

Male luer

13002

20 per carton

Cardioplegia Adapters DLP™ Extension Line Adapters



These adapters feature soft (silicone-like) PVC tubing with or without a clamp, and male and winged female luers on the ends.

10 in (25.4 cm) overall length

Male and winged female luers

11001 without clamp

10 per carton



20 in (50.8 cm) overall length Male and winged female luers 11001G with clamp

20 per carton

DLP™ Pressure Monitoring Extension Line Adapters


These adapters feature combinations of male and female luers on the ends.

6 ft (1.8 m) overall length

Male and female luers

25009	male x female luers
25010	male x male luers





Cardioplegia Adapters DLP™ Straight Adapters



These adapters have a male luer on one end and a 1/4 inch (0.64 cm) connector on the other.

5 in (12.7 cm) overall length

Male luers	
10001	with vented 1/4 in connector
10001K	with vented 1/4 in connector and clamp
20 per carten	



These adapters feature a male luer on the single leg. A female luer is on the cardioplegia inlet leg and a 1/4 inch (0.64 cm) connector is on the venting leg.

Male luer on single leg	
10005†	7.5 in (19.1 cm) overall length with 3 in (7.6 cm) inlet leg and color-coded clamps
10534	8.5 in (21.6 cm) overall length with one-way valve in vent line and color-coded clamps
20 per carton	

[†]When used with 10005 Venting "Y" Adapter, an Aortic Root Cannula can be used to vent the left heart.



Cardioplegia Adapters DLP™ "Y" Type Recirculating Adapters



These adapters feature a soft "Y" that has a two-leg option with 1/4 inch (0.64 cm) connectors and venting capabilities or a three-leg option that terminates with male luers.

8 in (20.3 cm) overall length Male luer on single leg

10003 color-coded clamps


Esmala luar an singla lag

20 per carton



DLP™ "Y" Type Coronary Perfusion Adapters

These adapters feature a rigid "Y" with two legs in various lengths that terminate with male luers.



Female luer on single leg	
3.5 in (8.9 cm) and 10 in (25.4 cm) legs and white clamps	
6 in (15.2 cm) legs and white clamps	
3.5 in (8.9 cm) and 10 in (25.4 cm) legs and color-coded clamps	
6 in (15.2 cm) soft, sili- cone-like PVC legs and white clamps	
10 in (25.4 cm) soft, silicone-like PVC legs and white clamps	



Cardioplegia Adapters DLP™ "Y" Adapter



This adapter is a combination of Models 10004 and 10005 and features four legs. Two legs terminate in male luers, one terminates with a female luer, and the fourth terminates with a 1/4 inch (0.64 cm) connector.

20.5 in (52.1 cm) overall length

Combination with four legs

10005BH

color-coded clamps

20 per carton



This adapter features a female luer on the cardioplegia inlet leg and a 1/4 inch (0.64 cm) connector on the venting leg.

7.5 in (19.1 cm) overall length

Male luer on single leg

10005OS

white clamps with color-coded arrows



Cardioplegia Adapters DLP™ Vein Graft Cannula



This product features a soft silicone tip with graduated steps to fit any vessel. The tip is attached to a "Y" adapter via tubing with clamps. The "Y" adapter terminates with a male luer.




25.5 in (63.5 cm) overall length

Male luer on single inlet leg

10010

"Y" adapter with female luer and white clamp on male leg

20 per carton



The combination of a Vein Graft Cannula and an Aortic Root Cannula provides a way to perfuse the aortic root and vein graft. In this case the vein graft must be held with the fingers and not tied.

Cardioplegia Adapters DLP™ Cardioplegia Adapter with Pressure Port



This adapter features a latex-free rubber septum to allow access for a pressure monitoring needle near the connection to the cardioplegia cannula.

Locking male luer
15004
10 per carton



ARISS™ Perfusion Switches

These table mount models allow the surgeon to switch between antegrade and retrograde cardioplegia delivery. These versions feature pressure monitoring lines that run alongside the inlet and outlet ports. The outlet ports are color coded for easy identification.

13 in (33.0 cm) overall length

Table mount models		
13000	unequal legs	
13004	equal legs	
10 per carton		




Cardioplegia Adapters DLP™ Cardioplegia Management Set



This product features soft tubing with three legs that terminate in male luers. The legs have varying lengths and are set in a mounting bracket with adhesive pads on the back. The red clamp leg has a length of 10 inches (25.4 cm), the white clamp leg has a length of 20 inches (50.8 cm), and the blue clamp leg has a length of 30 inches (76.2 cm).


Female luer on single leg		
13003	color-coded clamps	
5 per carton		



DLP™ Antegrade/Retrograde Stopcock Adapter

This adapter features a large-bore, three-way stopcock and male luers on the outlet ports.

26.5 in (67.3 cm) overall length



Cardioplegia Adapters DLP™ Multiple Perfusion Sets




These products allow for simultaneous perfusion of the aortic root and up to three or more vein grafts. They feature inlet ports with male or female luers and clamps attached to an adapter that splits into four or more legs. These legs have color-coded clamps for easy identification and terminate with male luers. Models with a vent line terminate in a 1/4 inch (0.64 cm) connector.

12 in (30.5 cm) overall length

10 per carton

Female luer on single inlet leg with 4 legs		
14003	4 - 8 in (20.3 cm) length legs with 3 red clamps and 1 blue clamp	
14013	4 - 10 in (25.4 cm) length legs with red, blue, yellow, and white clamps	



15 in (38.1 cm) overall length


Female	luer on	single	inlet le	eg with	4 legs
				-	_

14000	1 - 3 in (7.6 cm) length leg with blue clamp
	3 - 10 in (25.4 cm) length legs with red clamps

10 per carton

Female luer on single inlet leg with 4 legs and vent line


and vent line		
14001	1 - 8 in (20.3 cm) length vented leg with red clamp on vent line	
	3 - 10 in (25.4 cm) length legs with red clamps	
14017	1 - 8 in (20.3 cm) length vented leg with stiff tubing and red clamp on vent line	
14017	3 - 10 in (25.4 cm) lengths stiff tubing and red clamps	
4.4024	1 - 12 in (30.5 cm) length vented leg with yellow clamp on vent line	
14031	3 - 10 in (25.4 cm) length legs with red clamps	



Cardioplegia Adapters DLP™ Multiple Perfusion Sets



These products allow for simultaneous perfusion of the aortic root and up to three or more vein grafts. They feature inlet ports with male or female luers and clamps attached to an adapter that splits into four or more legs. These legs have color-coded clamps for easy identification and terminate with male luers.



15 in (38.1 cm) overall length

Female luer on single inlet leg with 4 legs and 3 freeflow vessel cannulae (Model 30003)

14007

1-3 in (7.6 cm) length leg with blue clamp

3 - 10 in (25.4 cm) length legs with red clamps

10 per carton

Female luer on single inlet leg with 4 legs and 3 one-way valve vessel cannulae (Model 30001)

14008

1-3 in (7.6 cm) length leg with blue clamp

3 - 10 in (25.4 cm) length legs with red clamps

10 per carton

Female luer on single inlet leg with 6 legs

14006

1 - 3 in (7.6 cm) length leg with blue clamp

5 - 10 in (25.4 cm) length legs with red clamps







Products

Suction circuit



We offer suction products that are designed to provide either fine or gross suction to ensure a clear and dry surgical field. The Medtronic handheld cardiac suction tubes are designed for fine suction, while our intracardiac suction tubes and sumps are intended to provide suction within and around the heart. The Medtronic left heart vent catheters are designed for indirect and direct venting of the left ventricle and feature perforated tips. These vents are offered in different lengths, introducer styles, and in both silicone and PVC body construction. Our product breadth ensures the availability of a cannula to meet your specific needs.






lacksquare	DLP™ Cardiac Suction Tubes	69
•	DLP™ Pericardial Sumps	72
•	DLP™ Pericardial/Intracardiac Sumps	72
•	DLP™ Cardiac Sump	73
(DLP™ Left Heart Vent Catheters	74

Suction circuit DLP™ Cardiac Suction Tubes



These suction tubes feature comfortable hand grips with a vacuum control port. The tip is made from a malleable stainless steel shaft, which allows the surgeon to gently shape to a desired preference. Models are available with or without a soft silicone tip. All suction tubes are equipped with a length of tubing and clamp terminating with a 1/4 inch (0.64 cm) connector.





Suction circuit DLP™ Cardiac Suction Tubes



This suction tube features a comfortable hand grip. The tip is made from a malleable stainless steel shaft, which allows the surgeon to gently shape to a desired preference. The DLP Intracardiac Suction device offers a perforated pool tip to minimize the possibility of tissue occlusion while maintaining an opportunity for drainage. This suction tube is equipped with a length of tubing terminating with a 1/4 inch (0.64 cm) connector.








Suction circuit DLP™ Cardiac Suction Tubes



These suction tubes feature a comfortable hand grip. The tip shaft is made from rigid stainless steel. The Macro Sucker offers a fluted pool tip to minimize the possibility of tissue occlusion while maintaining an opportunity for drainage. The Mini Sucker has a soft, vented tip designed to clear blood from the surgical site with gentle suction.







Suction circuit DLP™ Pericardial Sump



This sump features a fluted tip that is encased in a stainless steel spring and has a weight at the end. This tip is attached to soft, flexible tubing terminating in a connector.



DLP™ Pericardial/Intracardiac Sump

This sump features a weighted perforated pool tip to minimize the possibility of tissue occlusion while maintaining an opportunity for drainage. The perforated tip is attached to tubing that terminates with a 1/4 inch (0.64 cm) connector.




Suction circuit DLP™ Cardiac Sump



These sumps feature a perforated pool tip to minimize the possibility of tissue occlusion while maintaining an opportunity for drainage. These sumps are available in pediatric and adult sizes. The perforated tip is attached to tubing that terminates with a 1/4 inch (0.64 cm) connector.







20 per carton

12 in (30.5 cm) overall length

12 Fr (4.0 mm) (10 holes in tip)

15 in (38.1 cm) overall length

12012	20 Fr (6.7 mm) (28 holes in tip)
20 per carton	

Suction circuit DLP™ Left Heart Vent Catheters



These vent catheters are for direct and indirect venting of the left ventricle and feature perforated tips. A choice of either PVC or silicone is available, along with straight, preformed, or malleable bodies with depth markings. These vents are available in pediatric and adult sizes. Straight body models come with a malleable or stiff guidewire style introducer for easy insertion and placement. All vent catheters terminate with a vented or non-vented 1/4 inch (0.64 cm) connector.



PVC 13 in (33.0 cm) overall length

Preformed 1.5 in (3.8 cm) tip and vented connector

12008*

10 Fr (3.3 mm) (8 holes in tip)


20 per carton

Preformed 2 in (5.1 cm) tip and vented connector

12001

13 Fr (4.3 mm) (14 holes in tip)

20 per carton



12101 13 Fr (4.3 mm) (14 holes in tip)

20 per carton



PVC 15 in (38.1 cm) overall length

Malleable body and vented connector

12110	10 Fr (3.3 mm) (9 holes in tip)
12113	13 Fr (4.3 mm) (9 holes in tip)
12115	15 Fr (5.0 mm) (20 holes in tip)



20 per carton

PVC 15 in (38.1 cm) overall length

Malleable body and non-vented connector

12116	16 Fr (5.3 mm) (11 holes in tip)
12118	18 Fr (6.0 mm) (11 holes in tip)
	` ' '

20 per carton




Non-vented connector and malleable introducer

12016	16 Fr (5.3 mm) (20 holes in tip)
12002	20 Fr (6.7 mm) (24 holes in tip)

Non-vented connector and preformed introducer

20 Fr (6.7 mm (24 holes in tip) o)
--------------------------------	---------

20 per carton



^{*} Also available with Cortiva $^{\mathrm{m}}$ BioActive Surface.





Products

Surgical support



The largest cannula portfolio worldwide.

Our commitment

- to you.

Surgical support products are designed to provide timesaving techniques and ease of use – and to facilitate the remainder of the surgical procedure. We offer a wide range of products to ensure that your specific needs are met.





DLP Disposable Pressure Display Sets	//
DLP™ Tourniquet Sets	78
▶ TourniKwik [™] Tourniquet Sets	79
Sure-Snare™ Tourniquet Sets	79
DLP™ Vessel Cannulae	80
DLP™ Arteriotomy Cannulae	81
DLP™ Arteriotomy Cannulae	81
DLP™ Electro-Surgical Knife Cleaner	82
DLP™ Phrenic Nerve Pads	82
DLP™ Coronary Artery Retraction Clips	83
DLP™ Pressure Catheter Placement Set	84
DLP™ IV-decanter	85
DLP™ Rapid Prime Set	86

Surgical support DLP™ Disposable Pressure Display Sets



These display sets are for use with our Pressure Display Box. They feature a silicone diaphragm inside a plastic dome with a stopcock that attaches to the transducer fitting on the Pressure Display Box. This dome is attached to a coil of tubing that terminates with either a male luer or a stopcock for convenient handling.

45 in (1.14 m) overall length

61000	stopcock
62000	male luer
10 per carton	





Surgical support DLP™ Tourniquet Sets



These tourniquet sets consist of color-coded tubes in varying lengths and color combinations. They are available for pediatric and adult uses. Wire snares are included with the tube sets.

Standard sets

Tube length of 4 in (10.2 cm) and 6 in (15.2 cm)

79016	12 Fr [3 - 4 in (10.2 cm) bronze, 3 - 6 in (15.2 cm) bronze, 2 - snares]
-------	--

40 sets per carton



Tube length of 5.5 in (14.0 cm)	
79003	12 Fr (1 - red, 2 - blue, 3 - cle 1 - snare)
70045	12 Fr (1 - red, 2 - blue, 5 - cle

2 - snares) 40 sets per carton



79003

Tube ler	gth of 7 in (17.8 cm)
79004	12 Fr (1 - red, 1 - blue, 1 - snare)
79006	12 Fr (1 - red, 1 - blue, 3 - clear, 1 - snare)
40 sets p	per carton
79022	12 Fr (6 - small O.D. white radiopaque, 1 - snare)
79023	19 Fr (3 - large O.D. white radiopaque, 1 - snare)
20 sets p	per carton
79026	12 Fr (2 - red, 2 - blue, 2 - clear) and 16 Fr (2 - large O.D. clear, 1 - snare)
79027	12 Fr (2 - red, 1 - blue, 1 - snare)
40 sets p	per carton

Vena cava sets

Tube length of 7 in (17.8 cm)

79005	12 Fr (3 - clear, 1 - snare)
79009	12 Fr (4 - clear, 1 - snare)

40 sets per carton

79005

Surgical support TourniKwik™ Tourniquet Sets



These tourniquet sets consist of bronze-colored tubes in varying lengths that have a quick tie cap attached to one end. These caps eliminate the use of clamps by wrapping the suture string around the cap. Wire snares are included with each set of tubes.

Tube length of 6 in (15.2 cm)	
79010	12 Fr (2 - tubes, 1 - snare)
79011	12 Fr (4 - tubes, 1 - snare)
40 sets per carton	



Tube length of 7.5 in (19.1 cm)	
79012	12 Fr (2 - tubes, 1 - snare)
79013	12 Fr (4 - tubes, 1 - snare)
40 sets per carton	

Sure-Snare[™] Tourniquet Sets


These tourniquet sets consist of bronze-colored tubes in varying lengths that have a plug attached to one end. These plugs eliminate the use of clamps by pushing the plug into the tube end where the suture string exits.

Tube length of 5 in (12.7 cm)

79020 22 Fr (2 - tubes, 2 - umbilical tapes, 2 - plastic snares)

20 sets per carton






Surgical support DLP™ Vessel Cannulae



These cannulae feature clear and radiopaque bodies and are available with or without a one-way valve. All the cannulae terminate with a female luer and have tips in various sizes and shapes.

2 in (5.1 cm) overall length

Clear body	
30003	3 mm blunt tip
30004	2 mm blunt tip
30005	4 mm acorn tip
30007	3 mm beveled tip
40 per carton	




2 in (5.1 cm) overall length

Clear body with radiopaque band	
30022	3 mm blunt tip
20 per carton	



2 in (5.1 cm) overall length

Radiopaque body	
30006	3 mm beveled tip
30023	3 mm blunt tip
40 per carton	



2.5 in (6.4 cm) overall length

Clear body with one-way valve	
30000 3 mm beveled tip	
30001	3 mm blunt tip
40 per carton	



2.5 in (6.4 cm) overall length

Radiopaque body with one-way valve		
30021	1 3 mm blunt tip	
40 per carton		



Surgical support DLP™ Arteriotomy Cannulae



This cannula features a stainless steel shaft with a bulb-shaped tip terminating with a female luer.

1.8 in (4.6 cm) overall length

31001	1 mm tip	
20 per carton		

These cannulae feature a polyurethane tube with a bulb-shaped radiopaque tip connected to a winged female luer.



1.3 in (3.3 cm) overall length

31002	2 mm tip
31003	3 mm tip
20 per carton	



2.3 in (5.8 cm) overall length

_ `	, ,
31102	2 mm tip
31103	3 mm tip
31104	4 mm tip
31105	5 mm tip
31106	6 mm tip
20 per carton	

Surgical support DLP™ Electro-Surgical Knife Cleaner



This device keeps electro-surgical knife blades clean with a quick swipe. It features a stainless steel spring attached to a plastic base, which has a self-adhesive pad. This allows the device to be placed at the most convenient site for the surgeon.

2.5 in (6.4 cm) overall length

60001

40 per carton



DLP™ Phrenic Nerve Pads

These pads are designed to help protect the phrenic nerve from the extreme cold during surgery. They are made of a closed-cell foam and contain slots. These slots can hold a pericardial sump in place. A radiopaque marker is tied to the pad.

38002	medium
38003	large
10 per carton	






Surgical support DLP™ Coronary Artery Retraction Clips



These clips are designed to help improve exposure to a coronary anastomosis site. Small prongs grab and gently hold tissue away from the vessel to improve vision.

16130	3.0 mm prong length
16150	5.0 mm prong length
10 per carton	





Surgical support DLP™ Pressure Catheter Placement Set




These sets are an ideal option for measuring cardiac performance postoperatively. The catheters measure left atrial pressure in real time to accurately display critical preload pressures of the left heart. The catheter tubing has depth markings and is attached to a female luer. There is a self-adhesive anchoring collar for securing the catheter at the desired location.



24 in (61.0 cm) overall length

	_
50010	3 Fr (1.0 mm) catheter with 2 - 17 ga peel- away needles
50011	5 Fr (1.7 mm) catheter with 2 - 14 ga peel- away needles
10 per carten	





Catheter Models 50010 and 50011 are inserted through the chest wall and into the right superior pulmonary vein using two peel-away needles. The peel-away needles permit catheter insertion through the chest wall and pulmonary vein without utilizing an integral introducer.

Surgical support DLP™ IV-decanter



This decanter includes several features to facilitate aseptic decanting of fluids from intravenous containers. It includes a large-bore spike that is attached to flexible tubing. This decanter also features a clamp, thereby eliminating spillage, reducing contamination.



8.5 in (21.6 cm) overall length

40040 Flexible tubing and clamp

20 per carton

DLP™ Rapid Prime Set

This set facilitates the transfer of fluids during the priming of the circuit. It features a large-bore spike attached to flexible tubing with a clamp, and terminates with a male luer.



14 in (35.6 cm) overall length

With male luer

10021

10 per carton





Product codes







10001	DL P™ Straight Adapters, with vented 1/4 in connector	59	12008	DLP™ Left Heart Vent Catheters, 10 Fr (3.3 mm)	74
10001K	DL P™ Straight Adapters, with vented 1/4 in connector and clamp		12010	DLP™ Pericardial Sumps, 1/4 in (0.64 cm) connector	
10003	DL P™ "Y" Type Recirculating Adapters		12012	DL P™ Cardiac Sump, 20 Fr (6.7 mm)	
10004	DL P™ "Y" Type Coronary Perfusion Adapters, 3.5 in (8.9 cm)		12013	DL P™ Cardiac Sump, 12 Fr (4.0 mm)	
10004D	DLP™ "Y" Type Coronary Perfusion Adapters, 6 in (15.2 cm)		12016	DLP™ Left Heart Vent Catheters, 16 Fr (5.3 mm)	
10005	DL P [™] "Y" Adapters, 7.5 in (19.1 cm) overall length		12101	DLP™ Left Heart Vent Catheters, 13 Fr (4.3 mm)	
10005BH	DLP™ "Y" Type Adapters		12110	DLP™ Left Heart Vent Catheters, 10 Fr (3.3 mm)	
10005OS	DLP™ "Y" Type Adapters		12112	DLP™ Pericardial/Intracardiac Sumps, 20 Fr (6.7 mm)	
10007	DLP™ Perfusion Adapters, 1/4 in (0.64 cm) barbed connector		12113	DLP™ Left Heart Vent Catheters, 13 Fr (4.3 mm)	
10008	DLP™ Perfusion Adapters, 3/8 in (0.95 cm) barbed connector		12115	DLP™ Left Heart Vent Catheters, 15 Fr (5.0 mm)	
10009	DLP™ Aortic Root Cannulae, 9 ga (11 Fr)		12116	DLP™ Left Heart Vent Catheters, 16 Fr (5.3 mm)	
10010	DLP™ Vein Graft Cannula		12118	DLP™ Left Heart Vent Catheters, 18 Fr (6.0 mm)	
10012	DLP™ Aortic Root Cannulae, 12 ga (9 Fr)		12218	DLP™ Aortic Root Cannulae, 18 ga (4 Fr)	
10014	DLP™ Aortic Root Cannulae, 14 ga (7 Fr)		12220	DLP™ Left Heart Vent Catheters, 20 Fr (6.7 mm)	
10016	DLP™ Aortic Root Cannulae, 16 ga (5 Fr)		13000	ARISS™ Perfusion Switches	
10018	DLP™ Aortic Root Cannulae, 18 ga (4 Fr)		13001	DL P™ Antegrade/Retrograde Stopcock Adapter	
10021	DLP™ Rapid Prime Set		13002	DLP™ Perfusion/Venting Adapter	
10022	DLP [™] Perfusion Adapters, 1/4 in (0.64 cm) barbed connector		13003	DLP™ Cardioplegia Management Set	
10050	DLP™ Cardiac Suction Tubes, 6 Fr (2.0 mm)		13004	ARISS™ Perfusion Switches	
10051	DLP™ Cardiac Suction Tubes, 6 Fr (2.0 mm)		14000	DLP™ Multiple Perfusion Sets	
10052	DLP™ Cardiac Suction Tubes, 6 Fr (2.0 mm)		14001	DLP™ Multiple Perfusion Sets	
10053	DLP™ Cardiac Suction Tubes, 6 Fr (2.0 mm)		14003	DLP™ Multiple Perfusion Sets	
10060	DLP™ Cardiac Suction Tube, 10 Fr (3.3 mm)		14006	DLP™ Multiple Perfusion Sets	
10061	DLP™ Cardiac Suction Tube, Macro Sucker, 20 Fr (6.7 mm)		14007	DLP™ Multiple Perfusion Sets	
10062	DLP™ Cardiac Suction Tube, Mini Sucker, 9 Fr (3.0 mm)		14008	DLP™ Multiple Perfusion Sets	
10112	DLP™ Aortic Root Cannulae, 12 ga (9 Fr)		14013	DLP™ Multiple Perfusion Sets	
10114	DLP™ Aortic Root Cannulae, 14 ga (7 Fr)		14017	DLP™ Multiple Perfusion Sets	
10218	DLP™ Aortic Root Cannulae, 18 ga (4 Fr)		14031	DLP™ Multiple Perfusion Sets	
10313	DLP™ Cardioplegia Needles, 13 ga (8 Fr)	43	15004	DLP™ Cardioplegia Adapter with Pressure Port	
10534	DL P™ "Y" Adapters, 8.5 in (21.6 cm) overall length		16130	DLP™ Coronary Artery Retraction Clips, 3.0 mm prong length	
10700	DLP™ "Y" Type Coronary Perfusion Adapters, 3.5 in (8.9 cm)	60	16150	DLP™ Coronary Artery Retraction Clips, 5.0 mm prong length	83
10706	DLP™ "Y" Type Coronary Perfusion Adapters, 6 in (15.2 cm)		20009	DLP™ Aortic Root Cannulae with Vent Line, 9 ga (11 Fr)	42
10710	DLP™ "Y" Type Coronary Perfusion Adapters	60	20012	DLP™ Aortic Root Cannulae with Vent Line, 12 ga (9 Fr)	42
11001	DLP™ Extension Line Adapters, 10 in (25.4 cm) length		20012S	DLP [™] Aortic Root Cannulae with Vent Line, 12 ga (9 Fr)	42
11001G	DLP™ Extension Line Adapters, 20 in (50.8 cm) length		20014	DLP [™] Aortic Root Cannulae with Vent Line, 14 ga (7 Fr)	
11012	DLP™ Aortic Root Cannulae, 12 ga (9 Fr)	41	20014L	DLP™ Aortic Root Cannulae with Vent Line, 14 ga (7 Fr)	
11012L	MīAR™ Aortic Root Cannula with Flow-Guard, 12 ga (9 Fr)	39	20016	DLP™ Aortic Root Cannulae with Vent Line, 16 ga (5 Fr)	42
11014	DLP™ Aortic Root Cannulae, 14 ga (7 Fr)	41	20112	DLP™ Aortic Root Cannulae with Vent Line, 12 ga (9 Fr)	42
11014L	MīAR™ Aortic Root Cannula with Flow-Guard, 14 ga (7 Fr)		20114	DLP™ Aortic Root Cannulae with Vent Line, 14 ga (7 Fr)	
11316	DLP™ Cardioplegia Needles, 16 ga (5 Fr)		20114HWF	DLP™ Aortic Root Cannulae with Vent Line, 14 ga (7 Fr)	
12001	DLP™ Left Heart Vent Catheters, 13 Fr (4.3 mm)		20114WF	DLP™ Aortic Root Cannulae with Vent Line, 14 ga (7 Fr)	
12002	DI P™ Left Heart Vent Catheters 20 Fr (6.7 mm)		21012	DLP™ Aortic Root Cannulae with Vent Line 12 ga (9 Fr)	



21014	DLP™ Aortic Root Cannulae with Vent Line, 14 ga (7 Fr)	42	50011	DL P™ Pressure Catheter Placement Set, 5 Fr (1.7 mm)	84
23009	DLP™ Aortic Root Cannulae, 9 ga (11 Fr)		57414	DLP™ Femoral Arterial Cannulae, 14 Fr (4.7 mm)	27
24009	DLP™ Aortic Root Cannulae with Vent Line, 9 ga (11 Fr)		57417	DLP™ Femoral Arterial Cannulae, 17 Fr (5.7 mm)	27
25009	DLP™ Pressure Monitoring Extension Line Adapters, male x female luers		57421	DLP™ Femoral Arterial Cannulae, 21 Fr (7.0 mm)	27
25010	DLP™ Pressure Monitoring Extension Line Adapters, male x male luers	58	60001	DLP™ Electro-Surgical Knife Cleaner	82
30000	DLP™ Vessel Cannulae, 3 mm beveled tip	80	61000	DLP™ Disposable Pressure Display Sets	
30001	DLP™ Vessel Cannulae, 3 mm blunt tip		62000	DLP™ Disposable Pressure Display Sets	
30003	DLP™ Vessel Cannulae, 3 mm blunt tip	80	66112	DLP™ Single Stage Venous Cannulae, 12 Fr (4.0 mm)	31
30004	DLP™ Vessel Cannulae, 2 mm blunt tip	80	66114	DLP™ Single Stage Venous Cannulae, 14 Fr. (4.7 mm)	31
30005	DLP™ Vessel Cannulae, 4 mm acorn tip	80	66116	DLP™ Single Stage Venous Cannulae, 16 Fr (5.3 mm)	31
30006	DLP™ Vessel Cannulae, 3 mm beveled tip	80	66118	DLP [™] Single Stage Venous Cannulae, 18 Fr (6.0 mm)	31
30007	DLP™ Vessel Cannulae, 3 mm beveled tip	80	66120	DLP [™] Single Stage Venous Cannulae, 20 Fr (6.7 mm)	31
30010	DLP™ Coronary Ostial Perfusion Cannulae, 10 Fr (3.3 mm)	45	66122	DLP™ Single Stage Venous Cannulae, 22 Fr (7.3 mm)	31
30012	DLP™ Coronary Ostial Perfusion Cannulae, 12 Fr (4.0 mm)	45	66124	DLP™ Single Stage Venous Cannulae, 24 Fr (8.0 mm)	31
30014	DLP™ Coronary Ostial Perfusion Cannulae, 14 Fr (4.7 mm)	45	66126	DLP™ Single Stage Venous Cannulae, 26 Fr (8.7 mm)	31
30021	DLP™ Vessel Cannulae, 3 mm blunt tip	80	66128	DLP™ Single Stage Venous Cannulae, 28 Fr (9.3 mm)	31
30022	DLP™ Vessel Cannulae, 3 mm blunt tip	80	66130	DLP™ Single Stage Venous Cannulae, 30 Fr (10.0 mm)	31
30023	DLP™ Vessel Cannulae, 3 mm blunt tip	80	66132	DLP [™] Single Stage Venous Cannulae, 32 Fr (10.7 mm)	31
30050	DLP™ Coronary Ostial Perfusion Cannulae	45	66134	DLP™ Single Stage Venous Cannulae, 34 Fr (11.3 mm)	31
30055	DLP™ Coronary Ostial Perfusion Cannulae	45	66136	DLP™ Single Stage Venous Cannulae, 36 Fr (12.0 mm)	31
30110	DLP™ Coronary Ostial Perfusion Cannulae, 10 Fr (3.3 mm)	46	66140	DLP™ Single Stage Venous Cannulae, 40 Fr (13.3 mm)	31
30112	DLP™ Coronary Ostial Perfusion Cannulae, 12 Fr (4.0 mm)	46	66236	DLP™ Single Stage Venous Cannulae, 36 Fr (12.0 mm)	31
30114	DLP™ Coronary Ostial Perfusion Cannulae, 14 Fr (4.7 mm)	46	67312	DLP [™] Single Stage Venous Cannulae with Right Angle Metal Tip, 12 Fr (4.0 mm)	30
30155	DLP™ Coronary Ostial Perfusion Cannulae, 10 Fr (3.3 mm)	46	67314	DLP [™] Single Stage Venous Cannulae with Right Angle Metal Tip, 14 Fr (4.7 mm)	30
30212	DLP™ Coronary Ostial Perfusion Cannulae, 12 Fr (4.0 mm)	46	67316	DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip, 16 Fr (5.3 mm)	30
30255	DLP™ Coronary Ostial Perfusion Cannulae, 10 Fr (3.3 mm)	46	67318	DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip, 18 Fr (6.0 mm)	30
30315	DLP™ Coronary Ostial Perfusion Cannulae, 15 Fr (5.0 mm)	44	67320	DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip, 20 Fr (6.7 mm)	30
30317	DLP™ Coronary Ostial Perfusion Cannulae, 17 Fr (5.7 mm)	44	67512	DLP™ Single Stage Venous Cannulae with right angle, 12 Fr (4.0 mm)	32
30320	DLP™ Coronary Ostial Perfusion Cannulae, 20 Fr (6.7 mm)	44	67514	DLP [™] Single Stage Venous Cannulae with right angle, 14 Fr (4.7 mm)	32
30401	DLP™ Dual Lumen Cardioplegia Cannulae, 12 ga (9 Fr)	40	67516	DLP™ Single Stage Venous Cannulae with right angle, 16 Fr (5.3 mm)	32
31001	DLP™ Arteriotomy Cannulae, 1 mm tip	81	67518	DLP™ Single Stage Venous Cannulae with right angle, 18 Fr (6.0 mm)	32
31002	DLP™ Arteriotomy Cannulae, 2 mm tip	81	67520	DLP™ Single Stage Venous Cannulae with right angle, 20 Fr (6.7 mm)	32
31003	DLP™ Arteriotomy Cannulae, 3 mm tip	81	67522	DLP™ Single Stage Venous Cannulae with right angle, 22 Fr (7.3 mm)	32
31102	DLP™ Arteriotomy Cannulae, 2 mm tip	81	67524	DLP™ Single Stage Venous Cannulae with right angle, 24 Fr (8.0 mm)	32
31103	DLP™ Arteriotomy Cannulae, 3 mm tip	81	67526	DLP™ Single Stage Venous Cannulae with right angle, 26 Fr (8.7 mm)	32
31104	DLP™ Arteriotomy Cannulae, 4 mm tip	81	67528	DLP™ Single Stage Venous Cannulae with right angle, 28 Fr (9.3 mm)	32
31105	DLP™ Arteriotomy Cannulae, 5 mm tip	81	67530	DLP™ Single Stage Venous Cannulae with right angle, 30 Fr (10.0 mm)	32
31106	DLP™ Arteriotomy Cannulae, 6 mm tip	81	67532	DLP™ Single Stage Venous Cannulae with right angle, 32 Fr (10.7 mm)	32
38002	DLP™ Phrenic Nerve Pads, medium		67534	DLP™ Single Stage Venous Cannulae with right angle, 34 Fr (11.3 mm)	
38003	DLP™ Phrenic Nerve Pads, large	82	67636	DLP™ Single Stage Venous Cannulae with right angle, 36 Fr (12.0 mm)	
40040	DLP™ IV-decanter	85	67638	DLP [™] Single Stage Venous Cannulae with right angle, 38 Fr (12.7 mm)	
50010	DL P [™] Pressure Catheter Placement Set, 3 Fr (1.0 mm)	84	68112	DLP™ Malleable Single Stage Venous Cannulae, 12 Fr (4.0 mm)	



68114	DLP™ Malleable Single Stage Venous Cannulae, 14 Fr (4.7 mm)	73420	Select Series™ Angled Tip Arterial Cannulae, 20 Fr (6.7 mm)	13
68116	DLP™ Malleable Single Stage Venous Cannulae, 16 Fr (5.3 mm)	73422	Select Series [™] Angled Tip Arterial Cannulae, 22 Fr (7.3 mm)	
68118	DLP™ Malleable Single Stage Venous Cannulae, 18 Fr (6.0 mm)	73424	Select Series™ Angled Tip Arterial Cannulae, 24 Fr (8.0 mm)	
68120	DLP™ Malleable Single Stage Venous Cannulae, 20 Fr (6.7 mm)	75008	DLP™ Straight Tip Arterial Cannulae, 8 Fr (2.7 mm)	
68122	DLP [™] Malleable Single Stage Venous Cannulae, 22 Fr (7.3 mm)	75010	DLP™ Straight Tip Arterial Cannulae, 10 Fr (3.3 mm)	
68124	DLP™ Malleable Single Stage Venous Cannulae, 24 Fr (8.0 mm)	75012	DLP™ Straight Tip Arterial Cannulae, 12 Fr (4.0 mm)	
68126	DLP™ Malleable Single Stage Venous Cannulae, 26 Fr (8.7 mm)	75014	DLP™ Straight Tip Arterial Cannulae, 14 Fr (4.7 mm)	
68128	DLP™ Malleable Single Stage Venous Cannulae, 28 Fr (9.3 mm)	75318	DLP™ Straight Tip Arterial Cannulae, 18 Fr (6.0 mm)	
68130	DLP™ Malleable Single Stage Venous Cannulae, 30 Fr (10.0 mm)	75320	DLP™ Straight Tip Arterial Cannulae, 20 Fr (6.7 mm)	
68132	DLP™ Malleable Single Stage Venous Cannulae, 32 Fr (10.7 mm)	75322	DLP™ Straight Tip Arterial Cannulae, 22 Fr (7.3 mm)	10
68134	DLP [™] Malleable Single Stage Venous Cannulae, 34 Fr (11.3 mm)	75324	DLP™ Straight Tip Arterial Cannulae, 24 Fr (8.0 mm)	
68136	DLP™ Malleable Single Stage Venous Cannulae, 36 Fr (12.0 mm)	76020	DLP™ Straight Tip Arterial Cannulae, 20 Fr (6.7 mm)	10
68138	DLP™ Malleable Single Stage Venous Cannulae, 38 Fr (12.7 mm)	76022	DLP™ Straight Tip Arterial Cannulae, 22 Fr (7.3 mm)	
69312	DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip, 12 Fr (4.0 mm) 30	76024	DLP™ Straight Tip Arterial Cannulae, 24 Fr (8.0 mm)	10
69314	DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip, 14 Fr (4.7 mm) 30	76118	DLP™ Straight Tip Arterial Cannulae, 18 Fr (6.0 mm)	
69316	DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip, 16 Fr (5.3 mm)30	76120	DLP™ Straight Tip Arterial Cannulae, 20 Fr (6.7 mm)	
69318	DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip, 18 Fr (6.0 mm)30	76122	DLP™ Straight Tip Arterial Cannulae, 22 Fr (7.3 mm)	10
69320	DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip, 20 Fr (6.7 mm)30	76124	DLP™ Straight Tip Arterial Cannulae, 24 Fr (8.0 mm)	10
69322	DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip, 22 Fr (7.3 mm)30	77006	DLP™ One-Piece Pediatric Arterial Cannulae, 6 Fr (2.0 mm)	9
69324	DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip, 24 Fr (8.0 mm)30	77008	DLP™ One-Piece Pediatric Arterial Cannulae, 8 Fr (2.7 mm)	9
69328	DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip, 28 Fr (9.3 mm)30	77010	DLP™ One-Piece Pediatric Arterial Cannulae, 10 Fr (3.3 mm)	9
69331	DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip, 31 Fr (10.3 mm)30	77012	DLP™ One-Piece Pediatric Arterial Cannulae, 12 Fr (4.0 mm)	9
69428	DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip, 28 Fr (9.3 mm)30	77014	DLP™ One-Piece Pediatric Arterial Cannulae, 14 Fr (4.7 mm)	9
69431	DLP™ Single Stage Venous Cannulae with Right Angle Metal Tip, 31 Fr (10.3 mm)30	77016	DLP™ One-Piece Pediatric Arterial Cannulae, 16 Fr (5.3 mm)	9
70420	DLP™ Flexible Arch Arterial Cannulae, 20 Fr (6.7 mm)	77106	DLP™ One-Piece Pediatric Arterial Cannulae, 6 Fr (2.0 mm)	9
70422	DLP™ Flexible Arch Arterial Cannulae, 22 Fr (7.3 mm)11	77108	DLP™ One-Piece Pediatric Arterial Cannulae, 8 Fr (2.7 mm)	9
70424	DLP™ Flexible Arch Arterial Cannulae, 24 Fr (8.0 mm)11	77110	DLP™ One-Piece Pediatric Arterial Cannulae, 10 Fr (3.3 mm)	9
71420	DLP™ Flexible Arch Arterial Cannulae, 20 Fr (6.7 mm)	77112	DLP™ One-Piece Pediatric Arterial Cannulae, 12 Fr (4.0 mm)	9
71422	DLP™ Flexible Arch Arterial Cannulae, 22 Fr (7.3 mm)	77114	DLP™ One-Piece Pediatric Arterial Cannulae, 14 Fr (4.7 mm)	9
71424	DLP™ Flexible Arch Arterial Cannulae, 24 Fr (8.0 mm)11	77116	DLP™ One-Piece Pediatric Arterial Cannulae, 16 Fr (5.3 mm)	9
72120	Select Series™ Straight Tip Arterial Cannulae, 20 Fr (6.7 mm)12	77206	DLP™ One-Piece Pediatric Arterial Cannulae, 6 Fr (2.0 mm)	9
72122	Select Series™ Straight Tip Arterial Cannulae, 22 Fr (7.3 mm)12	77208	DLP™ One-Piece Pediatric Arterial Cannulae, 8 Fr (2.7 mm)	9
72124	Select Series™ Straight Tip Arterial Cannulae, 24 Fr (8.0 mm)12	77210	DLP™ One-Piece Pediatric Arterial Cannulae, 10 Fr (3.3 mm)	9
72220	Select Series™ Straight Tip Arterial Cannulae, 20 Fr (6.7 mm)12	77212	DLP™ One-Piece Pediatric Arterial Cannulae, 12 Fr (4.0 mm)	9
72222	Select Series™ Straight Tip Arterial Cannulae, 22 Fr (7.3 mm)12	77306	DLP™ One-Piece Pediatric Arterial Cannulae, 6 Fr (2.0 mm)	9
72224	Select Series™ Straight Tip Arterial Cannulae, 24 Fr (8.0 mm)12	77308	DLP™ One-Piece Pediatric Arterial Cannulae, 8 Fr (2.7 mm)	9
72420	Select Series™ Angled Tip Arterial Cannulae, 20 Fr (6.7 mm)13	77310	DLP™ One-Piece Pediatric Arterial Cannulae, 10 Fr (3.3 mm)	
72422	Select Series™ Angled Tip Arterial Cannulae, 22 Fr (7.3 mm)13	77312	DLP™ One-Piece Pediatric Arterial Cannulae, 12 Fr (4.0 mm)	9
72424	Select Series™ Angled Tip Arterial Cannulae, 24 Fr (8.0 mm)13	77418	EOPA™ Elongated One-Piece Arterial Cannulae, 18 Fr (6.0 mm)	
72520	Select Series™ Angled Tip Arterial Cannulae, 20 Fr (6.7 mm)13	77420	EOPA™ Elongated One-Piece Arterial Cannulae, 20 Fr (6.7 mm)	
72522	Select Series™ Angled Tip Arterial Cannulae, 22 Fr (7.3 mm)13	77422	EOPA™ Elongated One-Piece Arterial Cannulae, 22 Fr (7.3 mm)	8
72524	Select Series™ Angled Tip Arterial Canpulae 24 Fr (8 0 mm) 13	77424	FOPA™ Floogated One-Piece Arterial Cappulae, 24 Fr (8.0 mm)	8



77518	EOPA™ Elongated One-Piece Arterial Cannulae, 18 Fr (6.0 mm)	8	80122	DLP™ Curved Metal Tip Arterial Cannulae, 22 Fr (7.3 mm)	18
77520	EOPA™ Elongated One-Piece Arterial Cannulae, 20 Fr (6.7 mm)		80220	DLP™ Curved Metal Tip Arterial Cannulae, 20 Fr (6.7 mm)	
77522	EOPA™ Elongated One-Piece Arterial Cannulae, 22 Fr (7.3 mm)		80222	DLP™ Curved Metal Tip Arterial Cannulae, 22 Fr (7.3 mm)	
77524	EOPA™ Elongated One-Piece Arterial Cannulae, 24 Fr (8.0 mm)	8	80320	DLP™ Curved Metal Tip Arterial Cannulae, 20 Fr (6.7 mm)	18
77618	EOPA™ Elongated One-Piece Arterial Cannulae, 18 Fr (6.0 mm)	8	80322	DLP™ Curved Metal Tip Arterial Cannulae, 22 Fr (7.3 mm)	
77620	EOPA™ Elongated One-Piece Arterial Cannulae, 20 Fr (6.7 mm)	8	81020	DLP™ Curved Tip Arterial Cannulae, 20 Fr (6.7 mm)	
77622	EOPA™ Elongated One-Piece Arterial Cannulae, 22 Fr (7.3 mm)	8	81022	DLP™ Curved Tip Arterial Cannulae, 22 Fr (7.3 mm)	17
77624	EOPA™ Elongated One-Piece Arterial Cannulae, 24 Fr (8.0 mm)	8	81120	DLP™ Curved Tip Arterial Cannulae, 20 Fr (6.7 mm)	17
77718	EOPA™ Elongated One-Piece Arterial Cannulae, 18 Fr (6.0 mm)	8	81122	DLP™ Curved Tip Arterial Cannulae, 22 Fr (7.3 mm)	17
77720	EOPA™ Elongated One-Piece Arterial Cannulae, 20 Fr (6.7 mm)	8	82020	DLP™ Curved Tip Arterial Cannulae, 20 Fr (6.7 mm)	17
77722	EOPA™ Elongated One-Piece Arterial Cannulae, 22 Fr (7.3 mm)	8	82022	DLP [™] Curved Tip Arterial Cannulae, 22 Fr (7.3 mm)	17
77724	EOPA™ Elongated One-Piece Arterial Cannulae, 24 Fr (8.0 mm)	8	82120	DLP [™] Curved Tip Arterial Cannulae, 20 Fr (6.7 mm)	17
78220	EOPA 3D™ Arterial Cannulae, 20 Fr (6.7 mm)	6	82122	DLP™ Curved Tip Arterial Cannulae, 22 Fr (7.3 mm)	17
78222	EOPA 3D™ Arterial Cannulae, 22 Fr (7.3 mm)	6	83020	DLP™ Curved Tip Arterial Cannulae, 20 Fr (6.7 mm)	16
78320	EOPA 3D™ Arterial Cannulae, 20 Fr (6.7 mm)	6	83022	DLP™ Curved Tip Arterial Cannulae, 22 Fr (7.3 mm)	
78322	EOPA 3D™ Arterial Cannulae, 22 Fr (7.3 mm)	6	83024	DLP™ Curved Tip Arterial Cannulae, 24 Fr (8.0 mm)	16
78420	Select 3D™ II Arterial Cannulae, 20 Fr (6.7 mm)	7	84020	DLP [™] Curved Tip Arterial Cannulae, 20 Fr (6.7 mm)	16
78422	Select 3D™ II Arterial Cannulae, 22 Fr (7.3 mm)	7	84022	DLP [™] Curved Tip Arterial Cannulae, 22 Fr (7.3 mm)	16
78424	Select 3D™ II Arterial Cannulae, 24 Fr (8.0 mm)	7	84024	DLP™ Curved Tip Arterial Cannulae, 24 Fr (8.0 mm)	16
78520	Select 3D™ II Arterial Cannulae, 20 Fr (6.7 mm)	7	87024	DLP™ Curved Tip Arterial Cannulae with Wirewound Body, 24 Fr (8.0 mm)	15
78522	Select 3D™ II Arterial Cannulae, 22 Fr (7.3 mm)	7	87120	DLP™ Curved Tip Arterial Cannulae with One-piece Wirewound Body, 20 Fr (6.7 mr	n) 14
78524	Select 3D™ II Arterial Cannulae, 24 Fr (8.0 mm)	7	87122	DLP™ Curved Tip Arterial Cannulae with One-piece Wirewound Body, 22 Fr (7.3 mr	n) 14
79003	DLP™ Tourniquet Sets	78	87124	DLP™ Curved Tip Arterial Cannulae with One-piece Wirewound Body, 24 Fr (8.0 mr	n) 14
79004	DLP™ Tourniquet Sets	78	87224	DLP™ Curved Tip Arterial Cannulae with One-piece Wirewound Body, 24 Fr (8.0 mr	n) 14
79005	DLP™ Tourniquet Sets	78	87924	DLP™ Curved Tip Arterial Cannulae with Wirewound Body 24 Fr (8.0 mm)	15
79006	DLP™ Tourniquet Sets	78	88020	DLP™ Curved Tip Arterial Cannulae 20 Fr (6.7 mm)	16
79008	Sure-Snare™ Tourniquet Sets	79	88022	DLP™ Curved Tip Arterial Cannulae 22 Fr (7.3 mm)	16
79009	DLP™ Tourniquet Sets	78	88024	DLP™ Curved Tip Arterial Cannulae 24 Fr (8.0 mm)	16
79010	TourniKwik™ Tourniquet Sets	79	88120	DLP [™] Curved Tip Arterial Cannulae 20 Fr (6.7 mm)	16
79011	TourniKwik™ Tourniquet Sets	79	88122	DLP™ Curved Tip Arterial Cannulae 22 Fr (7.3 mm)	16
79012	TourniKwik™ Tourniquet Sets	79	88124	DLP™ Curved Tip Arterial Cannulae 24 Fr (8.0 mm)	16
79013	TourniKwik™ Tourniquet Sets	79	89020	DLP™ Curved Tip Arterial Cannulae 20 Fr (6.7 mm)	16
79015	DLP™ Tourniquet Sets	78	89022	DLP™ Curved Tip Arterial Cannulae 22 Fr (7.3 mm)	16
79016	DLP™ Tourniquet Sets	78	89024	DLP™ Curved Tip Arterial Cannulae 24 Fr (8.0 mm)	16
79020	Sure-Snare [™] Tourniquet Sets	79	89120	DLP™ Curved Tip Arterial Cannulae 20 Fr (6.7 mm)	16
79022	DLP™ Tourniquet Sets	78	89122	DLP™ Curved Tip Arterial Cannulae 22 Fr (7.3 mm)	16
79023	DLP™ Tourniquet Sets	78	89124	DLP™ Curved Tip Arterial Cannulae 24 Fr (8.0 mm)	16
79026	DLP™ Tourniquet Sets	78	91228	MC2 [™] Two Stage Venous Cannulae, 28/36 Fr (9.3/12.0 mm)	35
79027	DLP™ Tourniquet Sets	78	91228C	MC2 [™] Two Stage Venous Cannulae, 28/36 Fr (9.3/12.0 mm)	35
80020	DLP™ Curved Metal Tip Arterial Cannulae, 20 Fr (6.7 mm)	18	91229	MC2 [™] Two Stage Venous Cannulae, 29/37 Fr (9.7/12.3 mm)	
80022	DLP™ Curved Metal Tip Arterial Cannulae, 22 Fr (7.3 mm)	18	91229C	MC2 [™] Two Stage Venous Cannulae, 29/37 Fr (9.7/12.3 mm)	35
80120	DLP™ Curved Metal Tip Arterial Cannulae, 20 Fr (6.7 mm)	18	91236	MC2 [™] Two Stage Venous Cannulae, 36/46 Fr (12.0/15.3 mm)	



91236C	MC2™ Two Stage Venous Cannulae, 36/46 Fr (12.0/15.3 mm)		94535	DL P™ Retrograde Coronary Sinus Perfusion Cannulae	
91240	MC2™ Two Stage Venous Cannulae, 32/40 Fr (10.7/13.3 mm)			with Auto-Inflate Cuff, 15 Fr (5.0 mm)	53
91240C	MC2™ Two Stage Venous Cannulae, 32/40 Fr (10.7/13.3 mm)		94615	Gundry™ Retrograde Coronary Sinus Perfusion Cannulae	
91246	MC2™ Two Stage Venous Cannulae, 34/46 Fr (11.3/15.3 mm)		0.4.0=	with Manual-Inflate Cuff, 15 Fr (5.0 mm)	49
91246C	MC2™ Two Stage Venous Cannulae, 34/46 Fr (11.3/15.3 mm)	35	94625	DLP™ Retrograde Coronary Sinus Perfusion Cannulae	_
91251	MC2™ Two Stage Venous Cannulae, 36/51 Fr (12.0/17.0 mm)		04//5	with Manual-Inflate Cuff, 15 Fr (5.0 mm)	5
91251C	MC2™ Two Stage Venous Cannulae, 36/51 Fr (12.0/17.0 mm)	35	94665	DLP™ Retrograde Coronary Sinus Perfusion Cannulae	E,
91263	MC2 [™] Two Stage Venous Cannulae, 32/40 Fr (10.7/13.3 mm)	35	04715	with Manual-Inflate Cuff, 15 Fr (5.0 mm)	Э
91263C	MC2 [™] Two Stage Venous Cannulae, 32/40 Fr (10.7/13.3 mm)	35	94715	with Manual-Inflate Cuff, 15 Fr (5.0 mm)	/10
91265	MC2 [™] Two Stage Venous Cannulae, 36/46 Fr (12.0/15.3 mm)	35	94725	DLP™ Retrograde Coronary Sinus Perfusion Cannulae	47
91265C	MC2 [™] Two Stage Venous Cannulae, 36/46 Fr (12.0/15.3 mm)	35	74723	with Manual-Inflate Cuff, 15 Fr (5.0 mm)	5(
91329	MC2 [™] Two Stage Venous Cannulae, 29/29 Fr (9.7/9.7 mm)		94735	DL P™ Retrograde Coronary Sinus Perfusion Cannulae	
91329C	MC2 [™] Two Stage Venous Cannulae, 29/29 Fr (9.7/9.7 mm)		74733	with Auto-Inflate Cuff, 15 Fr (5.0 mm)	52
91429	MC2X [™] Three Stage Venous Cannulae, 29/29/29 Fr (9.7/9.7/9.7 mm)		94745	DL P™ Retrograde Coronary Sinus Perfusion Cannulae	
91429C	MC2X [™] Three Stage Venous Cannulae, 29/29/29 Fr (9.7/9.7/9.7 mm)		7 17 13	with Auto-Inflate Cuff, 15 Fr (5.0 mm)	52
91437	MC2X [™] Three Stage Venous Cannulae, 29/46/37 Fr (9.7/15.3/12.3 mm)		94835	DL P™ Retrograde Coronary Sinus Perfusion Cannulae	
91437C	MC2X [™] Three Stage Venous Cannulae, 29/46/37 Fr (9.7/15.3/12.3 mm)			with Auto-Inflate Cuff, 15 Fr (5.0 mm)	54
93438	VC2 [™] Venous Cannulae, 34/38 Fr (11.3/12.7 mm)		94885	DL P™ Retrograde Coronary Sinus Perfusion Cannulae	
93438C	VC2 [™] Venous Cannulae, 34/38 Fr (11.3/12.7 mm)			with Auto-Inflate Cuff, 15 Fr (5.0 mm)	54
93448	VC2 [™] Venous Cannulae, 34/48 Fr (11.3/16.0 mm)		94885K	DL P™ Retrograde Coronary Sinus Perfusion Cannulae	
93448C	VC2 [™] Venous Cannulae, 34/48 Fr (11.3/16.0 mm)	34		with Auto-Inflate Cuff, 15 Fr (5.0 mm)	53
93463	VC2 [™] Venous Cannulae, 34/38 Fr (11.3/12.7 mm)		94895	DL P™ Retrograde Coronary Sinus Perfusion Cannulae	
93463C	VC2 [™] Venous Cannulae, 34/38 Fr (11.3/12.7 mm)			with Auto-Inflate Cuff, 15 Fr (5.0 mm)	54
93464	VC2 [™] Venous Cannulae, 34/48 Fr (11.3/16.0 mm)		94913	DLP™ Retrograde Coronary Sinus Perfusion Cannulae	
93464C	VC2™ Venous Cannulae, 34/48 Fr (11.3/16.0 mm)			with Manual-Inflate Cuff, 13 Fr (4.3 mm)	51
94006	DLP™ Retrograde Coronary Sinus Perfusion Cannulae		94913L	DLP™ Retrograde Coronary Sinus Perfusion Cannulae	-
71000	with Manual-Inflate Cuff, 6 Fr (2.0 mm)	50	0.4045	with Manual-Inflate Cuff, 13 Fr (4.3 mm)	51
94106	DLP™ Retrograde Coronary Sinus Perfusion Cannulae		94915	DLP™ Retrograde Coronary Sinus Perfusion Cannulae	_
	with Manual-Inflate Cuff, 6 Fr (2.0 mm)	50	04025	with Manual-Inflate Cuff, 15 Fr (5.0 mm)	5
94110	Gundry™ Retrograde Coronary Sinus Perfusion Cannulae		94935	DL P™ Retrograde Coronary Sinus Perfusion Cannulae	E /
	with Manual-Inflate Cuff, 10 Fr (3.3 mm)	49	94965	with Auto-Inflate Cuff, 15 Fr (5.0 mm)	
94113T	Gundry™ Retrograde Coronary Sinus Perfusion Cannulae		94903	with Manual-Inflate Cuff, 15 Fr (5.0 mm)	5′
	with Manual-Inflate Cuff, 13 Fr (4.3 mm)	49	94975	DLP™ Retrograde Coronary Sinus Perfusion Cannulae	J
94115T	Gundry™ Retrograde Coronary Sinus Perfusion Cannulae		74773	with Manual-Inflate Cuff, 15 Fr (5.0 mm)	5′
	with Manual-Inflate Cuff, 15 Fr (5.0 mm)	49	94995	DL P™ Retrograde Coronary Sinus Perfusion Cannulae	
94215T	DLP™ Retrograde Coronary Sinus Perfusion Cannulae		74773	with Auto-Inflate Cuff, 15 Fr (5.0 mm)	52
	with Manual-Inflate Cuff, 15 Fr (5.0 mm)	50	96328	DLP™ Femoral Venous Cannulae, 28 Fr (9.3 mm)	
94315T	DL P™ Retrograde Coronary Sinus Perfusion Cannulae		96428	DLP™ Femoral Venous Cannulae, 28 Fr (9.3 mm)	
	with Auto-Inflate Cuff, 15 Fr (5.0 mm)	52	96530-115	Bio-Medicus [™] NextGen Femoral Arterial or Jugular Venous Cannula Kits,	
94415T	DL P™ Retrograde Coronary Sinus Perfusion Cannulae	F0	70000 110	15 Fr (5.0 mm)	22
04500	with Auto-Inflate Cuff, 15 Fr (5.0 mm)	52	96530-117	Bio-Medicus™ NextGen Femoral Arterial or Jugular Venous Cannula Kits,	
94533	DL P™ Retrograde Coronary Sinus Perfusion Cannulae	F2		17 Fr (5.7 mm)	22
	with Auto-Inflate Cuff, 13 Fr (4.3 mm)	53		. ,	



96530-119	Bio-Medicus™ NextGen Femoral Arterial or Jugular Venous Cannula Kits, 19 Fr (6.3 mm)	.22
96530-121	Bio-Medicus™ NextGen Femoral Arterial or Jugular Venous Cannula Kits, 21 Fr (7.0 mm)	.22
96530-123	Bio-Medicus [™] NextGen Femoral Arterial or Jugular Venous Cannula Kits, 23 Fr (7.7 mm)	
96530-125	Bio-Medicus™ NextGen Femoral Arterial or Jugular Venous Cannula Kits, 25 Fr (8.3 mm)	
96551	Bio-Medicus™ NextGen Venous Insertion Kit	
96552	Bio-Medicus™ NextGen Arterial/Jugular Venous Insertion Kit	25
96553	Bio-Medicus™ NextGen Pediatric Arterial/Venous Insertion Kit	25
96570-115	Bio-Medicus™ NextGen Femoral Arterial or Jugular Venous Cannulae, 15 Fr (5.0 mm)	22
96570-117	Bio-Medicus [™] NextGen Femoral Arterial or Jugular Venous Cannulae, 17 Fr (5.7 mm).	22
96570-119	Bio-Medicus [™] NextGen Femoral Arterial or Jugular Venous Cannulae, 19 Fr (6.3 mm)	22
96570-121	Bio-Medicus [™] NextGen Femoral Arterial or Jugular Venous Cannulae, 21 Fr (7.0 mm).	22
96570-123	Bio-Medicus™ NextGen Femoral Arterial or Jugular Venous Cannulae, 23 Fr (7.7 mm).	22
96570-125	Bio-Medicus™ NextGen Femoral Arterial or Jugular Venous Cannulae, 25 Fr (8.3 mm)	22
96600-115	Bio-Medicus [™] NextGen Femoral Bi-caval Venous Cannula Kits, 15 Fr (5.0 mm)	24
96600-117	Bio-Medicus [™] NextGen Femoral Bi-caval Venous Cannula Kits, 17 Fr (5.7 mm)	24
96600-119	Bio-Medicus [™] NextGen Femoral Bi-caval Venous Cannula Kits, 19 Fr (6.3 mm)	24
96600-121	Bio-Medicus [™] NextGen Femoral Bi-caval Venous Cannula Kits, 21 Fr (7.0 mm)	24
96600-123	Bio-Medicus [™] NextGen Femoral Bi-caval Venous Cannula Kits, 23 Fr (7.7 mm)	24
96600-125	Bio-Medicus [™] NextGen Femoral Bi-caval Venous Cannula Kits, 25 Fr (8.3 mm)	24
96600-127	Bio-Medicus™ NextGen Femoral Bi-caval Venous Cannula Kits, 27 Fr (9.0 mm)	24
96600-129	Bio-Medicus [™] NextGen Femoral Bi-caval Venous Cannula Kits, 29 Fr (9.7 mm)	24
96670-115	Bio-Medicus [™] NextGen Femoral Bi-caval Venous Cannulae, 15 Fr (5.0 mm)	24
96670-117	Bio-Medicus [™] NextGen Femoral Bi-caval Venous Cannulae, 17 Fr (5.7 mm)	24
96670-119	Bio-Medicus™ NextGen Femoral Bi-caval Venous Cannulae, 19 Fr (6.3 mm)	24
96670-121	Bio-Medicus [™] NextGen Femoral Bi-caval Venous Cannulae, 21 Fr (7.0 mm)	24
96670-123 [†]	Bio-Medicus [™] NextGen Femoral Bi-caval Venous Cannulae, 23 Fr (7.7 mm)	24
96670-125 [†]	Bio-Medicus [™] NextGen Femoral Bi-caval Venous Cannulae, 25 Fr (8.3 mm)	24
96670-127†	Bio-Medicus™ NextGen Femoral Bi-caval Venous Cannulae, 27 Fr (9.0 mm)	24
96670-129†	Bio-Medicus™ NextGen Femoral Bi-caval Venous Cannulae, 29 Fr (9.7 mm)	24

96820-108	Bio-Medicus™ NextGen Pediatric Arterial Cannulae, 8 Fr (2.7 mm)21
96820-110	Bio-Medicus™ NextGen Pediatric Arterial Cannulae, 10 Fr (3.3 mm)21
96820-112	Bio-Medicus™ NextGen Pediatric Arterial Cannulae, 12 Fr (4.0 mm)21
96820-114	Bio-Medicus™ NextGen Pediatric Arterial Cannulae, 14 Fr (4.7 mm)21
96830-108	Bio-Medicus [™] NextGen Pediatric Venous Cannulae, 8 Fr (2.7 mm)21
96830-110	Bio-Medicus [™] NextGen Pediatric Venous Cannulae, 10 Fr (3.3 mm)21
96830-112	Bio-Medicus™ NextGen Pediatric Venous Cannulae, 12 Fr (4.0 mm)21
96830-114	Bio-Medicus™ NextGen Pediatric Venous Cannulae, 14 Fr (4.7 mm)21
96880-019	Bio-Medicus™ Percutaneous Kit, Multi-Stage Venous Femoral, 19 Fr (6.3 mm)23
96880-021	Bio-Medicus™ Percutaneous Kit, Multi-Stage Venous Femoral, 21 Fr (7.0 mm)23
96880-025	Bio-Medicus [™] Percutaneous Kit, Multi-Stage Venous Femoral, 25 Fr (8.3 mm)23

Products codes List of products available with Cortiva™ BioActive Surface



Extracorp	oreal Circuit - Arterial Cannulae	CB80120	Arterial, Metal Tip, 8.5" (21.6cm), Soft Flange, 20 Fr. (6.7mm),
CB71424	Flexible Arch Arterial, 11" (28cm), 24 Fr. (8.0mm), 3/8" Non-Vented Connector with Cortiva™ BioActive Surface	CB81120	3/8" Non-Vent Conn with Cortiva™ BioActive Surface Arterial Cannula, Ultraflex Curved Tip, 10" (25cm) Soft Body,
CB72124	Arterial Cannula, Wirewound, Straight, 24 Fr., Vented connector with Cortiva™ BioActive Surface	CB81122	3/8" Non-Vented Connector, 20 Fr. with Cortiva™ BioActive Surface Arterial Cannula, Ultraflex Curved Tip, 10" (25cm) Soft Body,
CB72224	Arterial Cannula, Wirewound, Straight, Non-Vented Connector, 24 Fr. with Cortiva™ BioActive Surface	CB87222	3/8" Non-Vented Connector, 22 Fr. with Cortiva™ BioActive Surface WireWound curved Tip Arterial Cannula, 22 Fr., 3/8" Vented Connector
CB75318	Arterial Cannula, Adult Straight Tip with 3/8" conn. Site, 18 Fr. (6.0mm) with Cortiva™ BioActive Surface		with Cortiva™ BioActive Surface
CB75320	Arterial Cannula, Adult Straight Tip with 3/8" conn. Site, 20 Fr. (6.7mm) with Cortiva™ BioActive Surface		Oreal Circuit - Femoral Cannulae Adult Venous Femoral Cannula with 1/2" Non-Vented Connector,
CB77006	Arterial, One Piece Pediatric 9" (23cm), 1/4" Vented Connector, 6 Fr. (2.0mm) with Cortiva™ BioActive Surface	CB96345-025	30" (76.2 cm), 23 Fr. with Cortiva™ BioActive Surface
CB77008	Arterial, One Piece Pediatric 9" (23cm), 1/4" Vented Connector, 8 Fr. (2.7mm) with Cortiva™ BioActive Surface	CB96345-027	30" (76.2 cm), 25 Fr. with Cortiva™ BioActive Surface
CB77010	Arterial, One Piece Pediatric 9" (23cm), 1/4" Vented Connector,		30" (76.2 cm), 27 Fr. with Cortiva™ BioActive Surface
CB77012	10 Fr. (3.3mm) with Cortiva™ BioActive Surface Arterial, One Piece Pediatric 9" (23cm), 1/4" Vented Connector,	CB96345-029	30" (76.2 cm), 29 Fr. with Cortiva™ BioActive Surface
CB77014	12 Fr. (4.0mm) with Cortiva™ BioActive Surface Arterial, One Piece Pediatric 9" (23cm), 1/4" Vented Connector,	CB96570-015	Femoral Arterial Cannula w/introducer 3/8" Connector with Lock-Vent, 17" (43.2 cm), 15 Fr. with Cortiva™ BioActive Surface
CB77016	14 Fr. (4.7mm) with Cortiva™ BioActive Surface Arterial, One Piece Pediatric 9″ (23cm), 1/4″ Vented Connector,	CB96570-017	Femoral Arterial Cannula w/introducer 3/8" Connector with Lock-Vent, 17" (43.2 cm), 17 Fr. with Cortiva™ BioActive Surface
CB77420	16 Fr. (5.3mm) with Cortiva™ BioActive Surface Arterial Elongated One Piece 12" (30.5 cm), Blunt Tip introducer	CB96570-019	Femoral Arterial Cannula w/introducer 3/8" Connector with Lock-Vent, 17" (43.2 cm), 19 Fr. with Cortiva™ BioActive Surface
CB77422	w/o guidewire, 20 Fr. (6.7 mm), vented with Cortiva™ BioActive Surface Arterial Elongated One Piece 12" (30.5 cm), Blunt Tip introducer	CB96570-021	Femoral Arterial Cannula w/introducer 3/8" Connector with Lock-Vent, 17" (43.2 cm), 21 Fr. with Cortiva™ BioActive Surface
CB77520	w/o guidewire, 22 Fr. (7.3 mm), vented with Cortiva™ BioActive Surface Arterial Elongated One Piece 12" (30.5 cm), Blunt Tip introducer	CB96670-015	Femoral Venous Cannula w/introducer 3/8" Non-Vented Connector, 30" (76.2 cm), 15 Fr. with Cortiva™ BioActive Surface
CB77522	w/o guidewire, 20 Fr. (6.7 mm), non-vented with Cortiva™ BioActive Surface Arterial Elongated One Piece 12" (30.5 cm), Blunt Tip introducer	CB96670-017	Femoral Venous Cannula w/introducer 3/8" Non-Vented Connector, 30" (76.2 cm), 17 Fr. with Cortiva™ BioActive Surface
CB77618	w/o guidewire, 22 Fr. (7.3 mm), non-vented with Cortiva [™] BioActive Surface Arterial Elongated One Piece 12" (30.5 cm), Dilator Tip introducer	CB96670-019	Femoral Venous Cannula w/introducer 3/8" Non-Vented Connector, 30" (76.2 cm), 19 Fr. with Cortiva™ BioActive Surface
CB77620	w/guidewire, 18 Fr. (6.0 mm), vented with Cortiva™ BioActive Surface Arterial Elongated One Piece 12" (30.5 cm), Dilator Tip introducer	CB96670-021	Femoral Venous Cannula w/introducer 3/8" Non-Vented Connector, 30" (76.2 cm), 21 Fr. with Cortiva™ BioActive Surface
CB77622	w/guidewire, 20 Fr. (6.7 mm), vented with Cortiva™ BioActive Surface Arterial Elongated One Piece 12" (30.5 cm), Dilator Tip introducer	CB96825-008	
CB77720	w/guidewire, 22 Fr. (7.3 mm), vented with Cortiva™ BioActive Surface Arterial Elongated One Piece 12" (30.5 cm), Dilator Tip introducer	CB96825-010	
CB77722	w/guidewire, 20 Fr. (6.7 mm), non-vented with Cortiva™ BioActive Surface Arterial Elongated One Piece 12" (30.5 cm), Dilator Tip introducer	CB96825-012	
	w/guidewire, 22 Fr. (7.3 mm), non-vented with Cortiva™ BioActive Surface	CB96825-014	Pediatric Arterial Cannula with 1/4" Non-Vented Connector, 0.38mm,
CB78222 CB78322	EOPA 3D 22FR VENTED with Cortiva™ BioActive Surface EOPA 3D 22FR NON-VENTED with Cortiva™ BioActive Surface	CB96835-008	7.5" (19 cm), 14 Fr. with Cortiva™ BioActive Surface Pediatric Venous Cannula with 1/4" Non-Vented Connector, 0.38mm, 8 Fr. 7.5" (19 cm) with Cortiva™ BioActive Surface

Products codes List of products available with Cortiva™ BioActive Surface



CB96835-010	Pediatric Venous Cannula with 1/4" Non-Vented Connector, 0.38mm, 10 Fr. 7.5" (19 cm) with Cortiva™ BioActive Surface	CB67532	Single Stage Venous Cannula, Angled Tip, 32 Fr. (10.7mm), 3/8" Conn Site with Cortiva™ BioActive Surface
CB96835-012	Pediatric Venous Cannula with 1/4" Non-Vented Connector, 0.38mm, 12 Fr. 7.5" (19 cm) with Cortiva™ BioActive Surface	CB67534	Single Stage Venous Cann., Angled Tip, 34 Fr. (11.3mm), 3/8" Conn Site with Cortiva™ BioActive Surface
CB96835-014	Pediatric Venous Cannula with 1/4" Non-Vented Connector, 0.38mm, 14 Fr. 7.5" (19 cm) with Cortiva™ BioActive Surface	CB67636	Single Stage Venous Cannula, Angled Tip, 36 Fr. (12mm), 3/8" conn. Site with Cortiva™ BioActive Surface
		CB68112	Malleable Single Stage Venous Cannula, 12 Fr. with Cortiva™ BioActive Surface
Extracopor	eal Circuit - Venous Cannulae	CB68114	Malleable Single Stage Venous Cannula, 14 Fr. with Cortiva™ BioActive Surface
CB66112	Single Stage Venous Cannula Straight Tip, 12 Fr. (4.0mm), 1/4" Conn Site	CB68116	Malleable Single Stage Venous Cannula, 16 Fr. with Cortiva™ BioActive Surface
	with Cortiva™ BioActive Surface	CB68118	Malleable Single Stage Venous Cannula, 18 Fr. with Cortiva™ BioActive Surface
CB66114	Single Stage Venous Cannula Straight Tip, 14 Fr. (4.7mm), 1/4" Conn Site	CB68120	Malleable Single Stage Venous Cannula, 20 Fr. with Cortiva™ BioActive Surface
	with Cortiva™ BioActive Surface	CB68124	Malleable Single Stage Venous Cannula, 24 Fr. with Cortiva™ BioActive Surface
CB66116	Single Stage Venous Cannula Straight Tip, 16 Fr. (5.3mm), 1/4" Conn Site	CB68128	Malleable Single Stage Venous Cannula, 28 Fr. with Cortiva™ BioActive Surface
00//440	with Cortiva™ BioActive Surface	CB68132	Malleable Single Stage Venous Cannula, 32 Fr. with Cortiva™ BioActive Surface
CB66118	Single Stage Venous Cannula Straight Tip, 18 Fr. (6.0mm), 1/4" - 3/8" Conn Site	CB68136	Malleable Single Stage Venous Cannula, 36Fr. with Cortiva™ BioActive Surface
CB66120	with Cortiva™ BioActive Surface Single Stage Venous Cannula Straight Tip, 20 Fr. (6.7mm), 1/4" - 3/8" Conn Site	CB69320	Single Stage Venous Cannula, Right Angle, Metal Tip, High Flow, 3/8" conn site, 20 Fr. with Cortiva™ BioActive Surface
CB66124	with Cortiva™ BioActive Surface Single Stage Venous Cannula Straight Tip, 24 Fr. (8.0mm), 1/4" - 3/8" Conn Site	CB69324	Single Stage Venous Cannula, Right Angle, Metal Tip, High Flow, 3/8" conn site, 24 Fr. with Cortiva™ BioActive Surface
CD / /400	with Cortiva™ BioActive Surface	CB69328	Single Stage Venous Cannula, Right Angle, Metal Tip, High Flow, 3/8" conn site, 28 Fr.
CB66128	Single Stage Venous Cannula Straight Tip, 28 Fr. (9.3mm), 3/8" Conn Site with Cortiva™ BioActive Surface		with Cortiva™ BioActive Surface
CB66132	Single Stage Venous Cannula Straight Tip, 32 Fr. (10.7mm), 3/8" Conn Site with Cortiva™ BioActive Surface	CB91228	MC2 Two Stage Venous Cannula 28/36 Fr. with 3/8" conn. Site with Cortiva™ BioActive Surface
CB66236	Single Stage Venous Cannula Straight Tip, 36 Fr. (12mm), 3/8" Conn Site	CB91228C	MC2 Two Stage Venous Cannula 28/36 Fr. with 1/2" Connector with Cortiva™ BioActive Surface
CB67312	with Cortiva™ BioActive Surface Single Stage Venous Cannula, Right Angle, Metal Tip, Pediatric Size, 12 Fr., 1/4" conn.	CB91236C	MC2 Two Stage Venous Cannula 36/46 Fr. with 1/2" Connector with Cortiva™ BioActive Surface
CB67314	Site with Cortiva™ BioActive Surface Single Stage Venous Cannula, Right Angle, Metal Tip, Pediatric Size, 14 Fr., 1/4" conn.	CB91240	MC2 Two Stage Venous Cannula 32/40 Fr. with 1/2" conn. Site with Cortiva™ BioActive Surface
CB67316	Site with Cortiva™ BioActive Surface Single Stage Venous Cannula, Right Angle, Metal Tip, Pediatric Size, 16 Fr., 1/4" conn.	CB91240C	MC2 Two Stage Venous Cannula 32/40 Fr. with 1/2" Connector with Cortiva™ BioActive Surface
CB67318	Site with Cortiva™ BioActive Surface Single Stage Venous Cannula, Right Angle, Metal Tip, Pediatric Size, 18 Fr., 1/4" conn.	CB91246	MC2 Two Stage Venous Cannula 34/46 Fr. with 1/2" conn. Site with Cortiva™ BioActive Surface
	Site with Cortiva™ BioActive Surface	CB91246C	MC2 Two Stage Venous Cannula 34/46 Fr. with 1/2" Connector
CB67320	Single Stage Venous Cannula, Right Angle, Metal Tip, Pediatric Size, 20 Fr., 1/4" conn. Site with Cortiva™ BioActive Surface		with Cortiva™ BioActive Surface
CB67520	Single Stage Venous Cann., Angled Tip, 20 Fr. (6.7mm), 1/4" - 3/8" Conn Site with Cortiva™ BioActive Surface	CB91263	Oval MC2 Venous Cannula 32/40 Fr. with 1/2" conn. Site with Cortiva™ BioActive Surface
CB67524	Single Stage Venous Cann., Angled Tip, 24 Fr. (8.0mm), 1/4" - 3/8" Conn Site with Cortiva™ BioActive Surface	CB91263C	Oval MC2 Venous Cannula 32/40 Fr. with 1/2" Connector with Cortiva™ BioActive Surface
CB67528	Single Stage Venous Cannula, Angled Tip, 28 Fr. (9.3mm), 3/8" Conn Site	CB91265	Oval MC2 Venous Cannula 36/46 Fr. with 1/2" conn. Site with Cortiva™ BioActive Surface
CB67530	with Cortiva™ BioActive Surface Single Stage Venous Cann., Angled Tip, 30 Fr. (10.0mm), 3/8″ Conn Site with Cortiva™ BioActive Surface	CB91265C	Oval MC2 Venous Cannula 36/46 Fr. with 1/2" Connector with Cortiva™ BioActive Surface

Products codes List of products available with Cortiva™ BioActive Surface



CB91329 Two Stage Venous Cannula 29/29 Fr. with 3/8" conn. Site

with Cortiva™ BioActive Surface

CB91329C Two Stage Venous Cannula 29/29 Fr. with 3/8" Connector

with Cortiva[™] BioActive Surface

CB91429 Three Stage Venous Cannula 29/ 29/ 29 Fr. with 3/8" conn. Site

with Cortiva™ BioActive Surface

CB91429C Three Stage Venous Cannula 29/ 29/ 29 Fr. with 38/" barbed Connector

with Cortiva[™] BioActive Surface

CB93438C VC2 JR Atrial Caval, 34 Fr./38 Fr. (11.3mm/12mm) Wirewound 1/2" Connector

with Cortiva™ BioActive Surface

Cardioplegia Circuit - Antegrade Perfusion Cannulae

CB10012 Standard Aortic Root Cannula, 12ga (9 Fr.) with Cortiva™ BioActive Surface

CB20012 Standard Aortic Root Cannula with Vent Line, 12ga (9 Fr.)

with Cortiva™ BioActive Surface

Suction Circuit and Surgical Accessories - Suction Circuit Products

CB12008 Left Heart Vent Catheter, PVC - Pediatric 10 Fr. (3.3mm), preformed 1/5" tip,

vented slip conn., 13" (33.0cm) with Cortiva™ BioActive Surface



Medtronic

Europe

Medtronic International Trading Sàrl. Route du Molliau 31 Case postale CH-1131 Tolochenaz Tel: +41 (0)21 802 70 00 Fax: +41 (0)21 802 79 00

medtronic.eu

Medtronic, Medtronic logo, and Engineering the extraordinary are trademarks of Medtronic. **, TM*Third party brands are trademarks of their respective owners. All other brands are trademarks of a Medtronic company.

UC202211218EE © Medtronic 2022. All rights reserved.

Medtronic.eu

For more information, contact your local Medtronic Cannula Products representative. The products in this catalog are available for our customers in Europe, Middle East, Africa and Russia.

See the device manual for detailed information regarding the instructions for use, indications, contraindications, warnings, precautions, and potential adverse events. For further information, contact your local Medtronic representative and/or consult the Medtronic website at www.medtronic.eu.

For applicable products, consult instructions for use on www.medtronic.com/manuals. Manuals can be viewed using a current version of any major internet browser. For best results, use Adobe Acrobat® Reader with the browser.

This information is intended only for users in markets where Medtronic products and therapies are approved or available for use as indicated within the respective product manuals. Content on specific Medtronic products and therapies is not intended for users in markets that do not have authorization for use.