

Specificații tehnice

[Acest tabel va fi completat de către ofertant în coloanele 2, 3, 4, 6, 7, iar de către autoritatea contractantă – în coloanele 1, 5,]

Numărul procedurii de achiziție ocds-b3wdp1-MD-1664370716853 din 05/10/2022

Obiectul achiziției: **Tehnica de calcul**

Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7
Bunuri/servicii						
Lot 1						Se va face referire la standardele de calitate din țara de origine a produselor/serviciilor solicitate
Computer	Workstation PC	China	Triomac SRL	Bloc de Sistema CPU: Pentium G64xx, Intel HD Graphics, Video Out: VGA, DVI, HDMI, RAM: 8GB DDR4, SSD 250Gb NVMe. Case + PSU 500W silent; Tastatură + mause - Black USB, (EN-RU) MK120; Surge Protector 3M 5 prize; Monitor 23.8” 1920x1080, 178°/178° VGA, HDMI; Boxe 2.0, 4W, 220V. Sisteme de operare compatibile: Windows	CPU Intel Pentium G6400 4.0GHz (2C/4T, 4MB, S1200, 14nm, Integrated UHD Graphics 610, 58W) Box MB S1200 Gigabyte H410M S2H V3 1.0 mATX 8GB DDR4-2666 GOODRAM, PC21300, CL19, 1.2V GR2666D464L19S/8G M.2 NVMe SSD 256GB GOODRAM PX500 , Interface: PCIe3.0 x4 / NVMe1.3, M2 Type 2280 form factor, Sequential Reads/Writes 1850 MB/s/ 950 MB/s, Random (4k QD64) Read/Write 102K IOPS/ 230K IOPS, SMI 2263XT, 3D NAND TLC Case ATX 500W silent Sohoo 2810BG, 2xUSB2.0, Black, ATX-500W-12cm Keyboard & Mouse Logitech MK120, Thin	

				10. Garantie 24 luni	profile, Spill-resistant, Quiet typing, Black, USB 23.8" PHILIPS 241V8LA, Black, VA, 1920x1080, 75Hz, 4ms, 250cd, MegaDCR, D-Sub+HDMI+AudioOut, Spkrs Garantie 24 luni
Imprimanta cu laser	LBP226dw	China	Canon	Imprimanta laser mono, dimensiune A4, duplex, viteza max 38ppm, rezolutie 600 X 600dpi, imprimare securizata, processor dual core 800Mhz, memorie 1GB RAM, alimentare hartie 250 coli, limbaje de printare: UFR II, PCL 5e4, PCL6, max 80000 pagini/luna, interfata USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection, consumabile: CRG057, CRG057H, optional: sertar hartie Cassette Feeding Module-AH1 Echivalent modelului: Canon i-Sensys LBP226DW. Garantie 24 luni	Imprimanta laser mono, dimensiune A4, duplex, viteza max 38ppm, rezolutie 600 X 600dpi, imprimare securizata, processor dual core 800Mhz, memorie 1GB RAM, alimentare hartie 250 coli, limbaje de printare: UFR II, PCL 5e4, PCL6, max 80000 pagini/luna, interfata USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection, consumabile: CRG057, CRG057H, optional: sertar hartie Cassette Feeding Module-AH1
Monitor 27"	XG2705-2	China	ViewSonic	Monitor 27" IPS Pivot, 144 Hz, HDMI, display port, 90° rotation; Sisteme de operare compatibile: Windows 10, Garantie 24 luni	Monitor 27" IPS Pivot, 144 Hz, HDMI, display port, 90° rotation; Sisteme de operare compatibile: Windows 10, Garantie 24 luni
TV 55"	55A6BG	China	Hisense	Smart TV 55" Android, modelul anului 2022 + stativ p/u perete	"55"" LED TV Hisense 55A6BG, Black (3840x2160 UHD, SMART TV, MR 120Hz,

				Garantie 24 luni	DVB-T/T2/C/S2) (55" IPS, DLED 3840x2160 UHD, SMART TV (VIDAA U5 OS), 3 HDMI 2.0, 2 USB, Display color depth 8bit+FRC, HDR10, HLG, Wi-Fi (802.11ac, dual-band (2.4G and 5G), DVB-T/T2/C/S2, OSD Language: ENG, RU, RO, Speakers 2x8W, VESA 300x200, 11.5 Kg)" SBOX PLB-2264F Suport TV perete 37"-70" ,VESA 75x75 -600 x 400 ,greutate suportata 35kg Garantie 24 luni
TV 32"	32A5710FA	China	Hisense	Smart TV 32" Android, modelul anului 2022 + stativ p/u perete Garantie 24 luni	"32"" LED TV Hisense 32A5710FA, Black (1366x768 HD Ready, SMART TV, PCI 1000Hz, DVB-T/T2/C/S2) (32" DLED 1366x768 HD Ready, PCI 1000 Hz, SMART TV (Android TV 9.0 Pie OS), H.264,MPEG4, MPEG2,VC1, 3 HDMI 2.0, 2 USB, DVB-T/T2/C/S2, OSD Language: ENG, RU, RO Speakers 2x6W, 3.8 Kg)" SBOX LCD-2900B Suport TV perete 19"-43",VESA 200x200,greutate suportata 25kg,inclinatie ± 15° Garantie 24 luni
Smart UPS 19"	SRT-3000	China	PowerCom	SMART UPS 19"; RackMount Series, 3000VA Echivalent modelului: IBM 3000VA LCD 3U Rack UPS (230V) Garantie 24 luni	UPS PowerCom SRT-3000, 3000VA/2700W, Smart Line Interactive, Pure Sinewave, LCD, AVR, USB, 8xIEC Garantie 24 luni
Covorașe pentru mouse	EGP102	China	Esperanza	Covorașe pentru mouse; Dimensions 200 x 250 x 3 mm, Material natural rubber, Black	Mouse Pad Esperanza EGP102 , Gaming mouse pad, 300x240x3 mm, Rubber bottom Black
Accesorii	MK120	China	Logitech	Tastatură + mause - Black	Keyboard & Mouse Logitech MK120, Thin profile, Spill-resistant, Quiet typing, Black,

				USB,(EN-RU) Echivalent modelului: MK120, Garantie 24 luni	USB
SSD extern	T7	China	Samsung	Capacitate: 1 TB; Interfata: USB 3.2 Gen 2 Type-C; Viteza de transfer: Citire: 1050 MB/s, Scriere: 1000; Factor de forma: 2.5 inch. Echivalent modelului: Samsung T7. Garantie 24 luni	1.0TB (USB3.2/Type-C) Samsung Portable SSD T7 , Grey (85x57x8mm, 58g, R/W:1050/1000MB/s) Garantie 24 luni
SSD 250GB	SU800	China	ADATA	Capacitate: 250 GB; 2.5” Sata III, W/R 500Mb/s . Garantie 24 luni	2.5" SATA SSD 256GB ADATA Ultimate SU800 [R/W:560/520MB/s, 80K/85K IOPS, SM2258, 3D-NAND TLC] Garantie 24 luni
PSU	550W	China	Sohoo	550W, 12cm red fan, 24 pin, 1 x 8pin(4+4), 1x 6pin, 2x IDE, 3x SATA Garantie 24 luni	550W, 12cm red fan, 24 pin, 1 x 8pin(4+4), 1x 6pin, 2x IDE, 3x SATA Garantie 24 luni
Universal CPU Cooler	GAMMA ARCHER	China	Deepcool	Universal Intel AMD CPU Cooler Garantie 24 luni	Universal AC Deepcool "GAMMA ARCHER" (26.1dBA, 1600RPM, 54.25CFM, 120mm, 95W, 301g)
Cooler Case	ACFAN00205A	China	ARCTIC	Cooler Case 80mm ; Garantie 24 luni	VENTILATOR ARCTIC PC 80x80x25 mm, „F8”, low noise FD bearing, black „ACFAN00205A”
Cooler PSU	SPFC-120-3P	China	SPACER	Cooler PSU 120mm ; Garantie 24 luni	VENTILATOR SPACER PC 120x120x25 mm, Hydraulic Bearing, 45CFM, conector 3-pin, no LED, black „SPFC-120-3P”
TOTAL					

Semnat: _____ Numele, Prenumele: Constantin Alexandru În calitate de: director
Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, of 16