
### Debrisoft® Pad

## The gold standard for mechanical debridement.





#### Fields of application

- Debridement of superficial, chronic and acute wounds and the skin surrounding the wound. In case of:
  - diabetic ulcers
  - arterial and venous ulcers
  - decubitus ulcers
  - postoperative wounds healing by secondary intention
  - traumatic or surgical wounds (e.g. abrasions, incisions, lacerations)
  - burns and scalds (3rd degree: following surgical debridement)
  - ◆ lymphoedema
- Suitable for dry, parchment-like, hyperkeratotic, seborrhoeic or oily healthy or damaged skin.

#### Intended purpose

Debrisoft Pad is designed for fast, highly effective, safe and virtually painless debridement Debrisoft Pad is used to absorb exudate, debris and skin keratoses during debridement and protects intact tissue.

#### **Properties**

- angled fibre tips remove debris effectively from the wound and preserve already intact tissue
- the fibre composite also removes skin flakes and keratosis from skin surrounding the wound
- visible results quickly while being easy and safe to use
- soft fibres ensure virtually painless application, increasing patient acceptance

#### **Product composition**

Composition: 100% polyester, unbleached

Back coating: 100% polyacrylic (without colophony and colophony derivatives)

Grip pocket: polyester, polyamide, elastane

Label: polyester

#### To note

- product for debridement, does not stay on the wound
- can be used at every dressing change if needed
- should be used until the wound has been completely cleaned and the wound has transitioned from the inflammation phase to the granulation phase

#### Advice

- very good results can also be achieved on hyperkeratotic or necrotic surfaces when they have been previously treated 'with autolytic debridement
- the soft fibre side can be moistened with any common wound irrigation solution


#### Debrisoft® Pad

sterile, individually sealed

Dimensions (cm)	REF	SC/TC (piece)
10 x 10	34321	5/50
13 x 20	34323	5/50

# Suprasorb® P PU foam dressing





- even distribution of wound exudate
- B perforated wound contact layer impermeable to bacteria and water\*
- D permeable to water vapour

#### Fields of application

- wounds with moderate levels of exudate
- superficial wounds
- non-infected wounds
- for all phases of wound healing, e.g.:
  - pressure and other ulcers
  - skin graft donor sites
  - surgical wounds
- Wound healing stages:
  - ◆ Exudation phase
  - Granulation phase
  - ◆ Epithelialisation phase

#### **Properties**

- very good wound healing due to reliable exudate management
- high wearing comfort due to the soft, supple material structure
- The perforated wound contact layer prevents adhesion to the wound
- PU membrane repels bacteria and fluids
- maintains a moist wound healing environment and thereby assists the natural healing process
- the anatomical shape makes it easy to treat hard-to-reach areas such as the heel, elbow or amputation stumps\*\*
- \* Suprasorb P non-adhesive
- \*\* Suprasorb P Heel non-adhesive

#### To note

Dressing change interval:

- To be determined by the attending physician in accordance with individual wound condition, degree of exsudate, and secondary dressing used, but no longer than 57 days. Change the dressing immediately when the wound edges begin to discolour.
- Suprasorb P can be used as a secondary dressing with wounds at risk of infection within the scope of a regular antimicrobial therapy regimen.
- When dry, Suprasorb P can easily be cut to the size of the individual wound. The dressing should overlap the wound edges by approx. 2 cm.

#### **Versions**

- self-adhesive
- non-adhesive
- sacrum
- heel

### Suprasorb® P

sterile, individually sealed

Dimensions (cm)	Wound pad (cm)	REF	SC/TC (piece)
self-adhesive			
7.5 x 7.5	4.0 x 4.0	20416	10/100
10.0 x 10.0	6.0 x 6.0	20417	10/100
15.0 x 15.0	10.0 x 10.0	20418	5/50
20.0 x 15.0	15.0 x 10.0	20419	5/50
non-adhesive			
5.0 x 5.0	5.0 x 5.0	20405	10/100
7.5 x 7.5	7.5 x 7.5	20406	10/100
10.0 x 10.0	10.0 x 10.0	20407	10/100
15.0 x 15.0	15.0 x 15.0	20408	5/50
20.0 x 15.0	20.0 x 15.0	20409	5/50
sacrum, self-adhesive			
20.5 x 18.0	14.3 x 12.0	20415	5/50

# Suprasorb® X + PHMB

# Antimicrobial HydroBalance Wound Dressing

### Suprasorb® X + PHMB

sterile, individually sealed

Dimensions (cm)	REF	SC/TC (piece)
Dressing		
5 x 5	20540	5/90
9 x 9	20541	5/80
14 x 20	20542	5/65
Rope		
2 x 21	20543	5/130

<sup>\*</sup>Pathogen spectrum detected in vitro, see first paragraph of Instructions for Use.

### Vliwasoft®

# Soft nonwoven dressing pads



#### Fields of application

- for treating wounds with low to moderate amounts of exudate
- as a wound dressing
- for wound cleansing
- as a carrier material for ointments
- as a padding material between fingers and toes

#### **Properties**

- low-adherent
- soft
- absorbent

#### **Product composition**

67% viscose, 33% polyester

#### Vliwasoft®

Nonwoven dressings

Dimensions (cm)	REF	SC/TC (piece)
non-sterile, 4-ply, 100 pieces in a pape	r sack	
5.0 x 5.0	12075	100/5.000
7.5 x 7.5	12081	100/2.500
10.0 x 10.0	12064	100/2.000
20.0 x 10.0	12070	100/1.000
non-sterile, 6-ply, 100 pieces in a pape	r sack	
5.0 x 5.0	12078	100/5.000
7.5 x 7.5	12084	100/2.000
10.0 x 10.0	12067	100/2.000
20.0 x 10.0	12072	100/1.000
sterile, 4-ply, package contents: 75 x 2	Dressing Pads, sealed packs of 2	
5.0 x 5.0	12076	150/3.000
7.5 x 7.5	12082	150/3.000
10.0 x 10.0	12065	150/3.000
20.0 x 10.0	12071	150/1.500
sterile, 6-ply, pack contents: 50 x 2 Dre	essing Pads, sealed packs of 2	
5.0 x 5.0	12079	100/2.000
7.5 x 7.5	12085	100/2.000
10.0 x 10.0	12068	100/2.000
20.0 x 10.0	12073	100/1.000
sterile, 4-ply, pack contents: 50 x 5 dre	ssing pads	
10.0 x 10.0	12066	250/2.500
5.0 x 5.0	12077	250/6.750
7.5 x 7.5	12083	250/4.500

### Vliwasoft® Split Dressings with Y-cut

sterile, sealed packs of 2, 50 x 2 dressing pads

Dimensions (cm)	REF	SC/TC (piece)
7.5 x 7.5	12099	100/2.000
10.0 x 10.0	12098	100/2.000

## Mollelast® Elastic Conforming Bandage



#### Fields of application

- for immobilisation of limbs
- for retention of dressings
- for compression with finger or toe lymphoedema bandages

#### **Properties**

- lengthwise elastic (to about 100%)
- air-permeable and textured
- does virtually not crease when applied
- retains reliably even on tapered parts of the body and joints
- with selvedges
- white

#### **Product composition**

56% viscose, 44% polyamide

### Mollelast®

stretched length

Dimensions (cm x m)	REF	Shipping units (piece)
individually sealed.		
4 × 4	14410	20/520
6 x 4	14411	20/360
8 x 4	14412	20/500
10 x 4	14413	20/360
12 x 4	14414	20/320
in bulk in a cardboard box		
4 x 4	19410	20/520
6 x 4	19411	20/360
8 x 4	19412	20/500
10 x 4	19413	20/360
12 x 4	19414	20/320
6 x 4	19427	100/400
8 x 4	19428	100/400
10 x 4	19429	100/300
sterile, individually sealed		
6 x 4	20290	20/180
8 x 4	20291	20/180
10 x 4	20292	20/200
12 x 4	20293	20/200

# Mollelast® haft color



#### Fields of application

- for immobilisation of limbs
- for retention of dressings and cannulas

#### **Properties**

- lengthwise elastic
- widthwise elastic
- cohesive because of latex particles
- air-permeable
- is not very bulky
- the turns of the bandage stay reliably in place
- economical use of materials
- high-quality, stable selvedges

### **Product composition**

Mollelast haft

66% viscose, 34% polyamide, coated with microfine natural rubber adhesive (latex)

Mollelast haft color

56% viscose, 44% polyamide, coated with microfine natural rubber adhesive (latex)

#### **Versions**

- Mollelast haft: lengthwise elastic to about 65%/widthwise elastic to about 50%
- Mollelast haft color: lengthwise elastic to about 55%/widthwise elastic to about 50%

#### Mollelast® haft color

stretched length, individually packed in a folding box

Dimensions (cm x m)	REF	Shipping units (piece)
red		
6 x 20	30073	1/18
8 x 20	30074	1/18
10 x 20	30075	1/18
blue		
6 x 20	30076	1/18
8 x 20	30077	1/18
10 x 20	30078	1/18

#### Mollelast® haft

stretched length, individually packed in a folding box

Dimensions (cm x m)	REF	Shipping units (piece)
vhite		
4 × 4	30063	1/120
6 x 4	30064	1/100
8 x 4	30065	1/120
10 x 4	30066	1/120
12 x 4	30067	1/100
4 x 20	30068	1/18
6 x 20	30069	1/18
8 x 20	30070	1/18
10 x 20	30071	1/18
12 x 20	30072	1/18

# **tg**<sup>®</sup> **fix** Tubular Net Bandage





#### Fields of application

For fixation of wound/ointment dressings

#### **Properties**

- wide-mesh knitted fabric
- bi-elastic
- does virtually not crease when applied
- mesh-stable fabric prevents the tearing of the net
- can be cut individually

#### **Product composition**

71% polyamide (crinkled), 29% non-brightened elastodiene (latex)

#### Advice

- to inspect wounds or change dressings this product usually only has to be partially lifted up or the tube tucked up
- well suited for outpatient care

tg® fix stretched length

Size	REF	Shipping units (piece)
m rolled in a folding box		
A for finger	24240	1/100
B for small extremities (several fingers together/hand/foot)	24241	1/100
C for large extremities (small head/ arm/leg)	24242	1/98
D for large head, small trunk	24243	1/58
E for large trunk, hip, armpit	24244	1/28
25 m folded in a cardboard dispenser		
A for finger	24250	1/66
B for small extremities (several fingers together/hand/foot)	24251	1/20
C for large extremities (small head/ arm/leg)	24252	1/16
D for large head, small trunk	24253	1/16
E for large trunk, hip, armpit	24254	1/12