


074 Ø 7.3mm LARGE CANCELLOUS CANNULATED SCREW, 32mm THREAD
Lot 4.1

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
45	074.045	074.045.Ti
50	074.050	074.050.Ti
55	074.055	074.055.Ti
60	074.060	074.060.Ti
65	074.065	074.065.Ti
70	074.070	074.070.Ti
75	074.075	074.075.Ti
80	074.080	074.080.Ti
85	070.085	070.085.To

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
90	074.090	074.090.Ti
95	074.095	074.095.Ti
100	074.100	074.100.Ti
105	074.105	074.105.Ti
110	074.110	074.110.Ti
115	074.115	074.115.Ti
120	074.120	074.120.Ti
125	074.125	074.125.Ti
130	074.130	074.130.Ti

Cannulated Drill Bit 4.5mm
Also available in Self Tapping upon request.




Code No: 074

075 Ø 7.3mm LARGE CANCELLOUS CANNULATED SCREW, FULL THREAD

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
20	075.020	075.020.Ti
25	075.025	075.025.Ti
30	075.030	075.030.Ti
35	075.035	075.035.Ti
40	075.040	075.040.Ti
45	075.045	075.045.Ti
50	075.050	075.050.Ti
55	075.055	075.055.Ti
60	075.060	075.060.Ti
65	075.065	075.065.Ti
70	075.070	075.070.Ti
75	075.075	075.075.Ti

LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM
80	075.080	075.080.Ti
85	075.085	075.085.Ti
90	075.090	075.090.Ti
95	075.095	075.095.Ti
100	075.100	075.100.Ti
105	075.105	075.105.Ti
110	075.110	075.110.Ti
115	075.115	075.115.Ti
120	075.120	075.120.Ti
125	075.125	075.125.Ti
130	075.130	075.130.Ti

Cannulated Drill Bit 4.5mm
Also available in Self Tapping upon request.



Code No: 075

071 7.0mm LARGE CANCELLOUS CANNULATED SCREW, FULL THREAD

LENGTH (mm)	CODE		LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM		STAINLESS STEEL	TITANIUM
20	071.020	071.020.Ti	80	071.080	071.080.Ti
25	071.025	071.025.Ti	85	071.085	071.085.Ti
30	071.030	071.030.Ti	90	071.090	071.090.Ti
35	071.035	071.035.Ti	95	071.095	071.095.Ti
40	071.040	071.040.Ti	100	071.100	071.100.Ti
45	071.045	071.045.Ti	105	071.105	071.105.Ti
50	071.050	071.050.Ti	110	071.110	071.110.Ti
55	071.055	071.055.Ti	115	071.115	071.115.Ti
60	071.060	071.060.Ti	120	071.120	071.120.Ti
65	071.065	071.065.Ti	125	071.125	071.125.Ti
70	071.070	071.070.Ti	130	071.130	071.130.Ti
75	071.075	071.075.Ti			

Cannulated Drill Bit 4.5mm
Also available in Self Tapping upon request.




Code No: 071

Lot 4.2

073 7.3mm LARGE CANCELLOUS CANNULATED SCREW, 16mm THREAD

LENGTH (mm)	CODE		LENGTH (mm)	CODE	
	STAINLESS STEEL	TITANIUM		STAINLESS STEEL	TITANIUM
30	073.030	073.030.Ti	85	073.085	073.085.Ti
35	073.035	073.035.Ti	90	073.090	073.090.Ti
40	073.040	073.040.Ti	95	073.095	073.095.Ti
45	073.045	073.045.Ti	100	073.100	073.100.Ti
50	073.050	073.050.Ti	105	073.105	073.105.Ti
55	073.055	073.055.Ti	110	073.110	073.110.Ti
60	073.060	073.060.Ti	115	073.115	073.115.Ti
65	073.065	073.065.Ti	120	073.120	073.120.Ti
70	073.070	073.070.Ti	125	073.125	073.125.Ti
75	073.075	073.075.Ti	130	073.130	073.130.Ti
80	073.080	073.080.Ti			

Cannulated Drill Bit 4.5mm
Also available in Self Tapping upon request.



Code No: 073

IS-09-04

INSTRUMENT SET FOR Ø6.5mm, Ø7.0mm & Ø7.3mm LARGE CANCELLOUS CANNULATED SCREW (CONTD...)

GUIDE WIRE WITH FRONT THREADED TIP, 2.0 X 230mm (Ø X L)



Code No: 660.23.20

STYLET, Ø2.0mm X 280mm LENGTH



Code No: 662.28.20

CANNULATED HEXAGONAL SCREW DRIVER, 3.5mm TIP



Code No: 615.035

IS-09-06C

7.0mm CANNULATED SCREW INSTRUMENT SET, PREMIUM


Lot 4.3

NEW


Set consists of:

CODE	PRODUCTS	QUANTITY
091.07.001C	Wrench For Adjustable Parallel Wire Guide	1 Pc
091.07.002C	Multiple Wire Guide	1 Pc
091.07.003C	Adjustable Parallel Wire Guide 2.5mm	1 Pc
091.07.004C	Limited Block & Cannulated Drill Bit Dia. 5.0mm/2.5mm	1 Pc
091.07.005C	Drill Sleeve 10mm/5mm & Wire Sleeve 5mm/2.5mm	1 Pc
091.07.006C	Protection Sleeve 12mm/10mm & Wire Sleeve 10mm/2.5mm	1 Pc
091.07.007C	Wrench For Limited Block	1 Pc
091.07.008C	Screw Forceps For Cannulated Screws	1 Pc
091.07.009C	Hexagonal Screw Driver With Screw Holding Sleeve	1 Pc
091.07.010C	Cannulated Screw Driver Hexagonal 4.0mm/2.5mm	1 Pc
091.07.011C	Cannulated Countersink Dia. 9.0mm	1 Pc
091.07.012C	Stylet 2.5mm	1 Pc
091.07.013C	Cannulated Tap With T Handle for 7.3mm Screw	1 Pc
091.07.014C	Threaded Guide Wire Dia. 2.5 x 250mm	1 Pc
091.07.015C	Cannulated Screw Measuring Device	1 Pc


Supplied in a Sterilize Box




CANNULATED SCREW INSTRUMENT SET



Top Tray



Middle Tray



Bottom Tray

IS-09-06C

7.0mm CANNULATED SCREW INSTRUMENT SET, PREMIUM (CONTD...)

WRENCH FOR ADJUSTABLE PARALLEL WIRE GUIDES



Code No: 091.07.001C

MULTIPLE WIRE GUIDE



Code No: 091.07.002C

ADJUSTABLE PARALLEL WIRE GUIDE 2.5mm



Code No: 091.07.003C

LIMITED BLOCK & CANNULATED DRILL BIT DIA. 5.0mm/2.5mm



Code No: 091.07.004C

DRILL SLEEVE 10mm/5mm & WIRE SLEEVE 5mm/2.5mm



Code No: 091.07.005C

PROTECTION SLEEVE 12mm/10mm & WIRE SLEEVE 10mm/2.5mm




Code No: 091.07.006C

WRENCH FOR LIMITED BLOCK



Code No: 091.07.007C

SCREW FORCEPS FOR CANNULATED SCREWS



Code No: 091.07.008C

IS-09-06C 7.0mm CANNULATED SCREW INSTRUMENT SET, PREMIUM (CONTD...)

**HEXAGONAL SCREW DRIVER WITH
SCREW HOLDING SLEEVE**



Code No: 091.07.009C

**CANNULATED SCREW DRIVER
HEXAGONAL 4.0mm/2.5mm**



Code No: 091.07.010C

**CANNULATED COUNTERSINK
DIA. 9.0mm**



Code No: 091.07.011C

STYLET 2.5mm



Code No: 091.07.012C

**CANNULATED TAP WITH T HANDLE FOR
7.3mm SCREW**



Code No: 091.07.013C

THREADED GUIDE WIRE DIA. 2.5 X 250MM



Code No: 091.07.014C

CANNULATED SCREW MEASURING DEVICE



Code No: 091.07.015C



Members

602

DRILL BITS, PLAIN SHANK S.S.

CODE	Ø (mm)	Length (mm)
602.100.20	2.0	100
602.125.25	2.5	125
602.200.25	2.5	200
602.250.25	2.5	250
602.300.25	2.5	300
602.125.27	2.7	125
602.200.27	2.7	200
602.250.27	2.7	250
602.300.27	2.7	300
602.125.28	2.8	125
602.200.28	2.8	200
602.250.28	2.8	250
602.300.28	2.8	300
602.125.30	3.0	125
602.200.30	3.0	200
602.125.32	3.2	125
602.200.32	3.2	200
602.125.35	3.5	125
602.200.35	3.5	200
602.250.35	3.5	250
602.125.40	4.0	125
602.195.40	4.0	195
602.125.45	4.5	125
602.200.45	4.5	200
602.250.45	4.5	250
602.300.45	4.5	300
602.200.50	5.0	200
602.250.50	5.0	250
602.200.60	6.0	200
602.250.60	6.0	250

Lot 4.3

Code No: 602

626

CANNULATED DRILL BITS, PLAIN SHANK S.S.

CODE	Ø (mm)	Length (mm)
626.125.25	2.5	125
626.200.25	2.5	200
626.250.25	2.5	250
626.300.25	2.5	300
626.125.28	2.8	125
626.200.28	2.8	200
626.250.28	2.8	250
626.300.28	2.8	300
626.125.32	3.2	125
626.200.32	3.2	200
626.250.32	3.2	250
626.300.32	3.2	300
626.125.35	3.5	125
626.200.35	3.5	200
626.250.35	3.5	250
626.300.35	3.5	300
626.125.45	4.5	125
626.200.45	4.5	200
626.250.45	4.5	250
626.300.45	4.5	300
626.200.50	5.0	200
626.250.50	5.0	250
626.200.60	6.0	200
626.250.60	6.0	250

Code No: 626

Lot 4.3

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com

Exhibitor's at:





Members

308

KIRSCHNER WIRE WITH TROCAR TIP BOTH ENDS S.S.

DIAMETER (mm)	CODE						
	LENGTH						
	70mm	100mm	150mm	225mm	250mm	300mm	400mm
0.8	308.070.08	308.100.08	308.150.08	308.225.08	308.250.08	308.300.08	
0.9	308.070.09	308.100.09	308.150.09	308.225.09	308.250.09	308.300.09	
1.0		308.100.10	308.150.10	308.225.10	308.250.10	308.300.10	
1.1		308.100.11	308.150.11	308.225.11	308.250.11	308.300.11	
1.2		308.100.12	308.150.12	308.225.12	308.250.12	308.300.12	
1.4		308.100.14	308.150.14	308.225.14	308.250.14	308.300.14	
1.5			308.150.15	308.225.15	308.250.15	308.300.15	
1.6			308.150.16	308.225.16	308.250.16	308.300.16	
1.8			308.150.18	308.225.18	308.250.18	308.300.18	308.400.18
2.0			308.150.20	308.225.20	308.250.20	308.300.20	308.400.20
2.2			308.150.22	308.225.22	308.250.22	308.300.22	308.400.22
2.3			308.150.23	308.225.23	308.250.23	308.300.23	308.400.23
2.5	Lot 4.3		308.150.25	308.225.25	308.250.25	308.300.25	308.400.25
3.0			308.150.30	308.225.30	308.250.30	308.300.30	308.400.30



Code No: 308

309

KIRSCHNER WIRE, FULLY THREADED S.S.

CODE	DIAMETER (mm)	LENGTH (mm)
309.150.15	1.5	150
309.200.15	1.5	200
309.250.15	1.5	250
309.150.18	1.8	150
309.200.18	1.8	200
309.250.18	1.8	250
309.300.18	1.8	300
309.150.20	2.0	150
309.200.20	2.0	200
309.250.20	2.0	250
309.300.20	2.0	300

309A

KIRSCHNER WIRE, THREADED TIP BOTH ENDS S.S.

CODE	DIAMETER (mm)	LENGTH (mm)
309A.150.15	1.5	150
309A.200.15	1.5	200
309A.250.15	1.5	250
309A.150.18	1.8	150
309A.200.18	1.8	200
309A.250.18	1.8	250
309A.300.18	1.8	300
309A.150.20	2.0	150
309A.200.20	2.0	200
309A.250.20	2.0	250
309A.300.20	2.0	300

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com



Exhibitor's at:





Members

309**KIRSCHNER WIRE, FULLY
THREADED S.S. (continuation...)**


309.150.22	2.2	150
309.200.22	2.2	200
309.250.22	2.2	250
309.300.22	2.2	300
309.150.25	2.5	150
309.200.25	2.5	200
309.250.25	2.5	250
309.300.25	2.5	300
309.400.25	2.5	400

**Code No: 308****309A****KIRSCHNER WIRE, THREADED TIP
BOTH ENDS S.S. (continuation...)**

309A.150.22	2.2	150
309A.200.22	2.2	200
309A.250.22	2.2	250
309A.300.22	2.2	300
309A.150.25	2.5	150
309A.200.25	2.5	200
309A.250.25	2.5	250 Lot 4.3
309A.300.25	2.5	300
309A.400.25	2.5	400

**Code No: 308A****HEMC House:**

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
 Customer care : +91-120-4088 888, Fax : +91-120-4088 777
 Email : info@hemcmedical.com
 Web Site : www.hemcmedical.com



Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.