

Silcarbon Activated Carbon

MATERIAL SAFETY DATA SHEET

ACCORDING TO EU-REGULATION 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No. 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- | | |
|--|---|
| 1.1 Product identifier | |
| Product Name | Activated Carbon, High Density Skeleton, . |
| Trade name | Silcarbon |
| Chemical composition | Carbon |
|
 | |
| 1.2 Relevant identified uses of the substance or mixture and uses advised against | |
| Identified use(s) | Used as an adsorbent in industrial, professional and consumer setting. |
| Uses advised against | None known. |
| 1.3 Details of the supplier of the Safety Data Sheet | |
| Company Identification | Silcarbon Activated Carbon GmbH, Mühlenweg 14,
57399 Kirchhundem, Germany
Silcarbon Activated Carbon LLC, 2889 McFarlane Rd,
Miami FL 33178, USA |
| Telephone | +49(0) 2764 93510 |
| E-Mail (competent person) | info@silcarbon.com |
| 1.4 Emergency telephone number | |
| Company | +49(0) 2764 93510 |

2. SECTION 2: HAZARDS IDENTIFICATION

- | | |
|---|--|
| 2.1 Classification of the substance or mixture | |
| Regulation (EC) No. 1272/2008 (CLP) | Not classified as dangerous for supply / use. |
| 2.2 Label elements | |
| Trade name | According to Regulation (EC) No. 1272/2008(CLP)
Silcarbon |
| Hazard pictogram(s) | None. |
| Signal word(s) | None. |
| Hazard statement(s) | None. |
| Precautionary statement(s) | None. |
| 2.3 Other hazards | |
| | Contact with strong oxidizers may result in fire.
The PBT and vPvB criteria of REACH Annex XIII do not apply.
Wet activated carbon depletes oxygen from air and, therefore, dangerously low levels of oxygen may be encountered.
The oxygen content of air in vessels containing activated carbon should be determined before entry and work procedures for potentially low oxygen areas should be followed. Spent (used) activated carbons may exhibit properties pertaining to the adsorbate. |
| 2.4 Additional Information | |
| | None. |

Silcarbon Activated Carbon

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

A porous, amorphous, high surface area adsorbent composed of largely elemental carbon with a high density skeleton.

3.1 Substances

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Activated Carbon	80 - 100	7440-44-0	931-328-0	01-2119488894-16-0019	None

3.2 Mixture

Not applicable

4. SECTION 4: FIRST AID MEASURES



Non-powdered activated carbon has a low dustiness and no special measures are required. The measures below are based on contact with **powdered** activated carbons.

4.1 Description of first aid measures

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If symptoms develop, obtain medical attention.

Skin Contact

IF ON SKIN: Remove contaminated clothing. Wash affected skin with soap and water. If skin irritation occurs, get medical advice/attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
IF SWALLOWED: Rinse mouth. Give at least 0.5L of water to drink. Get medical advice/attention if you feel unwell.

Ingestion

Contact with Eyes, Skin, Mucous membranes: Irritation. Ingestion of large amounts may cause congestion.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

Non-flammable.

5.1 Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, Foam, water spray or fog.

Unsuitable Extinguishing Media

None.

5.2 Special hazards arising from the substance or mixture

Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide. Used activated carbons may release other combustion products. Wetted activated carbon may cause oxygen depletion in enclosed spaces. Avoid dust generation.

5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

6.1	Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Wear protective gloves. Wash hands thoroughly after handling.
6.2	Environmental precautions	Prevent entry into drains.
6.3	Methods and material for containment and cleaning up	Use vacuum equipment for collecting spilt materials, where practicable. Wash the spillage area with water.
6.4	Reference to other sections	See Also Section 8 and 13

7.1	Precautions for safe handling	Wet activated carbon depletes oxygen from air and, therefore, dangerously low levels of oxygen may be encountered. The oxygen content of air in vessels containing activated carbon should be determined before entry and work procedures for potentially low oxygen areas should be followed. Ensure adequate ventilation. Avoid dust generation. Wear protective gloves.
7.2	Conditions for safe storage, including any incompatibilities	Store in a dry place. Keep away from heat and direct sunlight.
	Storage temperature	Ambient.
	Storage life	Stable under normal conditions.
	Incompatible materials	Strong oxidising agents and Acids.
7.3	Specific end use(s)	Used as an adsorbent in industrial, professional and consumer setting.

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Activated Carbon	7440-44-0	-	10	-	-	Graphite particulate inhalable dust
		-	4	-	-	Graphite particulate respirable dust

8.1.3 PNECs and DNELs

DNEL	Oral	Inhalation	Dermal
Industry - Long Term	-	3 mg/m³	-
Industry - Short term	-	3 mg/m³	-
Consumer - Long Term	-	0.5 mg/m³	-
Consumer - Short term	-	0.5 mg/m³	-

Date: 06.12.2023

Silcarbon Activated Carbon

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide adequate ventilation. Local exhaust recommended. Wet activated carbon depletes oxygen from air. Therefore, low oxygen work procedures should be in place for vessels containing activated carbons.

8.2.2 Personal protection equipment

Eye/face protection



Non-powdered activated carbons: Not normally required. Powered activated carbons: Wear eye protection with side protection (EN166).

Skin protection (Hand protection/ Other)



Not normally required. Wear suitable gloves if prolonged skin contact is likely.

Respiratory protection



Non-powdered activated carbons: Normally no personal respiratory protection is necessary. Powered activated carbons: Use a half face mask with a P2 filter or better.

Thermal hazards

Not applicable.

8.2.3 Environmental exposure controls

Prevent entry into drains.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Solid.
Appearance	Non-powdered porous solids.
Colour	Black.
Odour	Odourless.
Odour Threshold (ppm)	Not established.
pH (Value)	alkaline
Melting Point (°C)	>1000°C
Boiling Point (°C)	No data available
Flash Point (°C)	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non-flammable.
Explosive limit ranges	Not applicable.
Vapour Pressure (mm Hg)	Not applicable.
Vapour Density (Air=1)	Not applicable.
Bulk Density (kg/l)	aprox 0,45-0,55 kg/l (Specific product information can be derived from the technical data sheet)
Specific Gravity (kg/l)	2.31 kg/l
Solubility (Water)	Insoluble in water.
Solubility (Other)	No data available.
Partition Coefficient (n-Octanol/water)	No data available.
Auto Ignition Temperature (°C)	> 400°C
Decomposition Temperature (°C)	Not available.
Kinematic viscosity (mPa.s)	Not applicable.
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

9.2 Other information

Information regarding physical hazard classes:
Other safety characteristics

No data available
No data available

Silcarbon Activated Carbon

10. SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	Contact with strong oxidizing agents may result in rapid combustion/possible explosion.
10.4	Conditions to avoid	Operating temperature >200°C. Keep from direct sunlight.
10.5	Incompatible materials	Strong oxidizing agents and Acids.
10.6	Hazardous Decomposition Product(s)	No hazardous decomposition products known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

This material is unlikely to present a significant health hazard under normal conditions of handling and use.

11.1 Information on toxicological effects

11.1.1 Substances

Acute toxicity

Ingestion

Unlikely to be hazardous if swallowed.

LD50(rat) (female) = >2000 mg/kg bw

Inhalation

Unlikely to be hazardous by inhalation unless present as a dust.

LD50(rat) = >64.4 mg/l

LC100(rat) = 235 mg/l

Skin Contact

Unlikely to cause harmful effects.

Eye Contact

Unlikely to cause harmful effects.

Skin corrosion/irritation

Unlikely to cause skin irritation.

Serious eye damage/irritation

Not classified.

Respiratory or skin sensitization

It is not a skin sensitizer.

Germ cell mutagenicity

There is no evidence of mutagenic potential.

Carcinogenicity

No evidence of carcinogenicity. No data.

Reproductive toxicity

Not classified.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Aspiration hazard

Not applicable.

11.2 Information on other hazards

None.

Endocrine disrupting properties

Substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria as set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Other information

No data available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Low toxicity to aquatic organisms. No data.
12.2	Persistence and degradability	Not readily biodegradable.
12.3	Bioaccumulative potential	The substance has no potential for bioaccumulation.
12.4	Mobility in soil	Insoluble in water. The substance is predicted to have low mobility in soil.
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.

Silcarbon Activated Carbon

12.6 Endocrine disrupting properties

Substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria as set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

12.7 Other adverse effects

A water slurry containing large quantities of HDS carbon may display high pH values.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Recover or recycle if possible. Dispose of wastes in an approved waste disposal facility.

13.2 Additional Information

Spent activated carbon may require specific disposal considerations. Disposal should be in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

Not classified as dangerous for transport.

14.1 UN number or ID number Transport type

ADR
RID
IMDG
ICAO
ADN

UN number
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

14.2 UN Proper Shipping Name Transport type

ADR
RID
IMDG
ICAO
ADN

UN number
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

14.3 Transport hazard class(es) Transport type

ADR
RID
IMDG
ICAO
ADN

Transport hazard class / Classification code / Hazard identification code / Tunnel restriction / Labels required
Not relevant
Not relevant
Not relevant
Not relevant
Not relevant

14.4 Packing Group Transport type

ADR
RID
IMDG
ICAO
ADN

UN number
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

14.5 Environmental hazards

Not applicable.

14.6 Special precautions for user

Wet activated carbon depletes oxygen from air. Therefore, low oxygen work procedures should be in place for vessels containing activated carbon.

14.7 Maritime transport in bulk according to IMO instructions

Not available

Silcarbon Activated Carbon

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	Act of 25 February 2011 on the chemical substances and their mixtures (Journal of Laws N. 63, item 322), with further amendments. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006 (OJ L 353, 31.12.2008, p.1).
15.1.1 EU regulations	
Candidate List of Substances of Very High Concern for Authorisation	Not listed.
REACH: ANNEX XIV list of substances subject to authorisation	Not listed.
REACH: ANNEX XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not listed.
Community Rolling Action Plan (CoRAP)	Not listed.
15.1.2 National regulations	None known.
15.2 Chemical Safety Assessment	A REACH chemical safety assessment has been carried out for this substance.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Revision 5 is a combined MSDS for powdered and non-powdered activated carbons (HDS).

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative
LD50	Median Lethal Dose
LC100	Absolute Lethal Concentration

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Silcarbon Aktivkohle GmbH gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Silcarbon Aktivkohle GmbH accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Not applicable.