

# SikaEmaco® T 1200 PG

## DECLARATION OF PERFORMANCE

### No. BE0025/03

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT- TYPE:	BE0025/03
2	INTENDED USE/S	Cement based mortar (CC) for structural repair of concrete structures Concrete restoration (3.1, 3.2) Structural strengthening (4.4) Preserving or restoring passivity (7.1, 7.2)
3	MANUFACTURER:	Sika Services AG Tüffenwies 16 8064 Zürich
4	SYSTEM/S OF AVCP:	System 2+ System 4 (for uses subject to reaction to fire regulations)
5a	HARMONISED STANDARD:	EN 1504-3:2005
Notified body/ies:		0749

#### Declaration of Performance

SikaEmaco® T 1200 PG

BE0025/03

2024.01 , ver. 01

1707

6 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Reaction to fire	Class A1	System 4	EN 1504-3:2005
Compressive strength	Class R4	System 2+	
Chloride ion content	≤ 0,05%	System 2+	
Adhesive bond	≥ 2,0 MPa	System 2+	
Carbonation resistance	Pass	System 2+	
Elastic modulus	> 20 GPa	System 2+	
Restrained shrinkage/expansion	NPD	System 2+	
Thermal compatibility		System 2+	
- Freeze-thaw	≥ 2,0 MPa	System 2+	
- Thunder shower	≥ 2,0 MPa	System 2+	
- Dry cycling	≥ 2,0 MPa	System 2+	
Skid resistance	NPD	System 2+	
Coefficient of thermal expansion	NPD	System 2+	
Capillary absorption	≤ 0,5 kg/m <sup>2</sup> .h <sup>0,5</sup>	System 2+	
Dangerous substances	Comply with 5.4 (EN 1504-3)	System 2+	

7 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Bram Thijs  
Function: Laboratory Manager  
At Nazareth on 23 April 2024



Name : Paul Magera  
Function: General Manager  
At Nazareth on 23 April 2024



.....

.....

End of information as required by Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC Text with EEA relevance

Declaration of Performance

SikaEmaco® T 1200 PG  
BE0025/03  
2024.01 , ver. 01  
1707





23

Sika Services AG, Zurich, Switzerland

DoP No. BE0025/03

EN 1504-3:2005

Notified Body 0749

Cement based mortar (CC) for structural repair of concrete structures:  
Concrete restoration (3.1, 3.2)  
Structural strengthening (4.4)  
Preserving or restoring passivity (7.1, 7.2)

Reaction to fire	Class A1
Compressive strength	Class R4
Chloride ion content	$\leq 0,05\%$
Adhesive bond	$\geq 2,0$ MPa
Carbonation resistance	Pass
Elastic modulus	$> 20$ GPa
Thermal compatibility	
- Freeze-thaw	$\geq 2,0$ MPa
Capillary absorption	$\leq 0,5$ kg/m <sup>2</sup> .h <sup>0,5</sup>
Dangerous substances	Comply with 5.4 (EN1504-3)

<http://dop.sika.com>

## ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

## LEGAL NOTE

Any information provided in this Declaration of Performance ("DoP"), including any descriptions and recommendations relating to the application and end-use of any Sika products ("Products"), are given in good faith based on Sika's current knowledge and experience of the Products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. Please note that the materials, substrates and actual site conditions may vary considerably, and therefore Sika makes no warranty for merchantability or fitness for a particular purpose, and accepts no liability for the application and use of the Products, for any recommendations, or for any advice offered. Prior to using, the Product must be tested for its suitability for the intended application and purpose, and the most recent version of the Product Data Sheet must be consulted. Sika reserves the right to change the properties of its Products any time without prior notice. Any orders for Products or services provided by Sika are subject to Sika's current terms and conditions of sale.

### Declaration of Performance

SikaEmaco® T 1200 PG

BE0025/03

2024.01, ver. 01

1707

**Sika Services AG**  
Tüffenwies 16  
8064 Zürich  
Switzerland  
[www.sika.com](http://www.sika.com)

**Declaration of Performance**  
SikaEmaco® T 1200 PG  
BE0025/03  
2024.01 , ver. 01  
1707

