Fujitsu recommends Windows 10 Pro for business.

# Data Sheet FUJITSU Notebook LIFEBOOK U7410

### Ultra-Mobile Meets Ultra Secure

The new FUJITSU Notebook LIFEBOOK U7410 is a slim and light ultra-mobile notebook based on the 10h generation Intel<sup>®</sup> Core<sup>™</sup> processor for business professionals seeking optimum mobility for business trips and ergonomics in the office. The 35.6cm (14-inch) screen, light weight of 1.49 kg (3.15 lbs.), Intel<sup>®</sup> Thunderbolt<sup>™</sup> ports, and 11,5 hours battery runtime enables it to provide excellent mobility and portability. Ergonomic viewing, outstanding security with the integrated PalmSecure<sup>™</sup> or finger print sensor, and a smart design makes it the notebook of choice in today's modern workstyle.

### Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

- A remarkably slim 19 mm ultra-mobile notebook starting from 1.49 kg, HD or FHD display, antiglare, FHD touch panel option, aluminum/magnesium housing, optional backlit keyboard and number pad
- Durability is Military Standard MIL-STD-810G tested

### Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

- Integrated PalmSecure™ or finger print sensor
- Infrared Camera: Allows face recognition with Windows Hello
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader and TPM 2.0

### Premium connectivity

Stay flexible and productive within a modern workplace environment

- Compact and versatile Intel<sup>®</sup> Thunderbolt<sup>™</sup> 3 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with full-size LAN connector, full-size VGA port and USB Type-C
- Embedded 4G and eSIM ready

### Convenient upgradeability

Direct access to key components reduces upgrade time and costs

Battery, memory and internal storage can be changed easily

### Family concept

- Reduce your acquisition cost as well as the complexity of your IT equipment
- Shared components such as the same classic or USB Type-C port replicator, AC Adapter, keyboard layout, BIOS and Bit Image across the ultra-mobile LIFEBOOK U7 family







## Components

Base unit	LIFEBOOK U7410		
Operating systems			
Operating system pre-installed	Windows 10 Home		
Operating system notes	Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Windo 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channel Support" at http://support.ts.fujitsu.com.		
Processor	Intel® Core™ i7-10610U processor (4 Cores / 8 Threads, 1.8 GHz, up to 4.9 GHz)		
	Intel® Core™ i7-10510U processor (4 Cores / 8 T	nreads, 1.8 GHz, up to 4.9 GHz) *	
	Intel® Core™ i5-10310U processor (4 Cores / 8 Threads, 1.7 GHz, up to 4.4 GHz)		
	Intel® Core™ i5-10210U processor (4 Cores / 8 T	nreads, 1.6 GHz, up to 4.2 GHz) *	
	Intel® Core™ i3-10110U processor (2 Cores / 4 T	nreads, 2.1 GHz, up to 4.1 GHz) *	
	*Processor only for retail, SMB, education and g	overnment	
Memory modules	4 GB (1 module(s) 4 GB) DDR4, , SO DIMM		
	8 GB (1 module(s) 8 GB) DDR4, , SO DIMM		
	16 GB (1 module(s) 16 GB) DDR4, , SO DIMM		
	32 GB (1 module(s) 32 GB) DDR4, , SO DIMM		
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED		
	PCIe-SSD, 256 GB M.2 NVMe module, SED		
	PCIe-SSD, 256 GB M.2 NVMe module		
	PCIe-SSD, 32 GB Optane + 512 GB M.2 NVMe module, SED		
	PCIe-SSD, 1 TB M.2 NVMe module, SED		
Hard disk notes	Accessible capacity may vary, also depending on used software.		
Interface add on cards/components (optional)			
3G/4G (optional)	LTE Sierra Wireless EM7455 (Cat.6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)		
	LTE Sierra Wireless EM7421 (Cat.7) (Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s)		
	LTE Fibocom L850-GL (Cat.9) (Downlink speed up to 450 Mbit/s, Uplink speed up to 50 Mbit/s)		
Multimedia			
Camera	Built-in webcam (HD) with Status LED	Built-in Infrared webcam (HD) with Status LED	
Camera notes	720p, 1 megapixels, 1280 x 720	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter	
Microphone	dual digital array microphone		

# Base unit

Base unit	LIFEBOOK U7410	
General system information		
Chipset	Integrated	
Supported capacity RAM (min.)	4 GB	
Supported capacity RAM (max.)	64 GB	
Memory slots	2 SO DIMM (DDR4, 2666 MHz)	
Memory notes	Dual channel support	

	1 (19V/90W required)	19V/90W required	1 (19V)
Port Replicator interfaces (optional)	Model: NPR46 (mech. PR)	Model: USB Type-C PR	Model: Thunderbolt 3 PR
5 11			
Kensington Lock support	1		
Docking connector for Port Replicator	1		
eSIM card	supported		
SIM card slot	1 (Micro-SIM, only for models will	h integrated 4G/LTE module)	
SmartCard slot	Speed Class: up to UHS-I (104MB 1 (optional)	[5]	
	SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB	/c)	
Memory card slots	1 SD 3.0 Standard SD/microSD card: 2GB		
Ethernet (RJ-45)	1 (with status LED)		
	1 v1.4		
DisplayPort	1 (via USB Type-C adapter) - v1.2		
VGA			
USB Type-C		hunderbolt™ 3 (20/40Gbps), Power [	penvery (15W), DP out
USB 3.2 Gen 2 (10 Gbps) total	/1	(with Power Delivery functionality)	
USB 3.2 Gen 1 (5 Gbps) total	2x Type-A (1 with Anytime USB c		
Internal microphones	2x digital array microphones (op		
Audio: line-in / microphone	1 (combo port with Audio line-ou	•	
Audio: line-out / headphone	1 (combo port with Audio line-in	•	
DC-in	1		
Interfaces	1		
•		isin memory size and operating syste	
Graphics notes	DirectX® 12 OpenGL® 4.5 Shared memory depending on g	ain memory size and operating syste	nm
Graphics features	3 Display Support		
Graphics brand name	Intel <sup>®</sup> UHD Graphics		
TFT resolution (VGA)	up to 1,920 x 1,200		
TFT resolution (HDMI)	Up to 4,096 x 2,160 pixel (30 Hz		
Base unit	LIFEBOOK U7410		
Graphics			
Contrast - typical	HD - 350:1, FHD - 700:1, Touch -	/00:1	
Brightness - typical	HD - 220cd/m <sup>2</sup> , FHD - 300 cd/m <sup>2</sup> ,		
Drightnorr hustand		85°, Top 85°, Bottom 85°; Color Gamut	:/2%
Display Display notes		5°, Top 20°, Bottom 45°; Color Gamut:	
Dicolou		י ייוטפי אמווטמוט ווונפווומנוטוומו וווווונפ	u waiidilly.
	MIL-STD-810G test results are not	a guarantee of future performance u d under standard international limite	Inder identified test conditions.
MIL-STD tested	Yes, selected MIL-STD-810G tests		
Audio features	2x built-in speakers (stereo)		
Audio codec	Realtek ALC255 with MaxxAudio		
Audio type	On board		
BIOS features	InsydeH20 BIOS		
BIOS version	UEFI Specification 2.7		
Integrated WLAN	Intel WiFi 6 AX201		

Power on switch	1	1	1
Audio: headphone	1		

Port Replicator interfaces (optional)					
Audio: microphone	1				
Audio: comments		Combo jack for headset usage	Combo jack for headset usage		
JSB 3.1 Gen1 (USB 3.0) total	4x Туре-А 2x Туре-С	3x USB3.1 Gen.1 Type A - 4,5W 1x USB3.1 Gen.1 Type C - 15W 1x USB3.1 Gen.1 Type C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input			
USB 3.1 Gen2 total			1x USB3.1 Gen.2 Type A - 5V, 2,4A, 4,5W charging port 2x USB3.1 Gen.2 Type A - 5V, 09A, 4,5W charging ports 2x USB3.1 Gen.2 Type C - 5V, 1,5A, 15W charging port 1x USB3.1 Gen.2 Type C - TBT3 up to 60 W (PD v2.0-1.1), 5-20V, 3.0A upstream (PC) 1x USB3.1 Gen.2 Type C - TBT3 up to 15 W (PD v2.0-1.1), 5V, 3.0A downstream 4.5W power output to client		
USB 3.2 Gen 1 (5 Gbps) total			2x Туре-А - 4,5W 1x Туре-А - 12W		
USB 3.2 Gen 2 (10 Gbps) total			1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input		
DisplayPort	2 (up to 2x 3840x2160 60Hz)	1 (up to 2560 x 1600)	2		
/GA	1 (up to 1920x1200 6Hz)	up to 1920×1200 @ 60Hz depending on FJ mobile client			
DVI	1 (up to 1920x1200 60Hz)				
HDMI text		1	1		
Kensington Lock support	1 (Portrep only, Portrep option with key lock to secure Portrep & System)	ΠΟ	1		
Notes			RJ-45: 10/100/1000 MBits/s LAN WoL from S3 state WoL from S4 / S5 / G3 state depending on Fujitsu mobile client PXE launching for dedicated FJ mobile C clients Set the MAC address by the user MAPT		
Keyboard and pointing devices					
	Keyboard w/o touchstick (spill-resistar	nt), Keyboard w/ touchstick, Backlight ke	yboard w/o touchstick (spill-resistant)		
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm				
	Multi gesture touchpad with two mou Status LED Power Button	se buttons			
Wireless technologies					
Antennas	2 Dual band WLAN antennas, 2 LTE ar	ntennas optional			
Bluetooth	v5.0				
Integrated WLAN	Intel WiFi 6 AX201				
WLAN encryption	WPA/WPA2 (Wi-Fi Protected Access)				
WLAN notes	Import and usage according to countr	v-specific regulations.			
Integrated LTE or UMTS	LTE Sierra Wireless EM7455 (cat.6) LTE Fibocom L850-GL (cat.9)				

AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter		
ne nutper	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter		
Notes	65W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator		
lst battery options	3,490 mAh, 50 Wh		
lst battery	Lithium polymer battery 4-cell, 50 Wh		
Battery features	Quick Charge: 80% in 1h		
Runtime 1st battery	up to 11 h 30 min		
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapco com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.		
Noise emission			
Noise emission	Please refer to the Eco Declaration		
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	332.6 x 234 x 19.0mm (non-touch and touch) mm		
	13.09 x 9.21 x 0.75 (non-touch and touch) inch		
Weight	From 1.46kg (non-touch). 1.47 kg (touch)		
Neight (lbs)	From 3.22 (non-touch), 3.24 (touch) lbs		
Neight notes	Weight may vary depending on actual configuration		
Dperating ambient temperature	5 - 35 °C (41 - 95 °F)		
Operating relative humidity	20 - 80 %		
	20-00 /0		
Compliance			
Product	LIFEBOOK U7410		
Model	7U14A1		
Germany	GS (Full HD Display only)		
Europe	CE CB		
JSA/Canada	FCC (depending on configuration)		
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 7.1 TCO Certified 8.0 (depending on configuration) EPEAT® Bronze (dedicated regions)		
China	CCC (depending on configuration)		
Compliance link	https://sp.ts.fujitsu.com/sites/certificates		
Additional Software			
Additional software (preinstalled)	McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre- installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)		
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) CyberLink YouCam (webcam software) Microsoft® Office Professional 2019 Microsoft® Office Home and Business 2019 (A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the region in which it was acquired.)		

Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology
Manageability software	DeskView Client DeskView Instant BIOS Management
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
Security	
System and BIOS Security	EraseDisk Trusted Platform Module (TPM 2.0)
User Security	Embedded PalmSecure™ sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password

Warranty	
Warranty period	2 years (for countries within EMEIA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions Product Support Services - the perfe	http://www.fujitsu.com/warranty ect extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

### **Recommended Accessories**

Port Replicator for LIFEBOOK U7 and E5 family with key lock	and and the second	Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.	Order Code: S26391-F1607-L219
USB Type-C Port Replicator 2		Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C connection helps you to get your peripheral devices connected easily. Enhance your USB connection options, connect your displays via HDMI, DisplayPort or VGA and charge your device without an additional charger.	Order Code: S26391-F3327-L100

Thunderbolt <sup>™</sup> 3 Port Replicator	One cable, many capabilites - Connect, save space, and keep your desk tidy. With Thunderbolt <sup>™</sup> 3 you can connect almost everything with only on cable and in highspeed. Enhance your USB connection options, connect your displays via Thunderbolt <sup>™</sup> 3, HDMI, DisplayPort and charge your device without an additional charger. Thunderbolt <sup>™</sup> 3 allows you to connect even highspeed devices in a most convenient way.	Order Code: S26391-F3357-L100
USB Port Replicator PR09	The new FUJITSU USB Port Replicator PR09 is the perfect solution for shared desk environments within a hyperconnected world. It connects your mobile system to your main peripherals with a single USB plug. This Port Replicator is equipped with the most powerful DisplayLink chipset supporting high performance video streaming with Dualhead-DisplayPort. Highest data throughput is guaranteed due to an USB Type-C based Gen2 Hub-Controller enabling up to 10Gbit/s data streaming. The newest version of USB Power Delivery chipset (PD3.0) provides powerful charging during your workday.	S26391-F6007-L500
Battery 4 cell 50 Wh	The 4 cell 50 Wh battery requires a voltage of 14.4 V and has a capacity of 3490 mAh. The weight of the battery is 300 gms and the recharge time of the cell is 60 minutes for a 80% charge and 150 minutes for a complete 100% charge.	Order Code: S26391-F1616-L100
Wireless Notebook Mouse WI610	The Wireless Notebook Mouse WI610 uses wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.	Order Code: S26381-K460-L100
Privacy Filters	To use privacy filters is a must in times of increased safety requirements. Fujitsu's Privacy Filters block unauthorized views on your screen while you are sitting in an external meeting or working in a train. The front view remains clear for the user's eyes only. The filters are easy to attach and what's more: They also protect your screen from small scratches and damages.	Order Code: S26391-F6098-L214
MANASSE 14	The Plevier Manasse 14 leather case is a compact and classic carrier for on the go. Available for notebooks up to 14 inches with a padded compartment, the sleeve ensures protection for your device while providing a sleek and subtle design in a black leather nappa shade.	Order Code: S26391-F1193-L62
TACAN 14	The Plevier Tacan 14 leather notebook bag provides a diverse range of features to optimize your carrier needs. With a shoulder strap, fast access pocket on the rear side and two compartments for your device and additional accessories, the bag provides multifunctional and protective space for your belongings. Its brown leather design creates a sleek finish to create a carrier that is high quality in both functionality and appearance.	Order Code: S26391-F1193-L64
Messenger Bag 14	The Messenger Bag protects notebooks with up to 14-inch screens. The back half of the bag has one compartment for your notebook, tablet or documents. The zipped compartments will keep your tablet, notebook and personal belongings safe at all times. A zipped font compartment allows quick access to your keys and mobile phone. An integral, extralong, adjustable and anti-slip shoulder strap provides ergonomic shoulder support. Stand out from the crowd with this two-tone gray polyester bag, which is extremely robust and easy to clean when on the move. The design also includes a black leather flap that also protects your personal belongings with two concealed magnets.	Order Code: S26391-F1194-L171

Pro Green Case 14	The Pro Green Case 14 protects notebooks with up to 14-inch screens and offers you plenty of style and functionality on your business trips. The front half of the bag has two padded compartments for your power cord and office supplies. The back half of the bag has a divided file compartment for your notebook. Everything will be safe but easily accessible. Its elegant design and recyclable material will impress everyone who sees it.	Order Code: S26391-F1194-L80
Wireless Notebook Mouse WI660	The Wireless Notebook Mouse WI660 uses wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.	Order Code: S26381-K471-L100
Keyboard KB950 Phone	The KB950 Phone is a modern and slim line USB keyboard with integrated Skype for business features. This extremely reliable, high-speed input device is the perfect way to manage incoming and outgoing calls, even when the system is locked. Three additional keys make it easy to accept and end calls and mute your microphone during a call. Easy number dialing is assured with the numpad. The integrated 61 x 12 mm display shows the time and date, the user status and shows incoming call data in the form of the calling number and caller ID.	S26381-F950-L4** (**: Country specific variation)

### More information

#### Fujitsu products, solutions & services

In addition to FUJITSU Notebook LIFEBOOK U7410, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### **Computing Products**

www.fujitsu.com/global/products/computing/

#### Software

www.fujitsu.com/software/

### More information

Learn more about FUJITSU Notebook LIFEBOOK U7410, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/emeia/products/computing/ pc/notebooks/index.html

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment



### Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http:// www.fujitsu.com/emeia/resources/navigation/ terms-of-use.html

Copyright 2020 Fujitsu Technology Solutions GmbH

### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2020-09-02 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html Copyright 2020 Fujitsu Technology Solutions GmbH