

Procleix Ultrio Elite Assay

A comprehensive CE-marked assay for your NAT blood screening needs

Available on the NAT fully integrated and automated Procleix Panther system

- Improves blood safety by protecting against infections with HIV-1, HIV-2, HCV, and HBV¹
- Reduces the risk of TTIs and shortens window periods of HIV-1, HIV-2, HCV, and HBV¹
- Has comparable sensitivity and specificity to the Procleix Ultrio Plus assay on the Procleix Tigris system for HIV-1, HCV, and HBV²
- May be used with non-heart-beating cadaveric, source plasma, or heparinized samples
- Is suitable for individual donor testing (IDT) or pools

Comprehensive menu of analytes in a single tube assay¹

- Targets two highly conserved HIV-1 regions to reduce the risk of missed detections
- Includes groups M (subtypes A-H), N, and O
- Includes HIV-2 detection to meet geographic and country requirements
- Includes subtypes A and B (HIV-2)
- Detects HCV genotypes 1-6
- Detects HBV genotypes A-H; target enhancement reagent for optimized HBV detection

Multicenter data confirms solid assay performance characteristics

- An external evaluation was conducted at multiple centers in France, Italy, and Spain, with all three laboratories achieving comparable results³
- Highly sensitive detection was demonstrated across all known genotypes for HIV-1, HIV-2, HCV, and HBV¹
- Optimal efficiency was demonstrated with only 3 invalid results out of 5,995 samples tested for a low 0.05% invalid sample rate

Significantly reduces window periods with its HIV-1, HCV, and HBV sensitivity^{1,4,5}

Window period comparisons are based on Weusten calculation model using 50% detection limits by probit analysis of test results from specific WHO panels and reported in the Procleix Ultrio Elite assay package insert.^{1,2,4} Window period comparison may vary based on serology testing methods, variability of WHO panels, testing strategies, and genotypes of the virus in the geographic country of use.

■	ID-NAT Ultrio Elite
■	MP-16 NAT Ultrio Elite
■	Ab or Ag

HIV-1 DETECTION (Window period in days)



HCV DETECTION (Window period in days)



HBV DETECTION (Window period in days)



SCREENING

Procleix Ultrio Elite Assay

A comprehensive CE-marked assay
for your NAT blood screening needs

Demonstrated specificity

- 99.90% specificity in 8011 fresh and frozen normal blood donor plasma samples¹
 - Only 8 false positives (0.10% rate)*

100% CLINICAL SENSITIVITY FOR HIV-1, HCV, AND HBV

Clinical sensitivity of the Procleix Ultrio Elite assay in known positive samples ¹				
	All (N = 620)	HIV-1 (N = 214)	HCV (N = 203)	HBV (N = 203)
Diluted (1:16) samples, % (95% CI)	100 (99.4 - 100)	100 (98.3 - 100)	100 (98.2 - 100)	100 (98.2 - 100)

HIV-2 samples were not tested in a 1:16 dilution

INCREASED BLOOD SAFETY THROUGH HIGH ASSAY PERFORMANCE

Detection probabilities (IU/mL) ¹		
Panel tested	50% (95% fiducial limits)	95% (95% fiducial limits)
HIV-1 WHO (97/650)	5.4 (4.5 - 6.1)	18.0 (15.0 - 23.5)
HIV-2 WHO (08/150)	2.6 (2.3 - 3.0)	10.4 (8.9 - 12.6)
HCV WHO (06/100)	0.9 (0.8 - 1.0)	3.0 (2.5 - 3.9)
HBV WHO (97/750)	0.9 (0.8 - 1.1)	4.3 (3.8 - 5.0)

*Specimens determined to be true positives were repeat reactive in either the Procleix Ultrio Elite assay or the relevant Procleix Ultrio Elite Discriminatory assay. Specimens determined to be false positives were nonreactive upon retesting in either the Procleix Ultrio Elite assay or the relevant Procleix Ultrio Elite Discriminatory assay.

REFERENCES

¹Procleix Ultrio Elite assay package insert, 503049EN Rev. 002 (exUS).

²Deras ML, et al. Performance characteristics of the Procleix Ultrio Elite Assay on the fully automated Procleix Panther Instrument. ISBT Cancun, July 2012.

³Sauleda, S. Advances in NAT automation – A Presentation on Novartis Sponsored Trials, July 2012.

⁴Weusten J, et al. *Transfusion*. 2002;42(5):537-548.

⁵Weusten J, et al. *Transfusion*. 2011;51(1):203-215.



Product registration and availability vary by country.
For more information, ask your local Grifols representative.

Learn more about
Procleix assays at
www.procleix.com



GRIFOLS

Grifols International, S.A.
Av. de la Generalitat, 153-159
08174 Sant Cugat del Vallès
Barcelona, Spain
Tel: +34 935 710 500

Grifols Diagnostic Solutions Inc.
4560 Horton Street
Emeryville, CA 94608
USA
Tel: +1 800 452 6877