



**ULTRAMED
HEALTHCARE DISPOSABLES**

“The Quality You Wish”

Content

1- PRODUCTS	
INFUSION THERAPY.....P.3	
1. I.V. CANNULA.....P.3	
2. THREE WAY STOP COCK.....P.4	
3. STOP COCK WITH EXTENSION TUBE.....P.5	
4. I.V. INFUSION SET.....P.6	
5. FLOW REGULATOR.....P.7	
6. EXTENSION TUBE.....P.8	
7. MICRO DRIP I.V.SET.....P.9	
8. BURETTE SET.....P.10	
ANAESTHESIA.....P.11	
1. SUCTION CATHETER (Plain / Thumb Control).....P.11	
2. 2-TWIN BORE NASAL OXYGEN CANNULA (Adult / Pediatric).....P.13	
3. OXYGEN FACE MASK.....P.14	
4. GUEDEL AIRWAY.....P.15	
URLOLOGY.....P.16	
1. NELATON CATEHETER.....P.16	
2. URINE COLLECTION BAG (Adult / Pediatric).....P.17	
3. FOLLEY CATHETER (Latex / Silicon).....P.19	
GASTROENTROLOGY.....P.21	
1. RYLE'S TUBE.....P.21	
2. INFANT FEEDING TUBE.....P.22	
3. MUCUS EXTRACTOR.....P.23	
4. ENDOTRACHEAL TUBE (With / Without Cuff).....P.24	
BLOOD MANAGEMENT.....P.26	
1. BLOOD ADMINISTRATION SET.....P.26	
OTHERS.....P.27	
1. UMBILICAL CORD CLAMP.....P.27	
2. A.V. FISTULA NEEDLE.....P.28	
3. CLOSED WOUND SUCTION UNIT (Hemosuc).....P.29	
4. SURGICAL GLOVES (Easy/Touch).....P.30	
2- CERTIFICATES.....P.31	
3- FACILITIES.....P.35	
4- DEPARTMENTS.....P.35	
5- QUALITY ASSURANCE.....P.36	
6- FACTORY PHOTOS.....P.36	
7- CONTACTS.....P.37	

INFUSION THERAPY

1- I.V. Cannula: Code No.: 1001



❖ **Description:**

- The I.V. Cannula family is designed to provide access into the peripheral vascular system for administration of fluids and drugs and for withdrawal of blood.

❖ **Features:**

- Sharp, 3-facet back cut **Japanese Needle** to reduce penetration force.
- Special tapered & **Kink resistant catheter** for easy vein punctures with minimum trauma.
- Flexible wings to provide **easy & secure** fixation.
- Manufactured from tested **biocompatible materials** offering **longer indwelling time**.
- Injection port with non-return **silicon valve** for intermittent medication.

Code	Size	Color	Catheter		Catheter Length Mm	Water Flow Rate (ml/min)
			I.D. mm	O.D. mm		
1001-14	14G	Orange	1.7	2.1	45	270
1001-16	16G	Grey	1.3	1.7	45	180
1001-18	18G	Green	0.9	1.3	45/32	80
1001-20	20G	Pink	0.8	1.1	32	54
1001-22	22G	Blue	0.6	0.9	25	33
1001-24	24G	Yellow	0.5	0.7	19	20
1001-26	26G	Violet	0.45	0.6	19	15

❖ **Material:**

- P.P.
- Stainless Steel different sizes.
- Latex Bulb.
- Master Batch (colored).
- H.D.P.E.
- Teflon

❖ **Option Available:**

- Polyurethane.

2- Three Way Stop Cock Code No.: 1006



❖ Description:

- The Three Way Stop Cock family is designed to provide access into I.V. Cannula system for administration of two fluids or drugs at a time based on the application and requirements.
- For pressure up to 4.5 bar (65 psi).
- 360 degree rotation.

❖ Features:

- Minimum priming volume required for accurate drug administration.
- Rotating male luer and two female luer connectors.
- Arrow indication on the handle to indicate the direction of flow.

❖ Material:

- Poly Carbonate.
- P.P.
- H.D.P.E
- Master Batch (White).
- Master Batch (Blue).

3- Three Way Stop Cock with Extension Tube Code No.: 1008



❖ Description:

- The Three Way Stop Cock family is designed to provide access into I.V. Cannula system for administration of two fluids or drugs at a time. Based on the application and requirements.
- For pressure up to 4.5 bar (65 psi).
- 360 degree rotation.
- Tube Length: 7, 10, 25, 50, 100, 150, 200 cm.

❖ Features:

- Minimum priming volume required for accurate drug administration.
- Rotating male luer and two female luer connectors.
- Arrow indication on the handle to indicate the direction of flow.

❖ Material:

- Poly Carbonate.
- Polyethylene.
- P.P.
- P.V.C.
- H.D.P.E.
- Master Batch (White).
- Master Batch (Blue).

4- I.V. Infusion Set Code No.: 1009



❖ Description:

- The Infusion Sets are used to administer Intravenous fluid and medicines into human circulating system.

❖ Features:

- Clear, transparent & flexible drip chamber.
- Soft and kink resistant PVC tubing.
- Accurate flow controller.
- Tube length: 150 cm.
- Tube die : I Ø 3.0 mm , O Ø 4.1 mm

❖ Options:

- With or without needle.
- Luer lock or male fitting.
- "Y" injection port (latex or latex free).
- Plastic pack or blister pack.

❖ Material:

- P.P.
- A.B.S.
- P.V.C.
- Master Batch (Blue)
- Master Batch (White)
- H.D.P.E.
- Latex Bulb.
- S.Steel + P.P.

5- Flow Regulator Code No.: 1010



❖ Description:

- Flow regulator is used to administer Intravenous fluid and medicines into human circulating system.

❖ Features:

- Precise flow rate control of IV fluids with range of 5 to 250 ml/hr.

❖ Options:

- With "Y" injection port (Latex or **Latex free**) for intermittent medication.
- With thumb support "Y" injection port.
- Soft & Kink resistance PVC tubing.
- Male luer connector at one end and female luer on the other end.

❖ Material:

- P.V.C.
- P.P.
- Latex bulb.

6- Extension Line Code No.: 1011



❖ Description:

- The Extension Tube is used to administer Intravenous fluid and medicines into human circulating system.
- Low Pressure Extension Tube.
- For pressures up to 4.5 bar (60psi).

❖ Features:

- Male luer lock at one end & female luer lock at other end.
- Tube Length options: 7, 10, 25, 50, 100, 150, 200 cm.

❖ Options:

- Available with or without clamp.
- Also available with "Y" injection port (latex or latex free).
- Tube dia: I Ø 3.0 mm & O Ø 4.1mm.

❖ Material:

- Poly Carbonate.
- Polyethylene.
- P.P.
- P.V.C.

7- Micro Drip I.V.Set:
Code No.: 1012



❖ **Description:**

- Intravenous Fluid Infusion Set without air vent.
- Micro I.V. Infusion set for pediatric use.
- Approximately 60 drops/ml.

❖ **Features:**

- Clear, transparent & flexible drip chamber.
- Soft and kink resistant PVC tubing.
- Accurate flow controller.
- Tube length: 150 cm.
- Tube die : I Ø 3.0 mm , O Ø 4.1 mm

❖ **Options:**

- With or without needle.
- Luer lock or male fitting.
- "Y" injection port (latex or latex free).
- Molded latex flush bulb for intermittent medication.
- Plastic pack or blister pack.

❖ **Material:**

- P.P.
- A.B.S.
- P.V.C.
- M.B. (Blue).
- M.B.(White).
- H.D.P.E.
- Latex Bulb.
- S.Steel + P.P.
- S.Steel + P.V.C

8- Burette Set Code No.: 1016



❖ Description:

- The Pediatric I.V. Infusion Sets are specially designed to administer measured volume of infusion fluid through gravity as well as pressure pump method in children.

❖ Features:

- Clear, soft, cylindrical and calibrated measured volume chamber with bold graduations.
- Bacteria retentive air inlet.
- Automatic shut off valve prevent air trapping in the fluid line once the measured volume chamber is empty, and it also indicates the level of liquid.
- 15 μ m fluid filter.
- Approximately 60 drops/ml.
- Soft and Kink resistant PVC tubing.
- Tube length options: 150 cm, 180 cm, 200 cm.
- Available sizes: 100 ml (Code: 1016-100),
150 ml (Code: 1016-150).

❖ Options Available:

- With or without needle.
- Luer lock or Male fitting.
- "Y" injection port (Latex or latex free).

❖ Material:

- Poly Carbonate.
- A.B.S.
- P.P.
- P.V.C.
- S.Steel.
- Latex Bulb.
- H.D.P.E.
- Master Batch.

ANAESTHESIA

1- Suction Catheters

a. Suction Catheters (Standard Connector)

Code No.: 2001



❖ Description:

- Suction Catheter is used to provide access to respiratory tract to remove secretion with maximum comfort to the patient.

❖ Features:

- For removal of Secretion from trachea and bronchial region.
- Soft, frosted and kink resistant PVC tubing.
- A traumatic, soft & rounded open tip with two lateral eyes.
- Available with open end.
- Color coded connector for easy identification of size.
- Catheter Length: 52 cm.
- Sizes: 6 FG to 24 FG.

❖ Material:

- P.V.C
- Master Batch (colored).

Code	Size	color
2001-6	6 FG	Green
2001-8	8 FG	Blue
2001-10	10 FG	Black
2001-12	12 FG	White
2001-14	14 FG	Green
2001-16	16 FG	Orange
2001-18	18 FG	Red
2001-20	20 FG	Yellow
2001-22	22 FG	Violet
2001-24	24 FG	Blue

b. Suction Catheters (Thumb control connector)

Code No.: 2002



❖ Description:

- Suction Catheter is used to provide access to respiratory tract to remove secretion with maximum comfort to the patient.

❖ Features:

- For removal of Secretion from trachea and bronchial region.
- Soft, frosted and kink resistant PVC tubing.
- A traumatic, soft & rounded open tip with two lateral eyes.
- Available with open end.
- Color coded thumb control connector for easy identification of size.
- Length: 52 cm.
- Sizes: 5 FG to 24 FG.

❖ Material:

- P.V.C.
- Master Batch (colored).

Code	Size	Color
2002-5	5 FG	Grey
2002-6	6 FG	Green
2002-8	8 FG	Blue
2002-10	10 FG	Black
2002-12	12 FG	White
2002-14	14 FG	Green
2002-16	16 FG	Orange
2002-18	18 FG	Red
2002-20	20 FG	Yellow
2001-22	22 FG	Violet
2001-24	24 FG	Blue

**2- Twin Bore Nasal Oxygen Cannula
(Adult / Pediatric).
Code No.: 2003**



❖ **Description:**

- Suitable for easy and efficient administration of oxygen.
- Star lumen main tube to avoid accidental blockage.
- Soft and kink resistant PVC tubing.
- Soft Twin prong nasal tips to ensure equal distribution of oxygen through both air passages.
- Available Sterile or non sterile.
- Tube length 150 cm.
- Sizes: Adult (Code: 2003-1)
Pediatric (Code: 2003-2).

❖ **Material:**

- P.V.C (Green).
- P.P.

3- Oxygen Face Mask Code No.: 2004



❖ Description:

- The Oxygen Mask is used to provide oxygen for respiration with maximum comfort to the patient system.
- Suitable for oxygen therapy.
- Swivel connector for patient comfort.

❖ Features:

- Elongated face mask for long term use.
- Clear and soft mask for patient comfort.
- Adjustable elastic strip and integrated nose clip for proper positioning of mask.
- 210 cm long star lumen tubing to ensure continuous flow of oxygen.
- Proximal end of tube is connected with funnel-shape connector for easy connection with oxygen source.
- Sizes: Adult (Code: 2004-1)
Pediatric (Code: 2004-2).

❖ Material:

- P.V.C. Green.
- Aluminum sheet.
- String – Rubber.
- H.D.P.E.

4- Guedel Air Way Code No.: 2005



❖ Description:

- The Guedel Airway is used to maintain an unobstructed Oropharyngeal Airway and it prevents biting of tongue and airway occlusion.
- Suitable for maintaining an unobstructed oropharyngeal airway during general anesthesia and in unconscious patients.
- Bite block to prevent biting of tongue and airway occlusion.
- Rounded traumatic edges.
- Smooth airway path for easy cleaning.
- Color coded for easy identification of sizes.
- Sizes: 00, 0, 1, 2, 3, 4, 5.

Size	00	0	1	2	3	4	5
Code	2005-00	2005-0	2005-1	2005-2	2005-3	2005-4	2005-5
Colour	Blue	Black	White	Green	Orange	Red	Yellow

❖ Material:

- H.D.P.E.
- P.P.
- Master Batch (Colored).

URLOLOGY

1- Nelaton Catheter Code No.: 3001



❖ **Description:**

- For short term bladder catheterization through urethra in males.
- Catheter Length: 40 cm.
- Sizes: 6 FG to 24 FG.

❖ **Features:**

- Soft, frosted and kink resistant PVC tubing.
- Atraumatic, soft, rounded, closed tip with two lateral eyes for efficient drainage.
- Color coded plain connector for easy identification.

❖ **Material:**


- P.V.C.
- Master Batch (Colored).

Code	Size	Color
3001-6	6 FG	Green
3001-8	8 FG	Blue
3001-10	10 FG	Black
3001-12	12 FG	White
3001-14	14 FG	Green
3001-16	16 FG	Orange
3001-18	18 FG	Red
3001-20	20 FG	Yellow
3001-22	22 FG	Violet
3001-24	24 FG	Blue

2- Urine Collection Bag

a. Adult Urine Collection Bag

Code No.: 3003



❖ Description:

- The Urine Bag is used to collect urine from a patient. It is connected to Foley's and Nelaton Catheters.
- With bottom outlet and top inlet.
- For short and long term urine collection.
- Holes at the top for hanging the bag.
- Capacity 2000 ml.

❖ Features:

- Soft and kink resistant PVC tubing.
- With non- return valve.
- Bag graduated in ml.
- Conical inlet connector with Cap.
- Tube length 95 cm.
- Available sterile or non sterile.

❖ Material:

- L.D.P.E.
- Master Batch (Colored).
- P.P.
- H.D.P.E.
- P.V.C.
- P.V.C. sheets.

b. Pediatric Urine Collector
Code No.: 3005



❖ **Description:**

- For short term urine collection.
- Suitable for both male and female infants.
- Provided with special adhesive for better grip and easy removal from the soft skin of the infant.
- Capacity 100 ml.

❖ **Features:**

- Bag graduated in ml.
- Adhesive sponge.

❖ **Material:**

- Polyethylene.
- Sponge.

3- Folley Catheter

a. Latex Folley Catheter

Code No.: 3006



❖ Description:

- For short term bladder catheterization (2 way).
- Sizes: 6 FG to 24 FG.
- For blood irrigation and drainage (3-way).

❖ Features:

- Soft, frosted and kink resistant latex coated with silicone.
- Atraumatic, soft, rounded, closed tip with two lateral eyes for efficient drainage.
- Color coded plain connector for easy identification.

❖ Material:

- Latex.
- P.V.C.

Size	Type	Code	Color
6	2-Way	3006-6/2	Green
8	2-Way	3006-8/2	Blue
10	2-Way	3006-10/2	Black
12	2-Way	3006-12/2	White
14	2-Way	3006-14/2	Green
16	2-Way	3006-16/2	Orange
	3-Way	3006-16/3	
18	2-Way	3006-18/2	Red
	3-Way	3006-18/3	
20	2-Way	3006-20/2	Yellow
	3-Way	3006-20/3	
22	2-Way	3006-22/2	Violet
	3-Way	3006-22/3	
24	2-Way	3006-24/2	Blue
	3-Way	3006-24/3	

b. Silicone Folley Catheter
Code No.: 3007



❖ **Description:**

- For long term bladder catheterization (2- way).
- Sizes: 6 FG to 24 FG.
- For blood irrigation and drainage (3-way).

❖ **Features:**

- Soft, frosted and kink resistant all prans transparent silicone.
- Atraumatic, soft, rounded, closed tip with two lateral eyes for efficient drainage.
- Color coded plain connector for easy identification.

❖ **Material:**

- Silicone.
- P.V.C.

Size	Type	Code	color
6	2-Way	3007-6/2	Green
8	2-Way	3007-8/2	Blue
10	2-Way	3007-10/2	Black
12	2-Way	3007-12/2	White
14	2-Way	3007-14/2	Green
16	2-Way	3007-16/2	Orange
	3-Way	3007-16/3	
18	2-Way	3007-18/2	Red
	3-Way	3007-18/3	
20	2-Way	3007-20/2	Yellow
	3-Way	3007-20/3	
22	2-Way	3007-22/2	Violet
	3-Way	3007-22/3	
24	2-Way	3007-24/2	Blue
	3-Way	3007-24/3	

GASTROENTROLOGY

1- Ryle's Tube

Code No.: 4001



❖ Description:

- For nasogastric introduction for nutrition and aspiration of intestinal secretion.
- Closed distal end coned with radio-opaque material for accurate placement.
- Four later eyes.
- Tube with radio-opaque line, marked at 50, 60 and 70 cm from the tip for accurate placement.
- Soft, frosted and kink resistant PVC tubing.
- Color coded funnel end connector for easy identification of size.
- Tube Length: 105 cm.
- Sizes: 6 FG to 22 FG.

❖ Material:

- P.V.C.
- Master Batch (colored).

Code	Size	color
4001-6	6 FG	Green
4001-8	8 FG	Blue
4001-10	10 FG	Black
4001-12	12 FG	White
4001-14	14 FG	Green
4001-16	16 FG	Orange
4001-18	18 FG	Red
4001-20	20 FG	Yellow
4001-22	22 FG	Violet

2- Infant Feeding Tube Code No.: 4003



❖ Description:

- For neonatal and pediatric nutritional feeding.
- Closed distal end with two lateral eyes.
- Tube with radio-opaque line, marked at 20 cm from the tip for accurate placement.
- Soft, frosted and kink resistant PVC tubing.
- Color coded funnel end connector for easy identification of size.
- Tube Length: 40 cm.
- Sizes: 4 FG to 10 FG.

❖ Material:

- P.V.C.
- Master Batch (colored)

Code	Size	color
4003-4	4 FG	Red
4003-5	5 FG	Grey
4003-6	6 FG	Green
4003-8	8 FG	Blue
4003-10	10 FG	Black

3- Mucus Extractor Code No.: 4004



❖ Description:

- Mucus Extractor is designed for aspiration of secretion from oropharynx for microbiological examination mucus specimen.

❖ Features:

- Separate screw top lid for safe sealing and handling of mucus.
- Soft, frosted & kink resistant PVC tubing.
- Available with thumb control suction catheter.
- Container Capacity: 25 ml.
- Suction tube Length: 40 cm.
- Suction tube size: 10 FG.

❖ Option Available:

- Mucus Extractor with bacterial barrier filter at the suction end with code number 4004-01.
- Mucus Extractor without bacterial barrier filter at the suction end with code number 4004-02.
- Suction tube size: 6 FG to 14 FG.

❖ Material:

- Poly Carbonate.
- H.D.P.E .
- Master Batch (Green).

4- Endotracheal Tube

a. Endotracheal Tube Without Cuff (Plain)

Code No.: 4005



❖ Description:

- Nasal / oral tip suitable for nasal /oral intubations.
- Murphy eye at distal end for atraumatic intubation and extubation.

❖ Features:

- Made of special thermo sensitive material readily conforming to body curvatures at body temperature.
- Proximal end fitted with standard 15 mm connector.
- X Ray opaque line on the tube to facilitate easy location of tube.

❖ Material:

- P.V.C.
- P.P.

Size	Code
2	4005-2
2.5	4005-2.5
3	4005-3
3.5	4005-3.5
4	4005-4
4.5	4005-4.5
5	4005-5
5.5	4005-5.5
6	4005-6
6.5	4005-6.5
7	4005-7
7.5	4005-7.5
8	4005-8
8.5	4005-8.5
9	4005-9

b. Endotracheal Tube Cuffed
Code No.: 4006



❖ **Description:**

- Provided with soft cuff based on high volume and low pressure at the distal end.
- Non-return valve with pilot cuff for easy assessment of the pressure in the main cuff.
- Murphy eye at distal end for a traumatic intubation and extubation.
- High volume and low pressure cuff.

❖ **Features:**

- Made of special thermo sensitive material readily conforming to body curvatures at body temperature.
- Proximal end fitted with standard 15 mm connector.
- X Ray opaque line on the tube to facilitate easy location of tube.

❖ **Material:**

- P.V.C.
- P.P.

Size	Code
4.0	4006-4.0
4.5	4006-4.5
5.0	4006-5.0
5.5	4006-5.5
6.0	4006-6.0
6.5	4006-6.5
7.0	4006-7.0
7.5	4006-7.5
8.0	4006-8.0
8.5	4006-8.5
9.0	4006-9.0

BLOOD MANAGEMENT

Blood Administration Set Code No.: 7007



❖ Description:

- Blood Transfusion Sets are designed to administer blood into human circulating system by using intravenous catheter and cannula.

❖ Features:

- For transfusion of blood or blood components.
- Transparent & flexible drip chamber.
- Approximately 20 drops/ml.
- Soft and kink resistant PVC tubing.
- With 200 micron blood filter.

❖ Option Available:

- With or without needle.
- Luer lock or male fitting.
- "Y" injection port (Latex or latex free).

❖ Material:

- P.P.
- A.B.S.
- P.V.C.
- Latex Bulb.
- S.Steel.
- H.D.P.E.
- M.B. (Red).
- M.B. (White).

OTHERS

1- Umbilical Cord Clamp Code No.: 9002



❖ Description:

- The Cord Clamp is used to clamp the umbilical cord immediately after the birth of the child.
- Vaso Clamp with Premium Quality (Code: 9002-2).
- Cord Clamp with Standard Quality (Code: 9002-1).

❖ Features:

- Suitable for clamping the umbilical cord after birth.
- Security locks to prevent accidental opening after clamping.
- Grooved clamping area to prevent slipping of umbilical cord.

❖ Used Material:

- A.B.S.

❖ Options available:

- Nylon.
- Polyamide
- H.D.P.E.

2- A.V. Fistula Needle Code No.: 9003



❖ Description:

- Fistula Needle is designed to administer blood into the patients. It consists of a colored wing to identify the needle gauge and a stainless steel Cannula at one end and a long PVC tube with a closure on the other end.
- It is color coded as per size from 15G to 17G.

❖ Features:

- To connect blood lines of the blood vessels through needles when dialysis is carried out through an internal fistula.
- Back eye needle to minimize interruption of blood flow.
- Siliconised ultra thin Walled & sharp beveled needle to minimize trauma to the patient.
- Soft, frosted and kink resistant PVC tubing.

❖ Used Material:

- Poly Propylene.
- S.Steel.
- P.V.C.
- H.D.P.E.
- Master Batch.

Code	Size	Color
9003-15	15 G	Orange
9003-16	16 G	Green
9003-17	17 G	Dark Blue

3- Closed Wound Suction Unit (Hemosuc) Code No.: 9007



❖ Description:

- Suitable for close wound drainage under negative pressure post operatively with the option to operate one or two catheter simultaneously.
- Graduated Bellow chamber.

❖ Unit Consists of:

- Bellow unit with connector.
- Connecting tube with clamp.
- Curved trocar needle with catheter.
- Spare perforated Redon drain catheter.

❖ Size of Bellow Chamber: 600 ml

❖ Sizes of Accessories: 12 FG to 18 FG

Code	Size
9007-12	12
9007-14	14
9007-16	16
9007-18	18

❖ Material:

- L.D.P.E.
- P.V.C.
- Master Batch (Colored).
- S. Steel.
- H.D.P.E. P.V.C
- P.P.

4- Surgical Gloves (Easy, Touch): Code No.: 9013, 9014



❖ Description:

- The product is used to cover hands during Surgery.
- Sizes : 7.0, 7.5, 8.0, 8.5
- Ultra Easy is Premium Quality (Code: 9013).
- Ultra Touch is Standard Quality (Code: 9014).

❖ Material:

- Natural Latex..
- Corn Starch (Powder).

Size	Code
7.0	9013-7
	9014-7
7.5	9013-7.5
	9014-7.5
8.0	9013-8
	9014-8
8.5	9013-8.5
	9014-8.5

CERTIFICATES

Certified with the CE mark, ISO 13485, ISO 9001:2000, and OHSAS 18001:2007.



SGS

Certificate GB08/75909

The management system of

Ultra for Medical Products Co. (ULTRAMED)

Industrial Area, Arab El-Awamer,
Abnoub, Assiut, Egypt

has been assessed and certified as meeting the requirements of

ISO 13485:2003



For the following activities

Manufacture of Sterile intravenous infusion set with needle and without needle, Sterile blood transfusion set; sterile umbilical cord clamp; sterile urine bag; sterile IV Cannula; sterile surgical gloves; sterile guedal airway, sterile Mucus extractor; sterile burette set, Nelaton Catheter; sterile suction tubing, suction units; sterile Rhyle's tubing, sterile infant feeding tubing; sterile stop cock; sterile nasal Oxygen Catheter, sterile Foley Catheter; sterile Fistula needle; sterile face mask; sterile flow regulator; sterile IV tubing, sterile endotracheal tube with and without cuffs, sterile extension tubes with and without 3 way stop cock.

This certificate is valid from 29 May 2009 until 29 October 2011 and remains valid subject to satisfactory surveillance audits.

Re certification audit due before 28 August 2011

Issue 2. Certified since 29 October 2008

Authorised by

A handwritten signature in black ink, appearing to be 'R. J. S.', is written over a faint background map of Egypt.

SGS United Kingdom Ltd - Systems & Services Certification
Rossmore Business Park, Ellesmere Port, Cheshire - CH65 3EN - UK
t +44 (0)151 350-6666 f +44 (0)151 350-6600 www.sgs.com

SGS 13485-2 0308

Page 1 of 1



005



SGS

Certificate CH09/0677

The management system of

Ultra for Medical Products Co. (ULTRAMED)

Industrial Area, Arab El-Awamer, Abnoub, Assiut, Egypt

has been assessed and certified as meeting the requirements of

OHSAS 18001:2007

For the following activities

Manufacturing and selling of Surgical gloves, I.V. Cannula, I.V. sets, blood transfusion sets, A.V. fistula needle, adult and paediatric urine collection bags, Nelaton catheters, Three way Stop Cocks, Extension tubes, with and without three way stop cocks, Flow regulators, Mucus Extractors, Close Wound Suction Units, Burette sets, Latex foley catheters, Suction catheters plain and with thumb control, Silicon foley catheters, adult and pediatric twin bore nasal oxygen cannula, Oropharingial guedel air ways, Umbilical cord clamps, Ryles tube, Infant feeding tubes, Endotracheal tubes with and without cuffs, adult and pediatric oxygen face masks.

This certificate is valid from 19 April 2009 until 18 April 2012
and remains valid subject to satisfactory surveillance audits
Recertification audit due before 6 April 2012
Issue 1. Certified since April 2009

Authorised by



SGS Société Générale de Surveillance SA - Systems & Services Certification
Technoparkstrasse 1 8005 Zurich Switzerland
t +41 (0)44 445-16-80 f +41 (0)44 445-16-88 www.sgs.com



Accreditation No. 017

Page 1 of 1



SGS

Certificate GB08/75891

The management system of

Ultra for Medical Products Co. (ULTRAMED)

Industrial Area, Arab El-Awamer,
Abnoub, Assiut, Egypt

has been assessed and certified as meeting the requirements of

Directive 93/42/EEC

Annex V and Annex V (sterility aspects only)

For the following products

Annex V

Sterile intravenous infusion set with needle and without needle, Sterile blood transfusion set; sterile IV Cannula; sterile surgical gloves; sterile guedal airway, sterile Mucus extractor; sterile burette set, sterile Nelaton Catheter; sterile suction tubing, suction units; sterile Rhyle's tubing, sterile infant feeding tubing; sterile stop cock; sterile nasal Oxygen-Catheter, sterile Foley Catheter; sterile Fistula needle; sterile face mask; sterile flow regulator; sterile IV tubing, sterile endotracheal tube with and without cuffs, sterile extension tubes with and without 3 way stop cock.

Annex V (sterility aspects only)

sterile umbilical cord clamp; sterile urine bag; sterile face mask.

This certificate is valid from 29 May 2009 until 29 October 2011 and remains valid subject to satisfactory surveillance audits.

Re certification audit due before 28 August 2011

Issue 2. Certified since 29 October 2008

Notified Body Number 0120

Authorised by

CE 0120

SGS United Kingdom Ltd. Systems & Services Certification
202B Worle Parkway, Weston-super-Mare, BS22 6WA, UK
t +44 (0)1934 522917 f +44 (0)1934 522137 www.sgs.com

SGS CE 01 0308

Page 1 of 1



FACILITIES

The total land space on which ULTRAMED is established is around 12,000 square meters.

ULTRAMED family is reaching now 500 members scattered among production, quality, marketing and sales teams.

DEPARTMENTS

1. **Laboratory:** Our advanced equipment and skilled chemists make our lab one of very few laboratories in our field that have the Egyptian license to make all the quality tests inside the factory directly.
2. **Moulding & Extrusion:** We have very up-to-date machinery that is run by qualified technical engineers. Training abroad is much supported to ensure a full understanding of the job.
3. **Inspection:** This department's main task is to maintain the best quality that ULTRA targets along the way. Its chemists and employees are very well trained to achieve this goal. All non-conformity reports are subject to piece by piece inspection to ensure a 100% high quality of each and single product.
4. **Clean Room:** In this crucial part of the factory, we try to keep as ultimate cleanliness as we can. Production process inside is run by very skilled operators under the supervision of highly trained engineers and chemists whose main task is to cope up with the quality standards. Our 950 metre-square clean rooms of class 10,000 and 100,000 are available to make sure that production is done under top clean atmosphere.
5. **Sterilization:** Here, we do both jobs consequently. We do final inspection for the packaging of each and single product to double check the quality constraints and then we do the sterilization to our products using our ETO gas sterilizers to assure the quality requirements.
6. **Warehouse:** Both raw materials and finished goods are kept in separate warehouses where atmospheric conditions are always controlled.

QUALITY ASSURANCE

Ultramed quality control system encompasses a comprehensive and exhaustive series of visual, physical, chemical and the bacteriological tests and inspections at each pertinent stage in the production cycle, from constant surveillance of raw material, intensive in process control of all materials, manufactured parts and subassemblies, to the final inspection and testing of finished products. This cycle is involving several trained personnel with most advanced tools and equipments.

Factory Photos



Contacts

Cairo Head Office:

64 Nakhla El-Motaiy St., Triumphe Sq., Heliopolis.

Tel.: 002-02-24171621

Fax.: 002-02-24171613

Mobile: 002-0101558644

E-mail: shady@elaggargroup.com

Alexandria Branch:

212 Abd El Salam Aref /st., Loran, First Floor.

Tel.: 002-03-5856202

Fax.: 002-03-5828988

E-mail: alexandria@elaggargroup.com

Plant:

Ind.area, Arab El-Awamer, Abnoub, Asuit.

Tel.: 002-08-84960500 (600)

Fax.: 002-08-84960400

Mobile: 002-0166643903

E-mail: rojan@ultramedumic.com

Website:

www.ultramedhealthcare.com

www.ultramedumic.com