dispoFINE

injection needle, sterile

features

- · needle tube is made of smooth and durable stainless steel
- sheath and hub made of polypropylene
- thin walls assure adequate stream pace
- tip sharpened in three surfaces (back cut)
- bevel type: LB/BL standard long bevel
- surface of needle tube covered with sliding agent (silicone)
- glued needle elements to prevent their separation (glue epoxy resin)
- hubs coloured in accordance with ISO code allowing fast recognition of needle size
- · latex-free, phthalate-free
- non-toxic, non-pyrogenic
- EO sterilized
- · packaging: 1 pc./paper-foil

indication

• device designed for intravenous, intramuscular and hypodermic injections

REF	size	colour	G	intermediate packaging
IN-03X13	0,3 mm x 13 mm	yellow	30	100 pcs
IN-04X19	0,4 mm x 19 mm	medium grey	27	100 pcs
IN-045X12	0,45 mm x 12 mm	brown	26	100 pcs
IN-045X16	0,45 mm x 16 mm	brown	26	100 pcs
IN-045X22	0,45 mm x 22 mm	brown	26	100 pcs
IN-05X16	0,5 mm x 16 mm	orange	25	100 pcs
*IN-05X20	0,5 mm x 20 mm	orange	25	100 pcs
IN-05X25	0,5 mm x 25 mm	orange	25	100 pcs
IN-05X40	0,5 mm x 40 mm	orange	25	100 pcs
IN-06X25	0,6 mm x 25 mm	deep blue	23	100 pcs
IN-06X30	0,6 mm x 30 mm	deep blue	23	100 pcs
IN-06X40	0,6 mm x 40 mm	deep blue	23	100 pcs
IN-07X30	0,7 mm x 30 mm	black	22	100 pcs
IN-07X40	0,7 mm x 40 mm	black	22	100 pcs
*IN-07X50	0,7 mm x 50 mm	black	22	100 pcs

•	REF	size	colour	G	intermediate packaging	
	IN-08X25	0,8 mm x 25 mm	deep green	21	100 pcs	
	IN-08X40	0,8 mm x 40 mm	deep green	21	100 pcs	
	*IN-08X50	0,8 mm x 50 mm	deep green	21	100 pcs	
	IN-09X25	0,9 mm x 25 mm	yellow	20	100 pcs	
	IN-09X40	0,9 mm x 40 mm	yellow	20	100 pcs	
	IN-11X40	1,1 mm x 40 mm	cream	19	100 pcs	
	IN-12X40	1,2 mm x 40 mm	pink	18	100 pcs	
	IN-12X50	1,2 mm x 50 mm	pink	18	100 pcs	
	IN-16X40	1,6 mm x 40 mm	white	16	100 pcs	
	IN-18X40	1,8 mm x 40 mm	blue-grey	15	100 pcs	
	IN-21X40	2,1 mm x 40 mm	pale green	14	100 pcs	





bulk packaging: 50 x 100 pcs

dispoGUARD

* available on request

safety injection needle, sterile

features

- safety cover can be activated with one hand and it shields needle immediately after injection
- cover integrated with needle

- tip sharpened in three surfaces (back cut)
 colour coding system for size, marked on hub
 activation of safety mechanism signalized by audible click
- needle is securely closed inside activated safety cover
- · latex-free, phthalate-free
- non-toxic, non-pyrogenic
- EO sterilized
- packaging: 1 pc./paper-foil

· device designed for intravenous, intramuscular and hypodermic injections

REF	size	colour	G	intermediate packaging
INB-03X13	0,3 mm x 13 mm	light yellow	30	50 pcs
INB-045X12	0,45 mm x 12 mm	brown	26	50 pcs
INB-05X25	0,5 mm x 25 mm	orange	25	50 pcs
INB-05X40	0,5 mm x 40 mm	orange	25	50 pcs
INB-06X25	0,6 mm x 25 mm	blue	23	50 pcs
INB-06X30	0,6 mm x 30 mm	blue	23	50 pcs
INB-07X30	0,7 mm x 30 mm	black	22	50 pcs
INB-07X40	0,7 mm x 40 mm	black	22	50 pcs
INB-08X40	0,8 mm x 40 mm	green	21	50 pcs
INB-09X40	0,9 mm x 40 mm	yellow	20	50 pcs
INB-11X40	1,1 mm x 40 mm	beige	19	50 pcs
INB-12X40	1.2 mm x 40 mm	pink	18	50 pcs



50 x 50 pcs



features

- straight shape enables obtaining samples from the cervical canal
- soft bristle tips to prevent irritation
- optimal outreach thanks to the long handle
- single-use

32

- · latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

 device designed for obtaining cell samples from the cervix in smear tests

REF	type	intermediate packaging
SC-001	standard	100 pcs







cervical brush

special, sterile

features

- broom type enables obtaining samples from the cervix, cervical canal and transformation zone
- soft bristle tips enables precise collection of material for examination
- · made entirely of polyethylene
- · optimal outreach thanks to the long handle
- single-use
- · latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

 device designed for obtaining cell samples from the cervix, cervical canal and transformation zone in smear tests

REF	type	intermediate packaging
SC-002	special	100 pcs



bulk packaging: 10 x 100 pcs



umbilical cord clamp

sterile

features

- made of polypropylene
- safe clamping teeth with rounded edges do not cut the umbilical cord
- serrated clamping surface of the arms stabilize the clamp on the umbilical cord, after closing it is not possible to open the clamp again
- · double lock catch prevents accidental opening
- universal size
- single-use
- non-pyrogenic
- · latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

 device is designed for clamping the umbilical cord of a newborn in a labour ward in order to close the lumen of the umbilical blood vessels after cutting it off of the placenta

REF	size	colour	intermediate packaging	
ZDPB	universal	white	50 pcs	





oxygen mask

with tubing, sterile

features

- made of transparent, non-toxic PVC
- adjustable nose metal plate and rubber fastening
- equipped with a 210 cm (+/- 5%) long tubing with universal connectors
- tubing with star cross-section that is resistant to bending
- revolving connector that allows adjusting to patient's position

48

- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

- designed to deliver oxygen with precise regulation of concentration, $% \left(\frac{1}{2}\right) =\left(\frac{1}{2}\right) \left(\frac{1}$ for medium oxygen concentration

REF	length of tubing	size
MTS-S	210 cm +/- 5%	S
MTS-M	210 cm +/- 5%	М
MTS-L	210 cm +/- 5%	L
MTS-XL	210 cm +/- 5%	XL





non-rebreather mask

with tubing, sterile

features

- made of transparent, non-toxic PVC
- adjustable nose metal plate and rubber fastening
 equipped with a 210 cm (+/- 5%) long tubing with universal connectors
 tubing with star cross-section that is resistant to bending
- 1000 ml oxygen reservoir
- revolving connector that allows adjusting to patient's position
- silicone valves on the connector and ventilation openings
- single-uselatex-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

- designed to deliver oxygen with precise regulation of concentration, for high oxygen concentration

REF	length of tubing	size
MTW-S	210 cm +/- 5%	S
MTW-M	210 cm +/- 5%	М
MTW-L	210 cm +/- 5%	L
MTW-XL	210 cm +/- 5%	XL





features

- $\bullet \ self-adhesive \ dressings \ with \ centrally \ situated \ absorbent \ pad, \ made \ of \ hydrophobic \ non-woven, \ covered \ with \ acrylic \ glue$
- · absorbent pad coated with a polyethylene mesh that prevents sticking to the wound, absorbs a small and medium amount of exudate and protects against the influence of external factors
- · rounded edges prevent accidental removal of the dressing
- silicone backing paper facilitates the precise, painless and efficient application
- $\bullet \ micropores\ in\ the\ structure\ of\ the\ non-woven\ provide\ adequate\ vapor\ permeability,\ thanks\ to\ which\ a\ proper\ gas\ exchange$ between the dressing and the skin takes place
- hypoallergenic











non-woven dressing with absorbent pad elastopor STERIL



sterile

indication

- especially recommended for covering surgical wounds
 for treating wounds with a small and medium amount of exudate

REF	dimensions	packaging unit paper-paper	bulk packaging box
801001	5 cm x 7,2 cm	1 pc.	100 x 1 pc.
801012	6 cm x 10 cm	1 pc.	50 x 1 pc.
801002	8 cm x 10 cm	1 pc.	30 x 1 pc.
801013	10 cm x 10 cm	1 pc.	30 x 1 pc.
801021	10 cm x 12 cm	1 pc.	30 x 1 pc.
801014	10 cm x 15 cm	1 pc.	30 x pc.
801003	6 cm x 15 cm	1 pc.	50 x 1 pc.
801004	8 cm x 15 cm	1 pc.	30 x 1 pc.
801005	8 cm x 20 cm	1 pc.	30 x 1 pc.
801015	10 cm x 20 cm	1 pc.	25 x 1 pc.
801016	10 cm x 25 cm	1 pc.	25 x 1 pc.
801017	10 cm x 30 cm	1 pc.	25 x 1 pc.
801018	10 cm x 35 cm	1 pc.	25 x 1 pc.

non-woven dressing with absorbent pad, incision and O-hole

elastopor STERIL D



sterile

- dressing application around the inserted drain
- securing the outlet of drains and catheters
- · for treating wounds with a small and medium amount of exudate

REF	dimensions	packaging unit paper-paper	bulk packaging box
801031	9 cm x 10 cm	1 pc.	30 x 1 pc.
801030	12 cm x 14 cm	1 pc.	25 x 1 pc.









dicoNEX

single-use syringe, 3-part, luer, sterile

features

- · transparent barrel allows full visual control of content
- · green contrasting plunger
- · luer nozzle
- sealing in the form of double ring on plunger stopper situated on the top of plunger
- smooth plunger sliding thanks to rubber sealing
- limitation flange securing against accidental removal of plunger
 name of syringe and manufacturer's logo placed on barrel
- clear, legible and permanent black graduation facilitating dosage, adequately:
- every 0,1 ml for capacity of 2 ml
- every 0,2 ml for capacity of 5 ml
- every 0,2 ml for capacity of 10 ml
- every 0,5 ml for capacity of 20 ml
- every 1 ml for capacity of 50 ml
- single-use, non-pyrogenic, non-toxic
- · latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

· 3-piece syringe intended for drawing up and administering of medicines/liquids to patient and collecting body fluid samples from patient

REF	capacity	intermediate packaging	bulk packaging
002ML-3CZ-BL	2 ml	100 pcs	30 x 100 pcs
005ML-3CZ-BL	5 ml	100 pcs	24 x 100 pcs
010ML-3CZ-BL	10 ml	100 pcs	16 x 100 pcs
020ML-3CZ-BL	20 ml	50 pcs	16 x 50 pcs
050ML-3CZ-BL	50 ml	25 pcs	16 x 25 pcs






dicoNEX

single-use syringe, 3-part, luer lock, sterile

- transparent barrel allows full visual control of content
- green contrasting plunger (amber-coloured syringe white contrasting plunger)
- luer lock nozzle
- sealing in the form of double ring on plunger stopper situated on the top of plunger
- smooth plunger sliding thanks to rubber sealing
- limitation flange securing against accidental removal of plunger
- name of syringe and manufacturer's logo placed on barrel
- clear, legible and permanent black graduation facilitating dosage, adequately:
- every 0,1 ml for capacity of 2 ml every 0,2 ml for capacity of 5 ml and of 10 ml
- every 0,5 ml for capacity of 20 ml every 1 ml for capacity of 30 ml and of 50 ml
- single-use
- non-pyrogenic, non-toxiclatex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

- · 3-piece syringe intended for drawing up and administering of medicines/liquids to patient and collecting body fluid samples from patient
- · amber-coloured syringe is intended for drawing up and administering of photosensitive medicines

REF	capacity	colour of plunger	intermediate packaging	bulk packaging
003ML-3CZ-LL-BL	3 ml	green	100 pcs	30 x 100 pcs
005ML-3CZ-LL-BL	5 ml	green	100 pcs	24 x 100 pcs
010ML-3CZ-LL-BL	10 ml	green	100 pcs	16 x 100 pcs
020ML-3CZ-LL-BL	20 ml	green	50 pcs	16 x 50 pcs
030ML-3CZ-LL-BL	30 ml	green	50 pcs	16 x 50 pcs
050ML-3CZ-LL-BL	50 ml	green	25 pcs	16 x 25 pcs
nber type				
050ML-3CZ-LL-B-BL	50 ml	white	25 pcs	16 x 25 pcs





endotracheal tube

cuffed, sterile

features

- · made of flexible PVC
- equipped with lateral Murphy eye and radiopaque line over the entire tube length
- graduated every 1 cm, double depth marker to control the position of the tube
- · low-pressure, high-volume cuff
- tube size marked in 4 places (on the connector, on the pilot balloon and in two places on the tube body)
- detachable connector with an outer diameter of 15 mm
 pilot balloon with LOT and size indication
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

- for both oral and nasal intubation
- inserted into the trachea to prevent airway obstruction and respiratory failure

REF	size	intermediate packaging
RIM-30	I.D. (mm) 3.0	20 pcs
RIM-35	I.D. (mm) 3.5	20 pcs
RIM-40	I.D. (mm) 4.0	20 pcs
RIM-45	I.D. (mm) 4.5	20 pcs
RIM-50	I.D. (mm) 5.0	20 pcs
RIM-55	I.D. (mm) 5.5	20 pcs
RIM-60	I.D. (mm) 6.0	20 pcs
RIM-65	I.D. (mm) 6.5	20 pcs
RIM-70	I.D. (mm) 7.0	20 pcs
RIM-75	I.D. (mm) 7.5	20 pcs
RIM-80	I.D. (mm) 8.0	20 pcs
RIM-85	I.D. (mm) 8.5	20 pcs
RIM-90	I.D. (mm) 9.0	20 pcs
RIM-95	I.D. (mm) 9.5	20 pcs
RIM-100	I.D. (mm) 10.0	20 pcs







reinforced endotracheal tube

cuffed, sterile

features

- made of flexible PVC
- reinforcing within the wall of the entire tube
- equipped with lateral Murphy eye and radiopaque line over the entire tube length
- graduated every 1 cm, double depth marker to control the position of the tube
- tube size marked in 4 places (on the connector, on the pilot balloon and in two places on the tube body)
- detachable connector with an outer diameter of 15 mm
- single-use
- latex-free
- · EO sterilized
- packaging: 1 pc./paper-foil

- for both oral and nasal intubation
- inserted into the trachea to prevent airway obstruction and respiratory failure
- for intubation of the patient in an unusual position, with a high risk of kinking the endotracheal tube

REF	size	intermediate packaging
RIMZP-30	I.D. (mm) 3.0	10 pcs
RIMZP-35	I.D. (mm) 3.5	10 pcs
RIMZP-40	I.D. (mm) 4.0	10 pcs
RIMZP-45	I.D. (mm) 4.5	10 pcs
RIMZP-50	I.D. (mm) 5.0	10 pcs
RIMZP-55	I.D. (mm) 5.5	10 pcs
RIMZP-60	I.D. (mm) 6.0	10 pcs
RIMZP-65	I.D. (mm) 6.5	10 pcs
RIMZP-70	I.D. (mm) 7.0	10 pcs
RIMZP-75	I.D. (mm) 7.5	10 pcs
RIMZP-80	I.D. (mm) 8.0	10 pcs
RIMZP-85	I.D. (mm) 8.5	10 pcs
RIMZP-90	I.D. (mm) 9.0	10 pcs
RIMZP-95	I.D. (mm) 9.5	10 pcs
RIMZP-100	I.D. (mm) 10.0	10 pcs







intubation stylet

sterile

features

- made of PVC-coated aluminium
- special material for both stiffness and pliability
- intended for use during difficult intubation
- size and diameter markings

54

- single-use latex-free EO sterilized
- packaging: 1 pc./paper-foil

indication

- allows you to give the endotracheal tube the right curvature
 introduced to the endotracheal tube facilitates intubation in routine and difficult cases, when the laryngeal inlet is not visible

 REF	size	diameter	length	endotracheal tube I.D.	intermediate packaging	bulk packaging
PRI-06	6 Fr	2,0 mm	310 mm (±10)	from 2.0 to 4.0	50 pcs	10 x 50 pcs
PRI-10	10 Fr	3,3 mm	390 mm (±10)	from 4.5 to 6.5	50 pcs	10 x 50 pcs
PRI-14	14 Fr	4,7 mm	390 mm (±10)	from 7.0 to 10.0	40 pcs	10 x 40 pcs



endotracheal tube

uncuffed, sterile

features

- made of flexible PVC
- radiopaque line over the entire tube length
- equipped with lateral Murphy eye
- graduated every 1 cm
- double depth marker to control the position of the tube
- tube size marked in 3 places (on the connector and in two places on the tube body)
- detachable connector with an outer diameter of 15 mm
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

- for both oral and nasal intubation
- inserted into the trachea to prevent airway obstruction and respiratory failure

REF	size	intermediate packaging
RIB-20	I.D. (mm) 2.0	20 pcs
RIB-25	I.D. (mm) 2.5	20 pcs
RIB-30	I.D. (mm) 3.0	20 pcs
RIB-35	I.D. (mm) 3.5	20 pcs
RIB-40	I.D. (mm) 4.0	20 pcs
RIB-45	I.D. (mm) 4.5	20 pcs
RIB-50	I.D. (mm) 5.0	20 pcs
RIB-55	I.D. (mm) 5.5	20 pcs
RIB-60	I.D. (mm) 6.0	20 pcs
RIB-65	I.D. (mm) 6.5	20 pcs
RIB-70	I.D. (mm) 7.0	20 pcs
RIB-75	I.D. (mm) 7.5	20 pcs
RIB-80	I.D. (mm) 8.0	20 pcs
RIB-85	I.D. (mm) 8.5	20 pcs
RIB-90	I.D. (mm) 9.0	20 pcs
RIB-95	I.D. (mm) 9.5	20 pcs
RIB-100	I.D. (mm) 10.0	20 pcs





dual-limb breathing circuit

sterile

features


- · made of high quality EVA material, without PVC
- 15F/22M and 22F universal connector fits compatible products and devices for mechanical ventilation or anesthesia machine
- expandable arms with maximum length of 160 cm
- adjustable length of circuit enabling adjustment of length of respiratory system and optimization of dead space
- equipped with latex-free breathing bag: 3l (for adults) or 1l (for children)
- · additional expandable tube, length: 100 cm
- · elbow with luer lock port
- single-use
- · latex-free, phthalate-free
- EO sterilized
- · packaging: 1 pc./foil

indication

- for patient's mechanical ventilation
- it enables transporting breathing mixture from equipment (ventilator, anesthesia machine) to respiratory protection device (e.g. tracheal tube, tracheostomy mask) and vice versa

REF	purpose	capacity of bag
OBWD-1601L	for children	1 liter
OBWD-1603L	for adults	3 liters





catheter mount/double swivel connector

sterile

features

- standard version made of medical PVC
- expandable version made of high quality EVA material, PVC-free and phthalate-free
- 22M/15F 15M universal connector fits compatible products
- expandable version characterized by shape memorizing and by the ability to control the position of the connector
- double swivel elbow connector
- port for suctioning and bronchoscope secured with a stopper
- available in versions: standard and expandable
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

- used to connect the tracheostomy tube or endotracheal tube with the breathing circuit of the ventilation device
- provides greater mobility and rotation of the connection, increasing patient comfort and safety

REF	version	length
PM-15	standard	15 cm
PMR-15	expandable	9-18 cm







tongue depressor

wooden

features

- · made of birch wood
- rounded edges preventing injuries
- natural colour
- long outreach thanks to appropriate length
- durable
- single-use
- available in sterile or non-sterile version
- packaging: sterile 1 pc./paper, non-sterile 100 pcs/box

indication

• diagnostic examination of the oral cavity

REF	version	dimensions	bulk packaging	
SLN-001	non-sterile	150 mm x 17 mm	50 x 100 pcs	
SLS-001	sterile	150 mm x 17 mm	20 x 100 pcs	





ID wristband

non-sterile

features

- durable wristband coating characterized by high humidity resistance and resistance to the activity of soaps, hand disinfectants and other liquids used in hospitals
- made of soft and delicate vinyl
- flexible, delicate, very light and easy to put on
- rounded edges prevent from injuring
- high tensile strength
- colour marking depending on the purpose
- single-use fastening resistant to accidental break
- · hypoallergenic, latex-free, phthalate-free
- available in a version with a description field directly on the band and with an insert card
- non-sterile
- · packaging: 100 pcs/box

indication

- for identification of patients in hospital wards

REF	purpose	colour	version	intermediate packaging
OPD-B-01	for children and adults	white	insert card	100 pcs
OPD-B-02	for children and adults	white	write-on	100 pcs
OPN-R-01	for infants	pink	insert card	100 pcs
OPN-N-01	for infants	blue	insert card	100 pcs





surgical suction set

with Yankauer cannula, bulb tip, sterile

CANNULA

- cannula with bulb tip with four lateral eyes, which prevent the tip from sticking to the tissues and one central opening
- completely transparent for full possibility of observing the sucked secretion
- · light and perfectly balanced handle ensures high comfort of work and reduces hand fatigue
- perfectly smooth inner surface prevents blocking or retaining the sucked content, ensuring correct and optimal flow
- · cannula with double bend of curvature
- · universal stepped connector ensures tight connection with a wide range of suction connecting tubes

TUBE

- made of soft and flexible PVC
- · along the tube a special longitudinal reinforcement to prevent bending and sucking of the tube
- perfectly smooth inner surface of tube prevents the sucked content from settling on the walls, ensuring correct and optimal flow
- connector type funnel-funnel cut-to-fit with the possibility of cutting in the marked places of the connector and matching to any type of medical suction $% \left(1\right) =\left(1\right) \left(1\right)$ device (for the diameter of 8 mm to 18 mm)
- funnel connector equipped with a special bending system, enabling convenient manipulation of the tube
- tube connectors compatible with the standard suction cannulas, enabling their reliable, effective and tight connection

- · available with or without suction control
- single-use
- latex-free
- EO sterilized
- · packaging: 1 set/double packaging: internal- foil, external- paper-foil

• evacuating secretions and body fluids from the operating field in general surgery

REF	size of cannula/ size of tube	length of tube	version
ZO-2124002041	CH 23 / CH 24	210 cm	without suction control, funnel-funnel cut-to-fit
ZO-2124002141	CH 23 / CH 24	210 cm	with suction control, funnel-funnel cut-to-fit
ZO-3024002041	CH 23 / CH 24	300 cm	without suction control, funnel-funnel cut-to-fit
ZO-3024002141	CH 23 / CH 24	300 cm	with suction control, funnel-funnel cut-to-fit





T-KEHR drain

100% silicone, sterile

features


- made of the highest quality 100% biocompatible and transparent silicone medical grade
- transparent drain allows visual inspection and observation of drained fluid
- · atraumatic, soft end of the drain
- radiopaque line along the entire length of the drain · drain tube length 500 mm x 180 mm
- also available in a version with a perforated drain tube
- single-use • latex-free, phthalate-free
- · EO sterilized
- packaging: 1 pc./double packaging: internal- foil, external- paper-foil

indication

· designed for biliary drainage

REF	REF with perforated drain tube	size	intermediate packaging
TKEHR10	TKEHRP10	CH 10	15 pcs
TKEHR12	TKEHRP12	CH 12	15 pcs
TKEHR14	TKEHRP14	CH 14	15 pcs











easyFLOW TS

transfusion set, sterile

features

- 2-way sharp closure-piercing device of the drip chamber with anti-slip surface that guarantees tight and reliable connection with containers/bags air inlet with anti-bacterial filter and a coloured (red) flap
- · pliable drip chamber
- plante any challed
 dropper: 20 drops = 1 ml +/- 0,1 ml
 special blood filter with large area, pore size 200 μm
 min. 150 cm-long, soft, flexible tubing
 universal luer lock fitting at the end of tubing

- precise safe flow regulator with integrated holder for the closure-piercing device and with hook for securing the tubing
- name of the manufacturer placed on the flow regulator
 both tips of the device additionally secured with protective caps
- device available in a version containing phthalates and without phthalates
- single-use
- non-pyrogenic, non-toxiclatex-free
- · EO sterilized
- packaging: 1 pc./paper-foil with a coloured code (red) identifying the device

· device used for the administration of blood and blood products

REF	version
TS	with phthalates
TS-BF	without phthalates





3-way stopcock

sterile

features

- · made of polycarbonate
- transparent housing
- clear optical identifier of open/close position (marked flow directions) operating in 360 degrees
- · consistent, straight flow channels and an optimal internal diameter ensure correct pressure measurement
- · rotating male luer lock
- all inlets protected with caps
- resistant to lipids
- · latex-free, phthalate-free
- single-use
- non-pyrogenic, non-toxic
- EO sterilized
- · packaging: 1 pc./paper-foil
- · device designed for managing the flow of infusion fluids during administration
- · enables switching the infusion flow path
- for blood pressure monitoring
- · for direct medicine/fluid supply

REF	colour	intermediate packaging
KT-002	blue	50 pcs





nasal oxygen cannula

sterile

features

- made of medical PVC
 very soft tips with smooth edges
 fastening under the chin with a soft, sliding adjustment ring
 various spacing of the nasal part of the cannula depending on the size
 universal connector compatible with any source of oxygen
 tubing with star cross-section that is resistant to bending
 available in 3 sizes: for adults, for children and for infants with 140 cm, 200 cm, 300 cm and 500 cm long tubing
 single-use
 latex-free

- latex-freeEO sterilized
- packaging: 1 pc./foil

inication

• designed to deliver oxygen through the nose

REF	length of tubing	purpose	intermediate packaging	bulk packaging
CTNN-200	200 cm	for infants	25 pcs	10 x 25 pcs
CTNZ-200	200 cm	for children	25 pcs	10 x 25 pcs
CTND-140	140 cm	for adults	30 pcs	10 x 30 pcs
CTND-200	200 cm	for adults	25 pcs	10 x 25 pcs
CTND-300	300 cm	for adults	15 pcs	10 x 15 pcs
CTND-500	500 cm	for adults	10 pcs	10 x 10 pcs



oxygen tubing

sterile

features

- made of transparent, non-toxic PVC
- tubing with star cross-section that is resistant to bending, with reinforcing straps along the entire length

 standardized connectors at the end of the tubing allowing
- connection to oxygen devices
- single-use
- · latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

• for transporting oxygen from an oxygen source to another medical device for oxygen supply, e.g. oxygen mask

REF	length of tubing	bulk packaging
DT2100	210 cm +/- 2%	100 x 1 pc.
DT4260	426 cm +/- 2%	50 x 1 pc.
DT7620	762 cm +/- 2%	25 x 1 pc.



laryngeal mask

PVC, sterile

- · made of medical PVC
- elastic mask body with description (size, cuff volume, suggested patient's weight)
- elliptic shape, flexible sealing cuff and universal, transparent connector: 15 mm
- colour-coded valve protection makes it easy to quickly recognize size
- version with syringe and with lubricant contains in the packaging:
- lubricant (methylsilicone oil), which allows the outer surface of the cuff to be moisturized before insertion
- bypacked luer syringe, which allows the cuff to be filled with the minimum amount of air required to ensure an effective seal
- single-use
- · latex-free
- EO sterilized
- packaging: 1 pc./rigid blister

indication

- device inserted through the mouth, up to the back of the throat, forms a seal at the top of the glottis in order to:
- direct protecting the patient's airway patency
- artificial ventilation also during cardiopulmonary resuscitation
- maintaining airway patency in: short-term surgical procedures, without the need of muscles relaxation, when endotracheal intubation is not necessary and under anesthesia for diagnostic procedures

REF	size	colour of valve protection	weight of patient	max. inflation	intermediate packaging
MKP-10	1	pink	≤5 kg	4 ml	10 pcs
MKP-15	1.5	orange	5-10 kg	7 ml	10 pcs
MKP-20	2	dark green	10-20 kg	10 ml	10 pcs
MKP-25	2.5	brown	0-30 kg	14 ml	10 pcs
MKP-30	3	green	30-50 kg	20 ml	10 pcs
MKP-40	4	purple	50-70 kg	30 ml	10 pcs
MKP-50	5	dark blue	70-100 kg	40 ml	10 pcs



REF	size	colour of valve protection	weight of patient	capacity of syringe	max. inflation	intermediate packaging
MKPL-10	1	pink	≤5 kg	10 ml	4 ml	10 pcs
MKPL-15	1.5	orange	5-10 kg	10 ml	7 ml	10 pcs
MKPL-20	2	dark green	10-20 kg	10 ml	10 ml	10 pcs
MKPL-25	2.5	brown	20-30 kg	20 ml	14 ml	10 pcs
MKPL-30	3	green	30-50 kg	30 ml	20 ml	10 pcs
MKPL-40	4	purple	50-70 kg	30 ml	30 ml	10 pcs
MKPL-50	5	dark blue	70-100 kg	30 ml	40 ml	10 pcs





laryngeal mask

silicone, sterile

features


- made of biocompatible silicone, which ensures excellent flexibility of the device
- elastic mask body with description (size, cuff volume, suggested patient's weight)
- elliptic shape, flexible sealing cuff and universal, transparent connector: 15 mm
- single-use
- · latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

- · device inserted through the mouth, up to the back of the throat, forms a seal at the top of the glottis in order to:
- direct protecting the patient's airway patency
- artificial ventilation also during cardiopulmonary resuscitation
- maintaining airway patency in: short-term surgical procedures, without the need of muscles relaxation, when endotracheal intubation is not necessary and under anesthesia for diagnostic procedures

REF	size	weight of patient	max. inflation	intermediate packaging
MKS-10	1	≤5 kg	4 ml	10 pcs
MKS-15	1.5	5-10 kg	7 ml	10 pcs
MKS-20	2	10-20 kg	10 ml	10 pcs
MKS-25	2.5	20-30 kg	14 ml	10 pcs
MKS-30	3	30-50 kg	20 ml	10 pcs
MKS-40	4	50-70 kg	30 ml	10 pcs
MKS-50	5	70-100 kg	40 ml	10 pcs



10 x 10 pcs



dental brush

with suction, non-sterile

features

- · made of polypropylene
- soft bristles on one side, foam on the other side
- total length 18 cm
- length of the cleaning part 2,5 cm
- suction opening from both the bristle side and the space between the foam and the bristles
- controlled suction connector at 45° angle for convenient manipulation
- single-use

66

- latex-free, phthalate-free
- non-sterile
- packaging: 1 pc./foil

indication

- hygiene of the patient's oral cavity
- function for simultaneous brushing, rinsing and suction

REF	intermediate packaging
HJM-SO	50 pcs





oral swab

non-sterile

features

- overall length 15 cm (+/- 2 mm)
- length of the foam part 2,5 cm
- · handle made of polyester
- swab made of polypropylene
- single-use
- latex-free, phthalate-free
- non-sterile
- packaging: 1 pc./foil

- intended for oral hygiene in patients partially or completely dependent on medical personnel
- allows the oral mucosa to be kept in proper humidity
- allows you to perform a procedure to prevent pathological changes in the mouth

REF		intermediate packaging		
i	HJM-GB	50 pcs		



