

SURGICAL CAP ANNIE



Ref. no	Description	RET/TRP
621500	Surgical Cap L (elastic), mixed colours	150/600
621715	Surgical Cap M (elastic), blue	150/600
621725	Surgical Cap M (elastic), green	150/600
621735	Surgical Cap M (elastic), white	150/600
621815	Surgical Cap L (elastic), blue	150/600
621825	Surgical Cap L (elastic), green	150/600
621835	Surgical Cap L (elastic), white	150/600
621925	Surgical Cap XL (elastic), green	150/600

SURGICAL CAP CHARLOTTE



Ref. no	Description	RET/TRP
620900	Surgical Cap M (elastic), white	-/200

SURGICAL CAP EUROCAP



Ref. no	Description	RET/TRP
620800	Surgical Cap one-size (elastic), blue	100/500
620810	Surgical Cap one-size (elastic), green	100/500

SURGICAL CAP KOSACK



Ref. no	Description	RET/TRP
621000	Surgical Cap one-size (elastic), green	100/500
621001	Surgical Cap one-size (elastic), purple	100/500
621005	Surgical Cap one-size (elastic), blue	100/500

SURGICAL CAP JACK



Ref. no	Description	RET/TRP
620300	Surgical Cap one-size (elastic), green	100/500

SURGICAL CAP PHILIP



Ref. no	Description	RET/TRP
621301	Surgical Cap one-size (tie-band), green	100/500

SURGICAL CAP FLORY



Ref. no	Description	RET/TRP
620500	Surgical Cap one-size (tie-band), green	100/500

SURGICAL HOOD GLENN PRO



Ref. no	Description	RET/TRP
620205	Surgical Hood with collar one-size (sweatband, tie-band), blue	35/175

SURGICAL HOOD ALBIN



Ref. no	Description	RET/TRP
620250	Surgical Hood with collar one-size (sweatband, tie-band), green	60/300

HEADWEAR / EXTRA COMFORT / SURGICAL CAP MISS



Ref. no	Description	RET/TRP
42022	Surgical Cap one-size (elastic), latex, blue	120/960
42023	Surgical Cap one-size (elastic), latex, green	120/960



SURGICAL CAP TOP NURSE



Ref. no	Description	RET/TRP
42093	Surgical Cap one-size (elastic), latex, green	120/960



SURGICAL HOOD ALL



Ref. no	Description	RET/TRP
42073	Surgical Hood one-size (tie-band), green	120/960

SURGICAL HOOD ALL



Ref. no	Description	RET/TRP
42074	Surgical Hood one-size (sweatband, tie-band), green	70/560

SURGICAL HOOD ALL PRO



Ref. no	Description	RET/TRP
42076	Surgical Hood with collar one-size (sweatband, tie-band), green	50/400

## 706100

### Adhesive Absorbent Pad

#### Product details

---

**Size:** 55cm x 70cm

**Descriptive feature:** Adhesive, full length

**Sterility:** Sterile

#### Images

---



#### Delivered items

---

##### 706100-09

**Sales released in:** Australia, Austria, Azerbaijan, Bahrain, Belgium, Czechia, Denmark, Finland, Germany, Hong Kong, Hungary, Iceland, Ireland, Italy, Luxembourg, Macedonia (the former Yugoslav Republic of), Moldova (the Republic of), Netherlands, New Zealand, Norway, Portugal, Russian Federation, Slovenia, Spain, Sweden, Switzerland, United Arab Emirates, United Kingdom of Great Britain and Northern Ireland

**Country of origin:** Belgium

**Shelf life:** 5 years

**Sterilization method:** Beta

**Packing information:** First packaging layer is a peel-open sterile barrier, plastic/plastic. Once opened the sterile barrier cannot be closed again. Second layer is a corrugated board dispenser box. Third layer is a corrugated board transport box.

Packaging level	Pack count	GS1 code
Consumer pack	1	7323190020065
Dispenser box	40	7323190019977

Packaging level	Pack count	GS1 code
Transport box	80	7323190019960
Pallet	1920	7323190019953

## Material

---

### Animal tissues:

No

### Human blood derivatives:

No

### Medicinal substances:

No

### Phthalates:

No

### Polyvinyl chloride:

No

## Product Composition Drapes

Product Component	Critical Area	Less Critical Area
Drape material	Viscose/Polyester nonwoven 80 g/m <sup>2</sup>	Viscose/Polyester nonwoven 80 g/m <sup>2</sup>
Drape material	Polyethylene film 40 µm	Polyethylene film 40 µm
Adhesive material	Synthetic rubber based	N/A

## Product Performance Drapes, Additional Tests

Characteristics	Test Method	Internal Test Method	Unit	Product Performance Critical Product Area	Product Performance Less Critical Product Area
Absorption	ISO 9073-12	T-1158	g/dm <sup>2</sup>	3.66	3.66
Flammability	16 CFR 1610.4	N/A	s	Class 1, >3.5s	Class 1, >3.5s

## Product Performance Sterile Drapes, EN 13795 High Performance

Characteristics	Test Method	Internal Test Method	Unit	Requirement Critical Product Area	Requirement Less Critical Product Area	Product Performance Critical Product Area	Product Performance Less Critical Product Area
Resistance to microbial penetration - Dry	ISO 22612	T-1004	CFU	Not required	≤300	-	0
Resistance to microbial penetration - Wet	ISO 22610	T-1005	BI	6.0	Not required	6.0	-
Cleanliness - Particulate Matter	EN ISO 9073-10	T-1006	IPM	≤3.5	≤3.5	1.5	1.5
Linting	EN ISO 9073-10	T-1006	Log <sub>10</sub> (lint count)	≤4.0	≤4.0	1.8	1.8
Resistance to liquid penetration	EN 20811	T-280	cm H <sub>2</sub> O	≥100	≥10	>100	>100
Bursting strength - Dry	EN ISO 13938-1	T-233 or T-1179	kPa	≥40	≥40	168	168
Bursting strength - Wet	EN ISO 13938-1	T-233 or T-1179	kPa	≥40	Not required	144	-
Tensile strength - Dry	EN 29073-3	T-229	N	≥20	≥20	36	36
Tensile strength - Wet	EN 29073-3	T-229	N	≥20	Not required	28	-

## Technical

### Dimension

Dimension text	Dimension value
Outer dimension	55 cm x 70 cm

## Disposal instructions

Non-hazardous waste used BARRIER products and sterility barriers should, in the majority of cases, be classified as non-hazardous waste. They contain high amounts of energy and are well suited for incineration. BARRIER products do not contain any hazardous substances that can leach out if the products are land filled. Transport boxes are designed to fit existing recovery systems. The new BARRIER packaging system complies with the Packaging Waste Directive of the European Union.

## Storage instructions

Mölnlycke Health Care recommends that BARRIER products are stored under normal storage conditions. All layers of packaging should be kept intact until access to the underlying layers is needed. Storage facilities for products only protected by the sterility barrier should be kept under conditions where low level of particulate air contamination prevail, so that it would not constitute a risk to the patient when the package is opened and the product is used.

## Classification

Regulation type	MDD Class IS	Locally Regulated	Unregulated
MDD Classification Rule:	1		
CE Certificate Number:	CE 01966		
Notified body medical devices/PPE:	BSI (0086)		
Intended use MDD:	Surgical drapes, when sterilised, are intended to minimize the spread of micro-organisms, in order to reduce the risk for post operative wound infection.		
Sales released in:	Austria, Belgium, Czechia, Denmark, Finland, Germany, Hungary, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Slovenia, Spain, Sweden, Switzerland, United Kingdom of Great Britain and Northern Ireland	Australia, Azerbaijan, Bahrain, Moldova (the Republic of), New Zealand, Russian Federation, United Arab Emirates	Hong Kong, Macedonia (the former Yugoslav Republic of)

Applied standards: The standards presented below is a selection of the most essential standards that are adhered to.

EN 1041, EN 556-1, EN 13795, EN 62366, EN ISO 9001, EN ISO 13485, EN ISO 10993-1, EN ISO 11607-1, EN ISO 11607-2, EN ISO 15223-1, ISO 15223-2, ISO 14001

# Latex ● Biogel® Surgeons



The Biogel® Surgeons is a sterile, latex surgical glove with excellent barrier protection. The unique Biogel® coating provides great fit, feel and comfort and makes the glove easy to don, even with damp hands.



ACTUAL COLOUR REF 822

## Biogel® key features and benefits

- 9/10 surgeons prefer Biogel for fit, feel and comfort<sup>1</sup>
- Reduced chance of a hole with an industry-leading AQL\* result of 0.65<sup>1</sup>
- Every glove (100%) is air inflation tested and visually inspected for quality and safety<sup>1</sup>
- Improved efficiency as less gloves are wasted<sup>2</sup>
- Non-pyrogenic, potentially reducing the risk of post-operative complications<sup>3</sup>

## Recommended use

Recommended for all surgical procedures.

## Material information

- Natural rubber latex
- Micro-roughened surface
- Biogel hydrogel polymer coating
- Beaded cuff
- Powder-free
- Non-pyrogenic

## Biogel quality

Biogel has an industry leading freedom from holes AQL\* of 0.65. The industry standard requirement for AQL\* is 1.5. The lower the number, the fewer the holes and the higher the quality of glove. Biogel is proven to have the lowest glove failure rate among major competitors. Non-Biogel gloves are at least 3.5 times as likely to fail than Biogel gloves<sup>2</sup>.

## Re-order REF 822

REF	Size	Pairs
82255	5 ½	50/Box
82260	6	50/Box
82265	6 ½	50/Box
82270	7	50/Box
82275	7 ½	50/Box
82280	8	50/Box
82285	8 ½	50/Box
82290	9	40/Box

4 boxes per case



## Product specifications Biogel® Surgeons gloves REF 822

REF	Size	Length, mm (Tolerance +20 mm; -10 mm)	Lay flat palm width, mm (±3 mm)
82255	5.5	283	71
82260	6.0	285	77
82265	6.5	285	85
82270	7.0	288	91
82275	7.5	298	96
82280	8.0	299	103
82285	8.5	301	109
82290	9.0	301	115

Pairs per box: 50/40 for size 9

Typical thickness profile – single wall		
Cuff	8.1 mils	0.21 mm
Palm	10.0 mils	0.26 mm
Finger	10.6 mils	0.27 mm

Physical glove properties	Standard requirement	Biogel
<b>Force at break (N) (EN455)</b>		
Initial	≥9	19
Aged	≥9	17
<b>Typical accelerator analysis % w/w</b>		
Dithiocarbamate (DTC)	n/a	<0.02
Diphenyl thiourea (DPTU)	n/a	none
Diphenyl guanidine (DPG)	n/a	none
Zinc mercaptobenzothiazole (ZMBT)	n/a	none
Thiurams	n/a	none
<b>Typical extractable protein</b> (using Modified Lowry EN455/ ASTM D5712)	<50µg/g	<20µg/g
<b>AQL* freedom from holes</b> (1000 ml water leak test) Post packing and irradiation Process average typically	1.5	0.65  <0.20%
<b>Grip</b> (Measure of the surface grip. Scale of 1-5, the higher the value, the greater the level of drag)	n/a	1.0

## General information

**Contra-indications:** This product contains natural rubber latex which may cause allergic reactions including anaphylactic responses.

**Allergenicity:** Biogel gloves are produced to have low levels of aqueous extractable protein and have been shown to have a low potential for inducing allergic contact dermatitis or 'Type IV allergy'.

**Pyrogenicity:** Each batch of Biogel gloves is tested to have a low endotoxin level (<20 EU/pair).

**Product standards:** Biogel gloves are tested and manufactured to the following standards:

- **Quality/Environmental:** ISO 9001, ISO 13485, ISO 14001
- **Product:** ASTM D3577, EN455-1, EN455-2, EN455-3, EN455-4
- **Sterilisation:** Gamma irradiation
- **Viral Penetration:** Bacteriophage test, ASTM F1671
- **Allergenicity/Pyrogenicity:** ISO 10993 (PART 5 and 10)

**Registering authority:** In Europe the gloves are CE marked (notified body BSi, number 0086) indicating compliance with Council Directive 93/42/EEC. In US the gloves are FDA registered. Biogel Surgical gloves are a Class IIa Product.

**Storage:** Store in a cool, dry place away from sources of heat or direct sunlight.

**Packaging:** One pair per pack, in a high quality inner wrap, packed into a film pack (constructed of a laminate of polyester and low-density polyethylene). 50 pairs per collation case for sizes 5.5–8.5; 40 pairs for size 9.0; 200 pairs per transit case for sizes 5.5–8.5; 160 pairs for size 9.0.

**Disposal:** Gloves & outer wrap dispose of as clinical waste. Paper inner wrap, collation case & transit case can be recycled as paper or disposed of as clinical waste.

**Shelf life:** Five (5) years from date of manufacture.

**Manufacturer:** Made and packed in Malaysia by Mölnlycke Health Care Sdn Bhd.

**Country of origin:** Malaysia.

**E-mail address:** biogel@molnlycke.com

**Date of issue:** May 2012.

**References:** 1. Why Choose Biogel. MKT004. 2009. Data on file. 2. In Use Surgical Glove Failure Rate Comparison. Study G009-005. 2009. Data on file. 3. Biogel Endotoxin Report, Non-Pyrogenic Surgical Gloves. REPRHJV004. 2010. Data on file.

\*AQL=Acceptable Quality Level refers to the maximum number of defective products that could be considered acceptable during the random sampling of an inspection, in this case freedom from holes in gloves.

Find out more at [www.molnlycke.com](http://www.molnlycke.com)









Mölnlycke Health Care AB, Box 13080, SE-402 52 Göteborg, Sweden.  
T +46 31 722 30 00. F +46 31 722 34 00. [www.molnlycke.com](http://www.molnlycke.com)

The Mölnlycke Health Care and Biogel names and logos are registered trademarks globally to the Mölnlycke Health Care Group of companies. Copyright (2012)














Tray ID 97109760  
 Tray name SET INTERVENTII CARDIO ADULT  
 Speciality filter CARDIOVASCULAR  
 Hospital filter Tehnomedica SRL

	Description	Qty
	Crepe paper 60x60cm 60g/m2 White	1
	BNS Thoracic Drape 200/300x330cm, incise area 32x40cm	1
	Mepore film & pad 9x30cm 5x25cm	1
	Plastic bag 20x30cm Ziplock Transp.	1
	Instrument cleaner 5x5cm	1
	Arm Sleeve	1
	Needle counter 20ct Foam/Magnet BR	1
	Light handle cover large Light green/white collar	2


Tray ID 97109760  
 Tray name SET INTERVENTII CARDIO ADULT  
 Speciality filter CARDIOVASCULAR  
 Hospital filter Tehnomedica SRL

	Adh. split sheet 200x260cm Split 20x102cm Perineal cover	1
	Adh. op towel 75x75cm	2
	Fluid Collection Pouch 40x35cm	1
	Foot cover 36x28cm Ocean	1
	Tube holder 2,5x30cm Velcro/Adh	2
	Op tape 9x49cm	3
	Fluid Collection Pouch 40x35cm	2
	BNS Surgical Gown PR HP, XLL	2




Mölnlycke®

Tray ID 97109760  
Tray name SET INTERVENTII CARDIO ADULT  
Speciality filter CARDIOVASCULAR  
Hospital filter Tehnomedica SRL



— Hand towel 18x25cm 2



— Table cover 150x190cm Abs.75x190cm Folded 1




— Foot cover 36x28cm Ocean 1



— Mayo stand cover Reinf.79x145cm Abs.65x85cm 1



— Surgical gown Primary Standard Performace XL-L 152cm 2



— Hand towel 18x25cm 4



Surg.glove latex 8.0 PF 2/1 Biogel Surgeons 1



Surg.glove latex 7.0 PF 2/1 Biogel Surgeons 1


Tray ID 97109760  
 Tray name SET INTERVENTII CARDIO ADULT  
 Speciality filter CARDIOVASCULAR  
 Hospital filter Tehnomedica SRL



Surg.glove latex 7.5 PF 2/1 Biogel Surgeons 1



Surg.glove latex 8.5 PF 2/1 Biogel Surgeons 1



Abdominable swab 40 x 40 cm 2











Reinforced Table Cover 150 x 240 wrapping 1



SA Label 1,6 x 5cm Red TEHNOMEDICA SRL 1

Tray ID 97109781  
 Tray name SET INTERVENTII BP  
 Speciality filter CARDIOVASCULAR  
 Hospital filter Tehnomedica SRL

	Description	Qty
	Table cover 150x240cm Abs.75x240cm Folded	1
	Table cover 150x190cm Abs.75x190cm Folded	1
	Cardiovascular drape 200/300x350 cm Incise 32x40cm an	1
	Adh. op towel 100x100cm	3
	Adh. op towel 75x75cm	2
	Foot cover 36x28cm Ocean	1
	Tube holder 2,5x30cm Velcro/Adh	2
	Adh. perineal drape 18x40cm	1

Tray ID 97109781  
 Tray name SET INTERVENTII BP  
 Speciality filter CARDIOVASCULAR  
 Hospital filter Tehnomedica SRL



– Fluid Collection Pouch 40x35cm 3



– Op tape 9x49cm 3




– Mepore film & pad 9x30cm 5x25cm 1



– Arm Sleeve 1



– Plastic bag 20x30cm Ziplock Transp. 1



– Instrument cleaner 5x5cm 1




– Light handle cover large Light green/white collar 2



– Needle counter 20ct Foam/Magnet BR 1



Tray ID 97109781  
 Tray name SET INTERVENTII BP  
 Speciality filter CARDIOVASCULAR  
 Hospital filter Tehnomedica SRL



Abdominal swab 40 x 40 cm

2



Foot cover 36x28cm Ocean

1



Mayo stand cover Reinf.79x145cm Abs.65x85cm

1



BNS Surgical Gown PR HP, XLL

2



Surg.glove latex 8.5 PF 2/1 Biogel Surgeons

1




Surgical gown Primary Standard Performace XL-L 152cm

2



Surg.glove latex 8.0 PF 2/1 Biogel Surgeons

1



Hand towel 18x25cm

8



Tray ID 97109781  
 Tray name SET INTERVENTII BP  
 Speciality filter CARDIOVASCULAR  
 Hospital filter Tehnomedica SRL



Surg.glove latex 7.5 PF 2/1 Biogel Surgeons 1



Surg.glove latex 7.0 PF 2/1 Biogel Surgeons 1



Reinforced Table Cover 190 x280 wrapping 1



SA Label 1,6 x 5cm Red TEHNOMEDICA SRL 1

# Manipler® AZ

Single-use Skin Stapler for Wound Closure  
An Easy Solution for Skin Closure



Closure Technologies

# Manipler® AZ

The Easy Solution for Skin Closure

Manipler® AZ Skin Stapler delivers fast closure at the end of any surgical procedure.

It offers the security and confidence, thus reducing the risk to the patient.

## skin stapler

### Lightweight Design

Handles like a well-balanced, surgical instrument

### High Quality Construction

Consistent, reliable performance

### Slim Grip Design

Provides excellent visibility and allows for easy handling with no hand fatigue

### Special Angled Head

Enables the user to see the incision from a normal viewing perspective to ensure precise staple deployment

### Flexible Placement Angle

Allows choice in staple placement depth

### Precise Staple Counting

Staple count indicator provides a direct view of remaining staples



# new single use remover

Simple and Efficient by Design

Single-use Remover



Reusable Remover



## Complete Portfolio

Available as single-use and reusable remover

## Versatility

Can be used for virtually all brands of surgical skin staples

## Intuitive Control

For reliable and controlled performance

## Elegant Design

Easy to handle making removal simple and safe

With reinforced tip  
for safe and easy handling

## Product Range

Article No.	Product Description	Staple Information		Staple Dimensions		Units
		Type	No.	Crown	Leg.	per box
783100	Manipler® AZ	Wide	35	6.9 mm	3.6 mm	6
783101	Single use skin staple remover					6
783102	Reusable skin staple remover					1

# Maniplier® AZ

The Easy Solution for Skin Closure

## advantages


### ▶ Grip Designed for Best Angle

The set up angle of the shape of the device enables a clear view of the wound edges




### ▶ Automatic Clip Ejection

Precisely ejects clips, this enables rapid wound closure and shortens operation time



### ▶ Box-Style Staple

This provides several performance advantages, including safe wound closure and support



### ▶ Ease of Use

High profile staples make removal easier



Maniplier® AZ