(占) T-HEALTH

T-8060 / 4 MOTOR ICU BED



 Electrical operated backrest, height and legrest adjustment

- Electrical operated Trendelenburg, reverse Trendelenburg, fowler and vascular positions
- Electrical adjustment by wired patient hand remote
- 4 section detachable ABS mattress platform
- Auto regression system on backrest and foot-rest
- Auto contour
- Hygienic design (PP), gas-spring assisted, lockable and tuck away side rails

- Tubular steel frame with easy removable ABS plastic covers
 - Detachable head&foot boards.
- Diagonal lockable single castors.
- Electrostatic painted metal frame.
- Height adjustable stainless steel IV pole.
- Easy adjustable knee break position.
- Plastic crash bumpers on each corner.
- Angle indicators
- CPR button at remote control for emergency situations

- , +90 530 565 21 27
- www.thealth.com.tr

 Industrial Zone 1, Str. Nr: 66059, Bld. Nr: 30, Sehitkamil - Gaziantep
/ TÜRKİYE



Technical Details:

External Dimensions: 1050x2150 mm.

Mattress Platform Dimensions: 850x1950 mm.

Backrest Adjustment: 0 - 70° Foot-rest Adjustment: 0 - 35°

Height Adjustment Range: 450 – 850 mm. Trendelenburg/Reverse Trendelenburg: ± 15° Castor Diameter: 125 mm. Safe Working Capacity: 250 kg.

Power Input: 1.5A max. At 230V AC 50-60 Hz

Protection Class: Class I, Type B Liquid Ingress Protection: IPX6



Optional Accessories&Features

- Foot-end Nurse control Panel
- Bed size extension
- Linen holder
- Twin castors
- Patient lifting pole
- Oxygen bottle holder
- +90 530 565 21 27
- www.thealth.com.tr

- Integrated control panel
- Manual CPR at backrest
- 5th castor
- Central and directional lockable castors; 150 mm.
- Paper roll hanger




TMS 02 / FOAM MATTRESS WITH PU COVER



- Foam mattress with 28 kg/m³ density
- Special laser cuts provides maximum flexibility for patient comfort
- Air passage
- Anti-decubitus
- Anti-bacterial, water proof, flame retardant and breathable polyurethane mattress cover with 3-sided zipper

TECHNICAL PARAMETERS:

- External Dimensions: 850 x 1950 mm.
- Thickness: 120 mm.
- Foam Density: $28 \text{ kg/m}^3 \text{ ($\pm 2 \text{ kg/m}^3$)}$
- Cleaning: In washing machine up to 95°
- Weight: 6 kg.



www.thealth.com.tr

info@thealth.com.tr