

"KARMAN" AND "BERKELEY" INTRAUTERINE SUCTION CURETTES



Length 24 cm with connector, 20.5 cm without



Length 20 cm with connector, 17 cm without

| GIMA code | "KARMAN" STYLE CURETTES FLEXIBLE - SINGLE USE - STERILE | Minimum order |
|-----------|--|---------------|
| 29858 | Karman Curette N° 4 - 4 mm x 24 cm | box of 20 |
| 29859 | Karman Curette N° 5 - 5 mm x 24 cm | box of 20 |
| 29860 | Karman Curette N° 6 - 6 mm x 24 cm | box of 20 |
| 29861 | Karman Curette N° 7 - 7 mm x 24 cm | box of 20 |
| 29862 | Karman Curette N° 8 - 8 mm x 24 cm | box of 20 |
| 29863 | Karman Curette N° 9 - 9 mm x 24 cm | box of 20 |
| 29864 | Karman Curette N° 10 - 10 mm x 24 cm | box of 20 |
| 29865 | Karman Curette N° 11 - 11 mm x 24 cm | box of 20 |
| 29866 | Karman Curette N° 12 - 12 mm x 24 cm | box of 20 |



| GIMA code | "BERKELEY" STYLE CURETTES CURVED - RIGID - SINGLE USE - STERILE | Minimum order |
|-----------|--|---------------|
| 29870 | Berkeley Curette N° 7 - Ø 7 mm x 20 cm | box of 20 |
| 29871 | Berkeley Curette N° 8 - Ø 8 mm x 20 cm | box of 20 |
| 29872 | Berkeley Curette N° 9 - Ø 9 mm x 20 cm | box of 20 |
| 29873 | Berkeley Curette N° 10 - Ø 10 mm x 20 cm | box of 20 |
| 29874 | Berkeley Curette N° 11 - Ø 11 mm x 20 cm | box of 20 |
| 29875 | Berkeley Curette N° 12 - Ø 12 mm x 20 cm | box of 20 |

• **29918 SUCTION SYRINGE - 60 ml - one-way self-blocking valve**
Syringe with adaptor for use with Karman and Berkeley curettes.




Single use and sterile, 60 ml capacity.

CANNULAS FOR ENDOMETRIAL SAMPLING



• **29826 PIPELLA 1 hole - disposable, sterile - box of 100**
• **29827 PIPELLA 4 holes - disposable, sterile - box of 100**
For endometrial cytologic sampling.
It allows a painless and easy routine screening of the endometrium avoiding dilation and traction of the uterus neck.
Hole: Ø 2.0-2.5 mm
External diameter: 3.1 mm
Length of cannula: 23.5 cm
Length of handle: 26.5 cm

• **29940 ENDOGYN - disposable, sterile - box of 25**
For cytologic endometrial sampling. It allows a painless and easy routine screening of the endometrium avoiding dilation and traction of the uterus neck. An outer sheath covers a mandrel with asymmetrical "V" shaped blades on the top. Each arm features fine toothings and thin cutting edges which are able to remove and keep more endometrial tissue. The head of one of the two arms features a hemispherical head which, when it goes back inside the sheath, allows for previously removed tissue to be aspirated.



FLEXIBLE HYSTEROMETERS - SINGLE USE - STERILE

| With slider | Without slider | HYSTEROMETER SINGLE USE - STERILE - LATEX FREE | Minimum order |
|-------------|----------------|---|---------------|
| 29930 | 29933 | Hysterometer CH 10 - 29 cm | 25 pcs. |
| 29931 | 29934 | Hysterometer CH 12 - 29 cm | 25 pcs. |
| 29932 | 29935 | Hysterometer CH 14 - 29 cm | 25 pcs. |



SPRAY FOR CITOTOLOGY FIXATION AND SLIDES



29775

| |
|-------|
| 29777 |
| 29775 |
| 29774 |



29776

• **29776 BOX FOR SLIDES**
Plastic, transparent box for storage of up to three slides.

29778




| GIMA code | MICROSCOPE SLIDES Size 76x26 mm, 1.0-1.2 mm thick 45° corners minimum order: pack of 200 pcs. (4 boxes of 50 pcs.) |
|-----------|--|
| 29774 | Plain side, ground edges |
| 29775 | Single end frosted, sandblasted band, ground edges |
| 29777 | Twin frosted in both ends, ground edges, sandblasted band |

• **29778 GIMAFIX SPRAY FOR CITOTOLOGY FIXATION**
Fixer for cytology. Composition: isopropanole, poly-ethylenglycole. It does not contain propellants deleterious for the ozone. 250 cc bottle.


minimum order: 12 bottles

LOOP ELECTRODES Ø 2.4 mm



| GIMA code | Reference number | LOOP ELECTRODES - Ø 2.4 mm autoclavable at 121° C | Shaft length | Electrode width | Electrode depth |
|-----------|------------------|---|--------------|-----------------|-----------------|
| 30686 | 50 | Square loop electrode | 13 cm | 10 mm | 8 mm |
| 30687 | 51 | Loop electrode | 13 cm | 15 mm | 8 mm |
| 30688 | 52 | Loop electrode | 13 cm | 20 mm | 10 mm |


ELECTRODES AND HANDLE Ø 4 mm



- 30480 AUTOCLAVABLE MB HANDLE Ø 4 mm - 100 times
Autoclavable handle up to 100 times for Ø 4 mm shaft electrodes with 3 m silicone cable and blade electrode.
 - 30482 NEEDLE ELECTRODE Ø 4 mm
 - 30483 BLADE ELECTRODE Ø 4 mm
 - 30484 BALL ELECTRODE Ø 4 mm
- S/S electrodes autoclavable 100 times. Sold in box of 5. Length 5.5 cm.

AUTOCLAVABLE ELECTRODES Ø 2.4 mm

| GIMA code | Reference number | AUTOCLAVABLE ELECTRODES Ø 2.4 mm | Reference number | GIMA code |
|-------------|------------------|--|------------------|-----------|
| length 5 cm | | minimum order: 6 pcs. | | |
| 30501 | 1 | Electrode wire 0.2 - straight | 21 | 30521 |
| 30502 | 2 | Electrode wire 0.2 - angled 45° | 22 | 30522 |
| 30503 | 3 | Electrode bend - Ø 4 - straight | 23 | 30523 |
| 30504 | 4 | Electrode bend - Ø 8 - straight | 24 | 30524 |
| 30505 | 5 | Electrode hook - angled 45° | 25 | 30525 |
| 30506 | 6 | Electrode wire 1 mm.- angled 45° | 26 | 30526 |
| 30507 | 7 | Electrode straight slip-knot - straight | 27 | 30527 |
| 30508 | 8 | Electrode angled slip-knot - straight | 28 | 30528 |
| 30509 | 9 | Electrode ball point - Ø 3 mm - angled 45° | 29 | 30529 |
| 30510 | 10 | Electrode ball point - Ø 3 mm - straight | 30 | 30530 |
| 30500 | SET | Set of 10 electrodes | SET | 30531 |
| length 7 cm | | minimum order: 10 pcs. | | |
| 30511 | 15 | Needle electrode | 35 | 30532 |
| 30512 | 16 | Blade electrode | 36 | 30533 |
| 30513 | 17 | Ball electrode | 37 | 30534 |




SINGLE USE STERILE ELECTRODES Ø 2.4 mm

| GIMA code | Reference number | SINGLE USE ELECTRODES Ø 2.4 mm | Reference number | GIMA code |
|-------------|------------------|--------------------------------------|------------------|-----------|
| length 7 cm | | Sterile electrode - box of 24 | | |
| 30670 | 13 | Needle electrode - sterile electrode | 33 | 30674 |
| 30671 | 11 | Blade electrode - sterile | 31 | 30675 |
| 30672 | 12 | Ball Ø 4 mm electrode - sterile | 32 | 30676 |
| - | | Sterile electrode - box of 10 | | |
| - | | Loop electrode - 15 mm x 8 mm | | |
| - | | length 15 cm | | |
| - | | length 13 cm | | |
| - | | length 15 cm | | |



NON-STICK SINGLE USE STERILE ELECTRODES Ø 2.4 mm

| GIMA code | NON-STICK SINGLE USE ELECTRODE Ø 2.4 mm | Length |
|-----------|---|--------|
| 30420 | Blade electrode - sterile | 7 cm |
| 30422 | Blade electrode - sterile | 10 cm |
| 30425 | Needle electrode - sterile | 10 cm |
| 30429 | Ball electrode - sterile | 13 cm |



BALLET STERILE DISPOSABLE ELECTROLYSIS NEEDLES

| Stainless steel | Gold plated | Insulated | ELECTROLYSIS NEEDLES - STERILE | Minimum order |
|-----------------|-------------|-----------|--------------------------------|---------------|
| 30400 | 30405 | 30410 | K2 needle - 0.055 mm (0.002") | box of 50 |
| 30401 | 30406 | 30411 | K3 needle - 0.075 mm (0.003") | box of 50 |

Ballet needles
The Ballet needle is manufactured with both a precise point and a mirror-like surface polish. The rounded tapered point of the needle will assist the electrologist in locating the follicle opening and upon insertion the needle will slide smoothly and accurately to the base of the follicle.

Stainless steel needles
Ideal for patients with strong healthy skin who respond well to electrolysis treatment.

Insulates needles
Suggested for patients with high sensitivity to discomforts of electrolysis.

24 carat gold plated needles
For clients who suffer from allergies and sensitive skin.

3-PIN MONOPOLAR HANDLES FOR ELECTRODES Ø 2.4 mm

VALLEYLAB CONNECTOR HANDLES with 2 "click" push-buttons GIMA autoclavable electrosurgery pencils with CUT-COAG switch have been studied and tested to offer maximum reliability and functionality to the operator. MB handles are provided with a 3 Pin plug Valleylab type fitting all Gima mono-bipolar Diatermo MB (120, 122, 132, 160, 200, 202, 240, 250, 380, 400) and most of bipolar electrosurgical units: Aspen Lab, ES Generator, EMC Statome, Danieli, Braun, Berchtold, Ohmeda, Ritter, Conmed, Eschmann, Bovie, Martin, Kontron, Bard, Birtcher 771, Cobi, Valleylab, Led, Erbe...

AUTOCLAVABLE HANDLES

- **30554 MB AUTOCLAVABLE HANDLE - 100 times**
Autoclavable handle with 2 large "click" push-buttons, provided with a 3 meter long silicone cable and a blade electrode. It can be autoclaved up to 100 times (electrode 20 times).
- **30545 MB AUTOCLAVABLE HANDLE - 100 times**
Same as code 30554 but with a 5 m long silicone cable
- **30550 PRIMA MB AUTOCLAVABLE HANDLE - 60 times**
Autoclavable handle with 2 large "click" push-button, provided with a 3 meter long silicone cable and a blade electrode. It can be autoclaved up to 60 times.
- **30548 STAR AUTOCLAVABLE HANDLE - 30 times**
Same as code 30554 but autoclavable up to 30 times (electrode is autoclavable up to 20 times).
- **30539 ORION PLUS AUTOCLAVABLE HANDLE - 100 times**
Same as 30554, but with a screw clamp locking system ensuring a safe contact and adapting to slightly different electrode diameters. High insulation to prevent liquid damage.
- **30536 SURGEON AUTOCLAVABLE HANDLE - 100 times**
Autoclavable, waterproof handle with ergonomic grip. Coloured ring that indicates CUT and COAG push buttons. Provided with 3 m cable and blade electrode.

SINGLE USE HANDLE

- **30551 KIRKY SINGLE-USE HANDLE - STERILE**
Single-use handle with "click" push-buttons for cut and coag. Includes blade electrode.
- **30553 GIMA SINGLE-USE HANDLE - STERILE**
Same as 30551 with 3 m cable.



1-PIN MONOPOLAR HANDLES FOR ELECTRODES Ø 2.4 mm

1 pin plug HANDLES for diatermo 50, 80, 106, 108

These handles are provided with a 1 Pin socket (4 mm) fitting all Gima Diatermo and most of electrosurgical units in the market. These handles **do not have push-buttons**.

- **30515 SURGEON 1 PIN AUTOCLAVABLE HANDLE - 100 times**
Autoclavable, waterproof handle with ergonomic grip. Provided with 3 m cable and blade electrode
- **30519 AUTOCLAVABLE 50-80-106-108 HANDLE**
Autoclavable handle **without buttons**, provided with a 3 meter long cable and a blade electrode. It can be autoclaved up to 50 times.
- **30518 KIRKY SINGLE-USE 50-80-106-108 HANDLE - STERILE**
Single-use handle without button with blade electrode with 4 mm PIN connection.



HANDLES FOR ELECTROLYSIS NEEDLES


Needle handles for all GIMA Diatermo and electro-depilators

- **30552 HANDLE for electrolysis needles**
- **30415 PROFESSIONAL HANDLE for electrolysis needles**
see electrolysis needles at page 187



ELECTRODE BRUSHES

- **30537 ELECTRODE BRUSH - 50x50 mm**
Disposable sterile radiopaque abrasive tip cleaner pad. Box of 100

















BIPOLAR CABLES FOR MAJOR BRANDS

Quality highly flexible silicone bipolar cables. Autoclavable at 134°C for minimum 20 times. 3 m long (10").

Recommended ETO sterilization for max extended life. Suitable for most generators, with connector for European or US forceps.

| | | | | | | | | | | |
|--|---|--|--|--|---|---|--|---|---|---|
|  <p>30642 • 30642 BIPOLAR CABLE ADAPTOR</p> |  <p>Connector to forceps</p> |  <p>Connector to electrosurgical unit</p> |  <p>Connector to forceps</p> |  <p>Connector to electrosurgical unit</p> <p>Pin distance 29 mm</p> |  |  |  |  |  |  |
| | GIMA Code | 30632 | 30618 | 30640 | 30637 | 30643 | 30618+ 30642 | 30617 | 30644 | 30639 |
| Connector to forceps | EU | US | EU | US | EU | US | EU | US | EU | EU |
| Compatibility brand/model | GIMA: MB 240 MB 380 VALLEY LAB, CONMED, CODMAN, OLYMPUS | | GIMA: MB 120 F, MB 200 F, MB 200 D, MB 250, MB 300 D, MB 400 D LED: SURTRON 120, 200, 300, 400 VALLEY LAB, EMC, DOLLEY | | GIMA: MB 122, MB 160, MB 200, MB 202 | | GIMA: MB 80 D, MB 120 D, MB 160 D LED: SURTRON 80, 120, 160 | | MARTIN BERCHTOLD AESCULAP WOLF | ERBE SELECT DOWNS SIEMENS |

SINGLE USE, METAL AND RUBBER PLATES



- 30492 DISPOSABLE GROUND PADS WITH SOLID GEL - adult
- 30490 DISPOSABLE GROUND PADS WITH SOLID GEL - pediatric
- 30493 REM DISPOSABLE GROUND PADS WITH SOLID GEL - adult Adult ground plate with solid gel. Single use plate individually packed
- 30563 CABLE FOR PLATES - 5 m Universal cable to connect plates (30490-30495) to diathermo. Safety lock with universal connection - bipolar Ø 6.3 mm plug.
- 30494 DISPOSABLE NON WOVEN GROUND PADS - adult/ped
- 30495 REM DISPOSABLE NON WOVEN GROUND PADS - adult/ped

- 30573 RUBBER PLATE 20x15 cm - without cable
- 30574 REM RUBBER PLATE 20x15 cm - without cable
- 30575 CABLE FOR RUBBER PLATES
- 30566 METAL PLATE - without cable
- 30563 CABLE FOR PLATES - 5 m
- 30559 CABLE FOR PLATES - 2.5 m
- 30564 SURGEON NEUTRAL PLATE 16x12 cm - with cable
- 30561 ROD NEUTRAL PLATE with cable

3M ELECTROSURGICAL GROUNDING PADS WITH SAFETY RING

- 30496 3M 9160 SPLIT GROUNDING PAD - box of 100
 - 30497 3M 9160F SPLIT GROUNDING PAD - box of 200 (40 pouches of 5 pieces)
 - 30498 3M 9165 SPLIT GROUNDING PAD - pre-recorded - box of 40
- The 3M 9160, and 9165 Universal Grounding Pads all have a conductor area of 15 square inches and come with the patented 3M Green Safety Ring technology which allows them to perform the same as grounding pads that are up to 33% larger in conductor area. Green Ring allows adult and pediatric use.

In addition, they have fluid resistant, non-woven backing which allows heat to pass through up to 25% faster than foam, and they have no minimum age or weight limit.



30498
(3M 9165)

30496, 30497
(3M 9160)



OXY-5 AND OXY-6 PROFESSIONAL OXIMETERS



34282

BACKLIT DISPLAY



34285

OLED COLOUR DISPLAY



34285

- 34282 OXY-5 FINGERTIP OXIMETER
 - 34265 OXY-5 PEDIATRIC FINGERTIP OXIMETER
 - 34285 OXY-6 COLOUR FINGERTIP OXIMETER
- To monitor pulse oxygen saturation and pulse rate through patient's finger (10-22 mm finger thickness for 34282, 34285 - 8-16 mm finger thickness for 34265) in medical and hospital environments.

Main features:

- SpO₂ and pulse rate measurement
- bargraph of pulse rate
- perfusion index display. P.I. is a numerical value that indicates the blood perfusion condition at the sensor site. It is a relative value that varies from patient to patient and from measuring site
- high accuracy and repeatability: products are manufactured by GIMA (in P.R.C. facilities) under strong quality controls guaranteed by Italian notified body (CE 0476 CERMET)
- accuracy from the first reading in few seconds thanks to a unique noise rejection capability feature
- extra stability against motion during measurement (finger bending, Parkinson's disease, hand movement, button pressing)

- audible and visible alarms
- automatic power on and power off when finger is out
- low voltage alarm display
- 8 or 9 language manual (GB, FR, IT, ES, DE GR, PT, PL*, Arabic)
- 50 hours working time with full batteries (30 hours for oxy-6)
- supplied in plastic case with batteries and pouch
- 4 direction adjustable display (Oxy-6 only)

• 35076 CORDURA BAG with belt loop - blue *34265, 34282 only

| TECHNICAL SPECIFICATIONS | | | |
|---------------------------------------|--|--------------------------------|------------|
| | RANGE | ACCURACY | RESOLUTION |
| Pulse rate: | 30-240 bpm | ± 2 bpm (2%) | 1bpm |
| SpO ₂ : | 35%-99% | ± 2% (75-99%) ± 3% (50-75%) | 1% |
| Perfusion: | 0-20% | ± 0.1% (0,2-2%) | 0.1% |
| Index: | | ± 0.2% (2-10%) | |
| Alarm: | SpO ₂ : low limit 90% Pulse rate: low: < 50 bpm - high > 120 bpm | | |
| Power: | 1.5V (AAA size) alkaline battery x 2 | | |
| Norms: | IEC 60601-1-2 Class II CE 0476 | | |
| LCD Display: | oxygen saturation, pulse rate, low battery indicator | | |
| Size - weight: | 6.6x3.6x3.3 cm - 60 g including batteries | | |
| Italian manufacturer (made in P.R.C.) | | | |

OXY-3 OXIMETER



35090

DUAL COLOUR OLED DISPLAY

CE 2179
FDA

- 35090 OXY-3 OXIMETER - blister
- Easy to use pocket device, measures oxygen level and pulse rate.

Main features:

- simple operation, small & lightweight design, portable
- display SpO₂, SpO₂ waveform, PR, Pulse bar
- low power consumption
- 2 AAA alkaline batteries included
- low battery indication, auto power off
- accommodates widest range of finger sizes from pediatric to adult
- soft silicone padding, strong slip
- resistant clip, non-invasive, no pricking
- 4 direction display
- user manual in GB, IT, ES, FR

- 35075 SILICONE COVER - light blue
- 35076 CORDURA BAG with belt loop - blue

Supplied in blister with batteries and lanyard.

35090



35076

OXY-4 COLOUR OXIMETER

Size: 66x36x33 mm



35091

35092


DUAL COLOUR OLED DISPLAY

CE 0123

- 35091 OXY-4 OXIMETER - blue
 - 35092 OXY-4 OXIMETER - orange
 - 35093 OXY-4 OXIMETER - other colour (minimum 100 pieces)
- Select colour with order

- Fingertip pulse oximeter to monitor pulse oxygen saturation, pulse rate, and perfusion index.
- it is light, small in size and easy to take
 - accurately measures SpO₂ value and pulse rate value
 - dual-color display of SpO₂, PR, PI, Plethysmogram and pulse bar
 - measuring range, SpO₂ 35 - 99%, Pulse rate 30 - 240 bpm
 - innovative 4 directions display
 - automatic power On/Off
 - more than 30 hours continuous working with 2AAA alkaline batteries
 - audible and visible alarm function
 - battery voltage indication, low battery voltage alarm
 - prevention against water ingress, drop resistant
 - manual in 8 languages: GB, FR, IT, DE, ES, PT, GR, PL
 - 35076 CORDURA BAG with belt loop - blue

STANDARD LARYNGOSCOPE BLADES AND SETS - 2.5 V



3 YEARS WARRANTY



Great features of the unique GIMA blades and handles

- standard 2.5 V vacuum bulb
- light ergonomic, satin finish handle to reduce glare
- Stainless Steel contacts guarantee long working life
- easy sterilization ETO or steam
- full range of Mc Intosh & Miller blades, latex free
- ISO 7376 fittings allow use of blades with existing handles
- set is packaged in an anti-shock case and in cardboard box
- 2.5 V handles work with both alkaline batteries or rechargeable batteries
- good light transmission of 3,500 LUX with 2.5 V handles
- autoclavable up to 134° for 5 minutes (approx. 2,000 times)
- non magnetic blades and handles

| GIMA code | STANDARD RECHARGEABLE SETS (HANDLE+BLADES) | |
|-----------|--|----------------------------------|
| 34301 | Pediatric set | 2 blades MILLER 0-1 |
| 34307 | Pediatric set | 3 blades MILLER 00-0-1 |
| 34305 | Pediatric set | 3 blades MILLER 0-1, Mc INTOSH 0 |
| 34306 | Doctor set | 3 blades MILLER 1, 2, 3 |
| 34302 | Adult set | 3 blades Mc INTOSH 2-3-4 |
| 34303 | Adult set | 4 blades Mc INTOSH 1-2-3-4 |

| GIMA code | BULBS, BATTERIES AND RECHARGEABLE HANDLES | |
|---|--|--|
| 34352 | Small rechargeable handle - pediatric (2xAA) - 2.5 V | |
| 34354 | Large rechargeable handle - adult (2XC) - 2.5 V | |
| 34466 | Pediatric rechargeable Li-ion battery 2.5 V AA | |
| 34467 | Adult rechargeable Li-ion battery 2.5 V "C" | |
| <i>Charging time 2.5 hours (34466), 5 hours (34467)</i> | | |
| 31542 | Charging station (including pediatric adaptor, wall support, UK, US and EU plug) 100-240 V | |
| 34324 | Small Bulbs for MAC N°0 and MILLER N°00,0,1 | |
| 34325 | Large Bulbs for MAC N°1,2,3,4 and MILLER N°2,3 | |
| <i>compatible with Kawe and Riester</i> | | |

| GIMA code | STANDARD BLADES | Overall Length mm | Distal Width mm |
|-----------|---------------------------------------|-------------------|-----------------|
| 34310 | Blade N° 00 MILLER OXY - premature | 65 | 12.5 |
| 34311 | Blade N° 0 MILLER - premature/newborn | 78 | 11.5 |
| 34312 | Blade N° 1 MILLER - babies | 102 | 11.5 |
| 34313 | Blade N° 2 MILLER - adults | 155 | 16.5 |
| 34314 | Blade N° 3 MILLER - adults/large | 195 | 16.5 |
| 34317 | Blade N° 0 Mc INTOSH - newborn | 80 | 13 |
| 34318 | Blade N° 1 Mc INTOSH - babies | 92 | 14 |
| 34319 | Blade N° 2 Mc INTOSH - infants | 100 | 14 |
| 34320 | Blade N° 3 Mc INTOSH - adults | 130 | 18 |
| 34321 | Blade N° 4 Mc INTOSH - adults/large | 155 | 18 |



DISPOSABLE F.O. LARYNGOSCOPE BLADES MILLER AND MC INTOSH

SINGLE-PATIENT USE LARYNGOSCOPE F.O. BLADES
 Choice of 5 different blades: Mc Intosh N° 2, 3, 4 and Miller N° 0,1. All blades are tested for tensile strength. Individually packed, non sterile.

COMPATIBILITY WITH ALL "GREEN" F.O. SYSTEMS

- 34381 EMERGENCY PACK: plastic handle +3 disposable blades Mc Intosh N° 2,3,4
- 34382 NYLON BAG - empty
- 34384 EMERGENCY CASE: plastic handle+6 disposable blades Miller 0,1,2 and Mc Intosh 2,3,4.

| GIMA code | DISPOSABLE BLADES NON STERILE | Overall Length mm | Distal Width mm |
|-----------|--|-------------------|-----------------|
| 34481 | Metal handle | | |
| 34364 | Plastic handle | | |
| 34365 | N° 0 Miller - infant | 90 | 22 |
| 34366 | N° 1 Miller - child | 100 | 23.3 |
| 34375 | N° 2 Mc Intosh - adult small | 115 | 34.4 |
| 34376 | N° 3 Mc Intosh - adult | 132 | 40.6 |
| 34377 | N° 4 Mc Intosh - adult large | 155 | 58.7 |
| 34359 | Bulb for old plastic handle sold up to may 2016 | | |
| 34358 | Bulb for new plastic handle sold since june 2016 | | |

