



## **CANNULATED SCREW & WIRE**

### **IMPLANTS & INSTRUMENTS**



- **306** | 4.0mm Cannulated Screw (Short Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 12mm to 50mm (2mm Increment)  
50mm to 70mm (5mm Increment)



- **307** | 4.0mm Cannulated Screw (Full Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 12mm to 50mm (2mm Increment)  
50mm to 70mm (5mm Increment)



- **310** | 6.5mm Cannulated Screw (16mm Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 25mm to 120mm (5mm Increment)



- **311** | 6.5mm Cannulated Screw (32mm Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 40mm to 120mm (5mm Increment)



- **312** | 6.5mm Cannulated Screw (Full Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 25mm to 120mm (5mm Increment)



- **313** | 7.0mm Cannulated Screw (16mm Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 25mm to 120mm (5mm Increment)



- **314** | 7.0mm Cannulated Screw (32mm Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 40mm to 130mm (5mm Increment)



- **319** | 7.0mm Cannulated Screw (Full Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 25mm to 130mm (5mm Increment)



• 656.125 | Parallel Drill Guide 1.25mm



• 657.032 | Drill Bit Cannulated 3.2mm



• 658.040 | Tap Cannulated for 4.0mm Screws



• 659.025 | Screw Driver Cannulated 2.5mm Tip




• 670.125 | Direct Measuring Device for 1.25mm Guide Wire



• 671.125 | Guide Wire 1.25mm x 225mm



• 656.200 | Parallel Drill Guide 2.0mm



• 657.045 | Drill Bit Cannulated 4.5mm



- 658.065 | Tap Cannulated for 6.5mm Screws
- 658.070 | Tap Cannulated for 7.0mm Screws



- 659.035 | Screw Driver Cannulated 3.5mm Tip



- 670.200 | Direct Measuring Device for 2.0mm Guide Wire



- 671.180 | Guide Wire 1.8mm x 225mm

## SAGC.13 4.0mm Cannulated Screw and instrument Set



### Implants

<b>306</b>	4.0mm Cannulated Screw (Short Thread) 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm	<b>2 Each</b>
<b>307</b>	4.0mm Cannulated Screw (Full Thread) 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm	<b>2 Each</b>

### Instruments

<b>656.125</b>	Parallel Drill Guide 1.25mm	<b>1 Each</b>
<b>657.032</b>	Drill Bit Cannulated 3.2mm	<b>1 Each</b>
<b>658.040</b>	Tap Cannulated for 4.0mm Screws	<b>1 Each</b>
<b>659.025</b>	Screw Driver Cannulated 2.5mm Tip	<b>1 Each</b>
<b>670.125</b>	Direct Measuring Device for 1.25mm Guide Wire	<b>1 Each</b>
<b>671.125</b>	Guide Wire 1.25mm x 225mm	<b>3 Each</b>

## SAGC.14 6.5mm Cannulated Screw and instrument Set



### Implants

<b>310</b>	6.5mm Cannulated Screw (16mm Thread) 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm	<b>2 Each</b>
<b>311</b>	6.5mm Cannulated Screw (32mm Thread) 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm	<b>2 Each</b>
<b>312</b>	6.5mm Cannulated Screw (Full Thread) 25mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm	<b>2 Each</b>

### Instruments

<b>656.200</b>	Parallel Drill Guide 2.0mm	<b>1 Each</b>
<b>657.045</b>	Drill Bit Cannulated 4.5mm	<b>1 Each</b>
<b>658.065</b>	Tap Cannulated for 6.5mm Screws	<b>1 Each</b>
<b>659.035</b>	Screw Driver Cannulated 3.5mm Tip	<b>1 Each</b>
<b>670.200</b>	Direct Measuring Device for 2.0mm Guide Wire	<b>1 Each</b>
<b>671.180</b>	Guide Wire 1.8mm x 225mm	<b>3 Each</b>



## Implants

<b>313</b>	7.0mm Cannulated Screw (16mm Thread) 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm	<b>2 Each</b>
<b>314</b>	7.0mm Cannulated Screw (32mm Thread) 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm, 125mm, 130mm	<b>2 Each</b>
<b>319</b>	7.0mm Cannulated Screw (Full Thread) 25mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm, 125mm, 130mm	<b>2 Each</b>

## Instruments

<b>656.200</b>	Parallel Drill Guide 2.0mm	<b>1 Each</b>
<b>657.045</b>	Drill Bit Cannulated 4.5mm	<b>1 Each</b>
<b>658.070</b>	Tap Cannulated for 7.0mm Screws	<b>1 Each</b>
<b>659.035</b>	Screw Driver Cannulated 3.5mm Tip	<b>1 Each</b>
<b>670.200</b>	Direct Measuring Device for 2.0mm Guide Wire	<b>1 Each</b>
<b>671.180</b>	Guide Wire 1.8mm x 225mm	<b>3 Each</b>



### • 326 | Wire Spool

**Material** - Stainless Steel

**Size** - 16swg, 18swg, 20swg, 22swg, 24swg, 26swg, 28swg, 30swg



### • 328 | Kirschnor Wire (K Wire) Double Side Trocar Tip

**Material** - Titanium / Stainless Steel

**Diameter** - 0.8mm, 1.0mm, 1.25mm, 1.5mm, 1.6mm, 1.8mm, 2.0mm, 2.5mm, 3.0mm

**Length** - 100mm, 150mm, 175mm, 200mm, 225mm, 300mm



### • 329 | Kirschnor Wire (K Wire) Single Side Trocar Tip

**Material** - Titanium / Stainless Steel

**Diameter** - 0.8mm, 1.0mm, 1.25mm, 1.5mm, 1.6mm, 1.8mm, 2.0mm, 2.5mm, 3.0mm

**Length** - 100mm, 150mm, 200mm, 225mm, 300mm




### • 330 | Kirschnor Wire (K Wire) Single Side Thread Tip

**Material** - Titanium / Stainless Steel

**Diameter** - 1.5mm, 1.6mm, 1.8mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm, 4.5mm

**Length** - 100mm, 150mm, 225mm



### • 331 | Kirschnor Wire (K Wire) Double Side Thread Tip

**Material** - Stainless Steel

**Diameter** - 1.5mm, 1.6mm, 1.8mm, 2.0mm, 2.5mm, 3.0mm

**Length** - 150mm, 225mm



• 660.001 | Wire Passer Small Dia.45mm



• 660.002 | Wire Passer Large Dia.70mm



• 660.003 | Wire Tightener with Tow Pegs



• 660.004 | Wire Tightener/Twister



• 660.005 | T Handle With Chuck & Key



• 660.006 | Wire Cutter Large



• 660.007 | Gigli Saw Wire




• 660.008 | Gigli Saw Introducer



• **660.009** | Gigli Saw Handle Pair



• **660.010** | Triple Drill Guide 2.0mm with 3hole Opposite side 1hole



• **660.012** | K Wire Introducer



• **660.013** | K Wire Bender Iron



• **660.014** | Universal Wire Cutter / Bender / Pliers



• **660.015** | Wire Twister Circular



## Instruments

660.001	Wire Passer Small Dia.45mm	1 Each
660.002	Wire Passer Large Dia.70mm	1 Each
660.003	Wire Tightener with Tow Pegs	1 Each
660.004	Wire Tightener/Twister	1 Each
660.005	T Handle With Chuck & Key	1 Each
660.006	Wire Cutter Large	1 Each
660.007	Gigli Saw Wire	1 Each
660.008	Gigli Saw Introducer	1 Each
660.009	Gigli Saw Handle Pair	1 Each
660.010	Triple Drill Guide 2.0mm with 3hole Opposite side 1hole	1 Each
660.012	K Wire Introducer	1 Each
660.013	K Wire Bender Iron	1 Each
660.014	Universal Wire Cutter/Bender/Pliers	1 Each
660.015	Wire Twister Circular	1 Each