



## DECLARATION OF PERFORMANCE

- 1. Declaration Number** F-KKLB-75
- 2. Product Code** PARKELAM
- 3. Type:** Party or Serial number or other article that can describe (Pursuant to the fourth paragraph of Article 13 of the Construction Products Regulation) **KLASİK, MODERN, PLATINUM, AVANGARD, SILVER, PLATINUM PLUS, AVANGARD PLUS, LEGEND, SERENZA, DİBA**
- 4. Purpose of:** Intended purpose by the manufacturer according to the relevant technical specifications of the building material **LAMINATE FLOORING**
- 5. Manufacturer: Registered trade name or registered trademark and address of communication and production place:** (Pursuant to the fifth paragraph of Article 13 of Regulation) **ÇAMSAN ENTEGRE AĞAÇ SANAYİ ve TİCARET A.Ş.**  
**Adres: 2. Organize Sanayi Bölgesi Hendek/SAKARYA**  
**Tel : 0264 654 5818**  
**Faks : 0264 654 5816**  
**e-mail : sekreterlik@camsan.com.tr**
- 6. Evaluation and Verification of Performance Invariance System:** (As specified in Annex 5 of the Construction Products Regulation) **System 3**
- 7. Technical Evaluation and Notified Institution:** Declaration of performance of construction material covered by a accordance standard **Turkish Standard Institute (TSE)**



## 8. Declared Performance:

Basic Characteristics	Test Standard	Performance	Harmonized Technical Specification
Reaction of Fire	TS EN 13501-1+A1	Bfl-s1	TS EN 14041
Pentachlorophenol Ingredient	TS EN 12673	Not Include	
Formaldehyde Emission	TS EN 717-1	E1	
Water Proofing	TS EN 13553	NPD	
Slipperiness	TS EN 13893	≥ 0,30 (DS)	
Electrical Conduct	TS EN 1081	≤ 1,0×10 <sup>9</sup> Ω	
Thermal Conductivity	TS EN 12664	0,1559 W/mK	

**Document No-1: PARKELAM E1 TS EN 717-1 (14.0.30.4.54.00/E1-003)**

**Document No-2: PARKELAM TS EN 13329+A1 (001949-TSE-02/04)**

## 8. Declaration:

The performance of the material described in Article 2 and 3 compatible to the performance declared in Article 8. This declaration of performance is prepared solely under the responsibility of the manufacturer as defined in Article 5. This declaration of performance that is prepared in accordance with the Construction Products Regulation is only published under the responsibility of the manufacturer identified above.


The CE Mark was first attached to PARKELAM products on 13 April 2015. The revision was made on 1 December 2020.

## Manufacturer and Signature:

Mr. Metinay TOPKAYA

ÇAMSAN ENTEGRE ve AĞAÇ SANAYİ TİCARET A.Ş.  
Technical Deputy General Manager

Sakarya 2. Organize Sanayi Bölgesi  
Tel.: 0264 654 58 76 (pbx) Fax: 0264 654 58 15  
Yenikapı Vadi Dairesi: 228 005 3797  
Mersis No: 0228 0053 7970 0025



1783

**ÇAMSAN ENTEGRE  
AĞAÇ SANAYİ ve TİCARET A.Ş.**

2. Organize Sanayi Bölgesi  
Hendek / SAKARYA

15

Laminate Flooring

F-KKLB-75

LAB17-DS/169-170-171-172

TS EN 14041

Reaction of Fire	Bfl-s1
Pentachlorophenol Ingredient	Not Inc
Formaldehyde Emission	E1
Thermal Conductivity	$\geq 0,075$ W/mK
Slipperiness	$\geq 0,30$ (DS)
Electrical Conduct	$\leq 1,0 \times 10^9$ $\Omega$
Thermal Conductivity	NPD