



Twiddle.fit Cuff


PERFECT FIT

Innovative Twiddle.fit Cuff
Ensures the Ultimate Fit

2022
PRODUCT CATALOGUE


Atrial Fibrillation (AFib) Detection

Atrial Fibrillation (AFib) Detection



AFib Detection

Trend Indicator



DIGITAL AUTOMATIC blood pressure monitor MD41A0



Atrial Fibrillation
Detection



Diabetic
Populations


- Possible atrial fibrillation detection (AFib)
- Systolic and diastolic pressure trend indicator
- Irregular heartbeat detection and indicator (IHB)
- WHO Blood Pressure Classification Indicator
- Voice function
- 4.8" large display with white backlight
- Simple operation
- 4-user memory (240 x 4)
- Latest average record, AM/PM average record
- Date / Time clock
- Universal cuff equipped (22 -44cm or 8-1/2" to 17-3/8")
- Size: 99 x 164 x 46mm
- Power by AAA x 4 units / DC jack

CE 0123



Twiddle.fit Cuff

The new cuff equipped with Korean Lacing System, which give a great help to steady the cuff and user can easily fasten and operate the monitor with only one hand. User simply turn the dial to tighten the cuff and pull up to loosen. Different with traditional cuff, this neat and tidy design provide user excellent fastening experience.



WIDE RANGE UPPER ARM CUFF WITH ADJUSTABLE LACING SYSTEM GY7700



PUSH
to engage



TURN
to tighten



PULL UP
to loosen



Twiddle.fit Cuff



This Blood Pressure Arm Cuff is equipped with adjustable lacing system. This wide range cuff fits arms 24 to 42cm in circumference, suitable for all common arm sizes. Different with traditional cuff, this neat and tidy design provide user excellent fastening experience.



**Adjustable
Fit**



**24-42cm
Wide Range
Circumference**

- **24-42cm Wide Range Circumference**

Suitable for all common arm sizes

- **Korean lacing system for adjustable fit**

It can be loosened or tightened fast and easily

- **Latex free**

Suitable for allergy sufferers

CE 0123

DIGITAL AUTOMATIC blood pressure monitor MD5400 series

2019 SILVER WINNER

**EUROPEAN
PRODUCT
DESIGN
AWARD**

www.productdesignaward.eu

Silver Prize in
Life Science Design Medical /
Scientific Machinery_LS



Twiddle.fit Cuff

IFT
Inflation
Technology

LED WHO
Indicator



M
240x4

4
USERS

CE 0123



Model: MD5451



Cloud Storage

Model: MD5470



Talking

- Compact design Intergrated with monitor, display and cuff
- Twiddle.fit Cuff
- Semi-rigid design - portable and easy to store
- WHO Blood Pressure Classification LED Indication
- Latest average record, AM/PM average record
- Arm Cuff Circumference:
Standard cuff (22-34cm) / (9-13 Inches)
Large cuff (27-44cm) / (11-17 Inches)
- Size: 97 x 144 x 20mm (not including the arm cuff)
- Power by AAA x 4 units



Model: MD5400

M
120x4

4
USERS

CE 0123

- Compact design Intergrated with monitor, display and cuff
- WHO Blood Pressure Classification LED Indication
- Latest average record, AM/PM average record
- 22-44cm Full Range Cuff, suitable for all common arm sizes
- Size: 97 x 144 x 20mm (not including the arm cuff)
- Power by AAA x 4 units

DIGITAL AUTOMATIC
blood pressure monitor

MD41W0
series

2018 HONORABLE MENTION
EUROPEAN
PRODUCT
DESIGN
AWARD

www.productdesignaward.eu



works with
amazon alexa



IFT
Inflation
Technology



Model: MD41W0

- Track and manage blood pressure data stored in cloud
- Ask Alexa for your blood pressure data
- Simple operation
- 4 users operation
- Latest average record, AM/PM average record
- WHO Blood Pressure Classification Indicator
- Date / Time clock
- Alarm function
- Standard cuff equipped
(22 -36cm or 8-1/2" to 14-1/8")
- Optional large cuff
(35 -44cm or 13-3/4" to 17-3/8")
- Optional universal cuff
(22 -44cm or 8-1/2" to 17-3/8")
- Size: 99 x 164 x 46mm
- Power by AAA x 4 units



Model: MD41W0

- 240 MEMORIES X 4
- BLUE BACKLIGHT
- DC JACK



Model: MD41W1

- 240 MEMORIES X 4
- NEGATIVE DISPLAY
- DC JACK

DIGITAL AUTOMATIC blood pressure monitor

MD5500 series



Model: MD5540

- Simple operation
- Individual SYS. / DIA. Indicator
- IHB % Indicator
- 4 users operation
- Latest average record
- WHO Blood Pressure Classification Indicator
- Date / Time clock
- Standard cuff equipped
(22 -36cm or 8-1/2" to 14-1/8")
- Optional large cuff
(35 -44cm or 13-3/4" to 17-3/8")
- Optional universal cuff
(22 -44cm or 8-1/2" to 17-3/8")
- Size: 110 x 154 x 77mm
- Power by AA x 4 units



Model: MD5520

- 240 MEMORIES X 4
- DC JACK



Model: MD5540

- 240 MEMORIES X 4
- NEGATIVE DISPLAY
- DC JACK



Model: MD5580

- 240 MEMORIES X 4
- BLUE BACKLIGHT
- DC JACK

DIGITAL AUTOMATIC blood pressure monitor MD5681



Model: MD5681

- Build in Bluetooth (BLE)
- Wireless connection with smartphone or tablet devices
- Simple to use data management , analysis and data sharing on smart devices
- Individual SYS. / DIA. Indicator
- IHB % Indicator
- 4 users operation
- Latest average record
- WHO Blood Pressure Classification Indicator
- Date / Time clock
- Standard cuff equipped (22 -36cm or 8-1/2" to 14-1/8")
- Optional large cuff (35 -44cm or 13-3/4" to 17-3/8")
- Optional universal cuff (22 -44cm or 8-1/2" to 17-3/8")
- Size: 110 x 154 x 77mm
- Power by AA x 4 units



DIGITAL AUTOMATIC blood pressure monitor MD4700 series

2018 WINNER
**EUROPEAN
PRODUCT
DESIGN
AWARD**

www.productdesignaward.eu

Gold Prize in
Design for Society/
Design for Elders

IFT
Inflation
Technology

**WHO
CHART**



6.5"

M
480x2

**2
USERS**



Model: MD4740

- Simple operation
- 2 users operation
- Latest average record, AM/PM average record
- WHO Blood Pressure Classification Indicator
- Date / Time clock
- Alarm function
- Standard cuff equipped
(22 -36cm or 8-1/2" to 14-1/8")
- Optional large cuff
(35 -44cm or 13-3/4" to 17-3/8")
- Optional universal cuff
(22 -44cm or 8-1/2" to 17-3/8")
- Size: 136 x 190 x 52mm
- Power by AA x 4 units



Model: MD47A0

- 480 MEMORIES X 2
- BLUE BACKLIGHT
- DC JACK

CE 0123



Model: MD4720

- 240 MEMORIES X 2
- DC JACK



Model: MD4740

- 480 MEMORIES X 2
- NEGATIVE DISPLAY
- DC JACK



Model: MD4780

- 480 MEMORIES X 2
- BLUE BACKLIGHT
- DC JACK

DIGITAL AUTOMATIC blood pressure monitor

MD4781

series



Model: MD4781

- Build in Bluetooth (BLE)
- Wireless connection with smartphone or tablet devices
- Simple to use data management , analysis and data sharing on smart devices
- 2 users operation
- 480 memories x 2
- Latest average record, AM/PM average record
- WHO Blood Pressure Classification Indicator
- Date / Time clock
- Alarm function
- Standard cuff equipped (22 -36cm or 8-1/2" to 14-1/8")
- Optional large cuff (35 -44cm or 13-3/4" to 17-3/8")
- Optional universal cuff (22 -44cm or 8-1/2" to 17-3/8")
- Size: 136 x 190 x 52mm
- Power by AA x 4 units



CE 0123



Model: MD47A1

- 480 MEMORIES X 2
- BLUE BACKLIGHT
- DC JACK

DIGITAL AUTOMATIC blood pressure monitor

MD4100 series

IFT
Inflation
Technology



Model: MD4140

- Simple operation
- 4 users operation
- Latest average record, AM/PM average record
- WHO Blood Pressure Classification Indicator
- Date / Time clock
- Alarm function
- Standard cuff equipped
(22 -36cm or 8-1/2" to 14-1/8")
- Optional large cuff
(35 -44cm or 13-3/4" to 17-3/8")
- Optional universal cuff
(22 -44cm or 8-1/2" to 17-3/8")
- Size: 99 x 164 x 46mm
- Power by AAA x 4 units



Model: MD4120

- 120 MEMORIES X 4
- DC JACK



Model: MD4140

- 240 MEMORIES X 4
- NEGATIVE DISPLAY
- DC JACK



Model: MD4180

- 240 MEMORIES X 4
- WHITE BACKLIGHT
- DC JACK

DIGITAL AUTOMATIC blood pressure monitor

MD4500 series

IFT
Inflation
Technology



Model: MD4580

- Simple operation
- 2 users operation
- Latest average record
- WHO Blood Pressure Classification Indicator
- Date / Time clock
- Alarm function
- Standard cuff equipped
(22 -36cm or 8-1/2" to 14-1/8")
- Optional large cuff
(35 -44cm or 13-3/4" to 17-3/8")
- Optional universal cuff
(22 -44cm or 8-1/2" to 17-3/8")
- Size: 100 x 147 x 50mm
- Power by AA x 4 units



Model: MD4520

- 240 MEMORIES X 2
- DC JACK



Model: MD4540

- 480 MEMORIES X 2
- NEGATIVE DISPLAY
- DC JACK



Model: MD4580

- 480 MEMORIES X 2
- BLUE BACKLIGHT
- DC JACK

DIGITAL AUTOMATIC blood pressure monitor

MD2500 series



Model: MD2540

- Simple operation
- 2 users & Guest mode operation
- 120 memories x 2 (total 240)
- Latest average record
- WHO Blood Pressure Classification Indicator
- Clock with 24Hrs format
- Standard cuff equipped (22 -36cm or 8-1/2" to 14-1/8")
- Size: 99 x 160 x 45mm
- Power by AA x 4 units



Model: MD2520

- 120 MEMORIES X 2
- DC JACK



Model: MD2540

- 120 MEMORIES X 2
- NEGATIVE DISPLAY
- DC JACK



Model: MD2580

- 120 MEMORIES X 2
- WHITE BACKLIGHT
- DC JACK

DIGITAL AUTOMATIC blood pressure monitor

MD2600 series




IHB



120x2



USERS



Model: MD2680

- Touch button operation
- 2 users & Guest mode operation
- 120 memories x 2 (total 240)
- Latest average record
- WHO Blood Pressure Classification Indicator
- Clock with 24Hrs format
- Standard cuff equipped (22 -36cm or 8-1/2" to 14-1/8")
- Size: 99 x 164 x 46mm
- Power by AA x 4 units



Model: MD2620

- 120 MEMORIES X 2
- DC JACK



Model: MD2640

- 120 MEMORIES X 2
- NEGATIVE DISPLAY
- DC JACK



Model: MD2680

- 120 MEMORIES X 2
- WHITE BACKLIGHT
- DC JACK

DIGITAL AUTOMATIC blood pressure monitor

MD3010 series



IHB



120x4



4
USERS



Model: MD3010

- Simple operation
- 4 users operation
- 120 memories x 4 (total 480)
- Latest average record
- WHO Blood Pressure Classification Indicator
- Date / Time clock
- Standard cuff equipped (22 -36cm or 8-1/2" to 14-1/8")
- Size: 145 x 88 x 48mm
- Power by AAA x 4 units
- DC Jack

CE 0123



Model: MD3010



120x4



Model: MD3011



120x4



DIGITAL AUTOMATIC blood pressure monitor

MD3110 series



IHB



120x4



4
USERS



Model: MD3150

- Simple operation
- 4 users operation
- 120 memories x 4 (total 480)
- Latest average record
- WHO Blood Pressure Classification Indicator
- Date / Time clock
- Standard cuff equipped (22 -36cm or 8-1/2" to 14-1/8")
- Size: 99 x 136 x 45mm
- Power by AAA x 4 units



Model: MD3110



120x4



Model: MD3130



120x4



Model: MD3150



120x4



Model: MD3111



120x4



Model: MD3131



120x4



Model: MD3151



120x4



DIGITAL AUTOMATIC blood pressure monitor

MD5900 series



Model: MD5990

- Simple operation
- 2 users operation
- 120 memories x 2 (total 240)
- Latest average record
- WHO Blood Pressure Classification Indicator
- Date / Time clock
- Standard cuff equipped (22 -32cm or 9" to 13")
- Size: 83 x 110 x 46mm
- Power by AAA x 4 units / Micro USB



Model: MD5940



Model: MD5960



DIGITAL AUTOMATIC
blood pressure monitor

MD5020 series

IFT
Inflation
Technology



M
120x2

2
USERS



Model: MD5020

- Simple operation
- 2 users mode
- WHO Blood Pressure Classification Indicator
- Clock with 24Hrs format
- Latest average record
- Wrist circumference: 13.5 - 21.5cm / 5.3" - 8.5"
- Size: 77 x 68 x 28mm
- Power by AAA x 2 units

CE 0123



Model: MD5020

M 2.1"

120x2



Model: MD5001

M 2"

120x2

DIGITAL AUTOMATIC
blood pressure monitor

MD2210 series

IFT
Inflation
Technology



IHB



120x2



**2
USERS**



Model: MD2210-BK



Model: MD2210-W

- Simple operation
- 2 users mode
- WHO Blood Pressure Classification Indicator
- Clock with 12/24Hrs format
- Latest average record
- Wrist circumference: 13.5 - 23cm / 5.3" - 9.1"
- Size: 90 x 68 x 18mm
- Power by AAA x 2 units



New Cuff Design
Quick & Easy
Positioning



DIGITAL AUTOMATIC
blood pressure monitor

MD2200
series



reddot award 2018
winner

IFT
Inflation
Technology



Model: MD2200-BK



Model: MD2200-W

- Simple operation
- 2 users mode
- WHO Blood Pressure Classification Indicator
- Clock with 12/24Hrs format
- Latest average record
- Wrist circumference: 13.5 - 23cm / 5.3" - 9.1"
- Size: 84 x 77 x 15mm
- Power by AAA x 2 units



New Cuff Design
Quick & Easy
Positioning



DIGITAL AUTOMATIC
blood pressure monitor

MD5300 series



Model: MD53B1



- Simple operation
- 2 users mode
- WHO Blood Pressure Classification Indicator
- Clock with 24Hrs format
- Latest average record
- Wrist circumference: 13.5 - 21.5cm / 5.3" - 8.5"
- Size: 102 x 78 x 30mm
- Power by AAA x 2 units



Model: MD5300



Model: MD53B0



Model: MD53B1



DIGITAL AUTOMATIC
blood pressure monitor

MD5200 series



IHB



Talking



120x2



USERS



Model: MD5250

- Simple operation
- 2 users mode
- WHO Blood Pressure Classification Indicator
- Clock with 24Hrs format
- Latest average record
- Wrist circumference: 13.5 - 21.5cm / 5.3" - 8.5"
- Size: 83 x 60 x 32mm
- Power by AAA x 2 units



Model: MD5200



120x2



Model: MD5220



120x2



Model: MD5250



120x2



Talking

RejuvenAir

Portable Cordless Air Compression Leg Massager

AM0100

2018 WINNER

**EUROPEAN
PRODUCT
DESIGN
AWARD**

www.productdesignaward.eu

Silver Prize in
Lifestyle and Travel /
Wellness and Relaxation
Products



**3 Air Massaging
Zones**



3 Auto Programs




3 Intensity Level

3 Massage Program


P1

Rejuvenate Program
(Wave Compression)




P2

Relax Program
(Massage)



P3

Recharge Program
(Sequential Compression)



P1 : Rejuvenate Program (Wave Compression)

Sustained pressure for relief of tired legs after mild activity.

P2 : Relax Program (Massage)

Gentle compressions, suitable for daily massage.

P3 : Recharge Program (Sequential Compression)

Enhances pressure with prolonged compressions for extremely tired legs.

 **MICRO USB CHARGING**

SPORTS Air

Portable Cordless Leg Massager for Athlete

AM0110



**3 MESSAGE
PROGRAM**



**3 MASSAGING
ZONE**



**3 INTENSITY
LEVELS**



3 MESSAGE PROGRAM FOR ATHLETE

MODE

A



MODE

B



MODE

C



Cuff size :

27 to 50cm / 10.6" x 19.7"

Cuff Pressure :

3 intensity levels (100 / 200 / 300 mmHg)

Massage Session Period :

Approx. 5-10 minutes per session

Battery Charging Time :

Approx. 2 hours

Battery Life :

Approx. 8 to 14 sessions per charge

 **MICRO USB
CHARGING**

Portable Cordless Air Massager AM0210

(air)
MASSAGER



2 MASSAGE
PROGRAM



2 INTENSITY
LEVELS



Controller Dimensions :

70 x 160 x 30mm /
2.8" x 6.3" x 1.2"

Cuff Size :

704 x 238mm

Cuff Pressure :

2 intensity levels
(150 / 300 mmHg)

Power by :

AAA x 4 units or
Type-C port power supply

Operating time :

Approx. 40 mins

Portable Cordless Air Massager

AM0310

(air)
MASSAGER



2 MASSAGE
PROGRAM



2 INTENSITY
LEVELS



Controller Dimensions :

70 x 160 x 30mm /
2.8" x 6.3" x 1.2"

Cuff Size :

704 x 238mm

Cuff Pressure :

2 intensity levels
(150 / 300 mmHg)

Battery Charging time :

Approx. 2 hours
(Type-C charging)

Operating time :

Approx. 6 hours per charge



Room 1705, Kinnox Centre,
No.9 Hung To Road, Kwun Tong,
Kowloon, Hong Kong.

Tel: (852) 2345-3038

Fax: (852) 2345-3323

E-Mail: sales@grandway.com.hk
www.grandway.com.hk



ISO 9001:2015



ISO 13485:2016

** In an effort to constant improve
our products the actual products
may differ slightly from the
photographs.*