

EC CERTIFICATE

Full Quality Assurance System

Certificate No.:
10000351346-PA-NA-IND

Project No.:
PRJC-571497-2017-MSL-IND

Valid Until:
29 September 2022

This is to certify that the quality system of:

Multimedics

Plot No.28, Phase -3, HPSIDC Ind. Area Baddi, Distt. Solan-173205 (HP), India

For design, production and final product inspection/testing of:
STERILE CORONARY STENT SYSTEM

Has been assessed with respect to:

**THE CONFORMITY ASSESSMENT PROCEDURE DESCRIBED IN
ANNEX II OF COUNCIL DIRECTIVE 93/42/EEC ON MEDICAL
DEVICES, AS AMENDED**

and found to comply.

Further details of the product(s) and conditions for certification are given overleaf.

Place and date:
Høvik, 14 May 2020



For:
DNV GL PRESAFE AS
Notified Body No.: 2460

Tone Kolpus

Tone Elise Kolpus

The certificate is digitally verified by blockchain technology. For more info, see www.dnvgl.com/assurance/certificates-in-the-blockchain.html



Notice: The Certificate is subject to terms and conditions as set out in the Certification Agreement. Failure to comply may render this Certificate invalid.
NOTIFIED BODY: DNV GL PRESAFE AS, Veritasveien 3, N-1363 Høvik, Norway - Registered Enterprise No: NO 997 067 401 MVA .

Certificate No.:
10000351346-PA-NA-IND

Project No.:
PRJC-571497-2017-MSL-IND

Valid Until:
29 September 2022

Jurisdiction

Application of Council Directive 93/42/EEC of 14 June 1993, adopted as "Forskrift om Medisinsk Utstyr" by the Norwegian Ministry of Health and Care Services.

Certificate history:

Revision	Description	Issue Date
0.0	This certificate is traceable to certificate no. 11231-2017-CE-IND-NA-PS Rev. 1.0 and Reissued after change of Project Number & Brand Addition - E-Magic Plus	14-05-2020

Products covered by this Certificate:

Product Description	Product Name	Class																																																																					
Sirolimus Eluting Coronary Stent System in Co-Cr L605 platform	M'Sure-S, Tapper-S & E-Magic Plus Expanded diameters – 2.5 to 4.0mm Lengths - 8, 12, 16, 20, 24, 28, 32, 36 and 40mm Reference codes:	III*																																																																					
	<table border="1"> <thead> <tr> <th rowspan="2">Stent Diameter (mm)</th> <th colspan="9">Stent Length (mm)</th> </tr> <tr> <th>8</th> <th>12</th> <th>16</th> <th>20</th> <th>24</th> <th>28</th> <th>32</th> <th>36</th> <th>40</th> </tr> </thead> <tbody> <tr> <td>2.50</td> <td>S25008</td> <td>S25012</td> <td>S25016</td> <td>S25020</td> <td>S25024</td> <td>S25028</td> <td>S25032</td> <td>S25036</td> <td>S25040</td> </tr> <tr> <td>2.75</td> <td>S27508</td> <td>S27512</td> <td>S27516</td> <td>S27520</td> <td>S27524</td> <td>S27528</td> <td>S27532</td> <td>S27536</td> <td>S27540</td> </tr> <tr> <td>3.00</td> <td>S30008</td> <td>S30012</td> <td>S30016</td> <td>S30020</td> <td>S30024</td> <td>S30028</td> <td>S30032</td> <td>S30036</td> <td>S30040</td> </tr> <tr> <td>3.50</td> <td>S35008</td> <td>S35012</td> <td>S35016</td> <td>S35020</td> <td>S35024</td> <td>S35028</td> <td>S35032</td> <td>S35036</td> <td>S35040</td> </tr> <tr> <td>4.00</td> <td>S40008</td> <td>S40012</td> <td>S40016</td> <td>S40020</td> <td>S40024</td> <td>S40028</td> <td>S40032</td> <td>S40036</td> <td>S40040</td> </tr> </tbody> </table>		Stent Diameter (mm)	Stent Length (mm)									8	12	16	20	24	28	32	36	40	2.50	S25008	S25012	S25016	S25020	S25024	S25028	S25032	S25036	S25040	2.75	S27508	S27512	S27516	S27520	S27524	S27528	S27532	S27536	S27540	3.00	S30008	S30012	S30016	S30020	S30024	S30028	S30032	S30036	S30040	3.50	S35008	S35012	S35016	S35020	S35024	S35028	S35032	S35036	S35040	4.00	S40008	S40012	S40016	S40020	S40024	S40028	S40032	S40036	S40040
	Stent Diameter (mm)			Stent Length (mm)																																																																			
			8	12	16	20	24	28	32	36	40																																																												
	2.50		S25008	S25012	S25016	S25020	S25024	S25028	S25032	S25036	S25040																																																												
	2.75		S27508	S27512	S27516	S27520	S27524	S27528	S27532	S27536	S27540																																																												
	3.00		S30008	S30012	S30016	S30020	S30024	S30028	S30032	S30036	S30040																																																												
3.50	S35008	S35012	S35016	S35020	S35024	S35028	S35032	S35036	S35040																																																														
4.00	S40008	S40012	S40016	S40020	S40024	S40028	S40032	S40036	S40040																																																														

* Design assessment is covered by a separate EC-Design Examination Certificate No.: 10000351742-PA-NA-IND

Sites covered by this certificate

Site Name	Address
Multimedics	Plot No.28, Phase -3, HPSIDC Ind. Area Baddi, Distt. Solan-173205 (HP), India

EU Representative

Obelis, Bd General Wahis 53, 1030 Brussels, Belgium

Certificate No.:
10000351346-PA-NA-IND

Project No.:
PRJC-571497-2017-MSL-IND

Valid Until:
29 September 2022

Terms and conditions

The certificate is subject to the following terms and conditions:

- Any producer (see 2001/95/EC for a precise definition) is liable for damage caused by a defect in his product(s), in accordance with directive 85/374/EEC, as amended, concerning liability of defective products.
- The certificate is only valid for the products and/or manufacturing premises listed above.
- The Manufacturer shall fulfil the obligations arising out of the quality system as approved and uphold it so that it remains adequate and efficient.
- The Manufacturer shall inform Presafe of any intended updating of the quality system and Presafe will assess the changes and decide if the certificate remains valid.
- Periodical audits will be held, in order to verify that the Manufacturer maintains and applies the quality system. Presafe reserves the right, on a spot basis or based on suspicion, to pay unannounced visits.

The following may render this Certificate invalid:

- Changes in the quality system affecting production.
- Periodical audits not held within the allowed time window.

Conformity declaration and marking of product

When meeting with the terms and conditions above, the producer may draw up an EC declaration of conformity and legally affix the CE mark followed by the Notified Body identification number of Presafe.

End of Certificate