

## OFERTĂ COMERCIALĂ

Avem onoarea sa va prezentăm următoarea schema de preturi:

Data 20.01.2022

### Sistem de conferinta CU fir si votare

| <u>Nº</u> | <u>Denumirea bunurilor</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <u>Cant.</u> | <u>Pret<br/>f/TVA,<br/>MDL</u> | <u>Pret cu<br/>TVA,<br/>MDL</u> | <u>Suma<br/>f/TVA,<br/>MDL</u> | <u>Suma cu<br/>TVA, MDL</u> |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------|---------------------------------|--------------------------------|-----------------------------|
| 1         | <b>Unitate centrala pentru sistem de conferinta DSP Networked Conference controller VIS-DCP2000-D</b><br>Full Digital Networked DSP Conference Processor<br>One CAT5e cable to transmit up 64 channels audio and other signals<br>The microphone sensitivity of each unit and 16 level equalizer EQ can be adjusted independently<br>The 16-level equalizer EQ to achieve sound or the whole conference field adjustment, limiter to prevent the sound suddenly become loud or low; noise gate of human voice can be identified; support AGC/AFC/ Mix (Auto-mix) technology<br>Interfaces<br>Front panel USB recording interface<br>3.5mm headphone for monitoring<br>1x RCA audio input<br>1x XLR audio input<br>1x RCA audio output<br>1x XLR audio output<br>6x Phoenix interface audio output<br>2x RJ45 digital audio connection<br>2x RJ45 for chairman unit, delegate unit, unit translators and other connection<br>1x DP9 male interface for external control<br>1x DP9 female interface for camera<br>1x three-pin phoenix interface for camera control keyboard<br>1x RJ45 for computer connection or network switcher<br>1x grounding screw<br>1x 100 ~ 240V DC Power Interface<br>Technical Parameters<br>Power 220V AC<br>Static power consumption 12W<br>Maximum power consumption 150W<br>Frequency Response 20Hz ~ 20KHz<br>Noise ratio (S / N)> 80dB<br>Total harmonic distortion <0.05%<br>Channel Crosstalk> 80dB<br>Rackmountable<br>Inclus in set toate cablurile și accesoriile de instalare și interconectare<br>Garantie 36 luni | 1 buc        | 21 225.00                      | 25 470.00                       | 21 225.00                      | 25 470.00                   |
| 2         | <b>Microfon presedinte CAT5 connection DSP digital discussion chairman unit. incl. mic VIS-DVC-T + Microfon tip gooseneck VIS-M600</b><br>Hot plug and play, Cat5 Wired Desktop<br>Conference Gooseneck Microphone 600mm lenght                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1 buc        | 6 135.00                       | 7 362.00                        | 6 135.00                       | 7 362.00                    |

|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |        |          |            |            |            |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|------------|------------|------------|
|                 | <p>Touchable buttons: MIC ON/OFF, Priority &amp; Apply Answer</p> <p>5 keys voting, 64 channels</p> <p>3.5mm stereo earphone jack (*2pcs)</p> <p>48 kHz audio sampling rate</p> <p>20Hz~20KHz response frequency</p> <p>Anti RF interference from cell phone or similar devices</p> <p>Automatic Gain Control / Adaptive Feedback Cancellation / Active Noise Control / Auto-Mix</p> <p>Cardioid directional microphone capsule with anti-wind microphone foam, with two-color LED indicator</p> <p>Must realize camera auto tracking (preset) function</p> <p>Garantie 36 luni</p>                                                                                                                                                                                                         |        |          |            |            |            |
| 3               | <p><b>Microfon delegat CAT5 connection DSP digital discussion delegate unit. incl. mic VIS-DVD-T + Microfon tip gooseneck VIS-M600</b></p> <p>Hot plug and play, Cat5 Wired Desktop Conference Gooseneck Microphone 600mm lenght</p> <p>Touchable buttons: MIC ON/OFF</p> <p>5 keys voting, 64 channels</p> <p>3.5mm stereo earphone jack (*2pcs)</p> <p>48 kHz audio sampling rate</p> <p>20Hz~20KHz response frequency</p> <p>Anti RF interference from cell phone or similar devices</p> <p>Automatic Gain Control / Adaptive Feedback Cancellation / Active Noise Control / Auto-Mix</p> <p>Cardioid directional microphone capsule with anti-wind microphone foam, with two-color LED indicator</p> <p>Must realize camera auto tracking (preset) function</p> <p>Garantie 36 luni</p> | 22 buc | 5 955.00 | 7 146.00   | 131 010.00 | 157 212.00 |
| 4               | <p><b>Microfon delegat CAT5 connection DSP digital discussion delegate unit. incl. mic VIS-DID-T + Microfon tip gooseneck VIS-M600</b></p> <p>Hot plug and play, Cat5 Wired Desktop Conference Gooseneck Microphone 600mm lenght</p> <p>Touchable buttons: MIC ON/OFF</p> <p>3.5mm stereo earphone jack (*2pcs)</p> <p>48 kHz audio sampling rate</p> <p>20Hz~20KHz response frequency</p> <p>Anti RF interference from cell phone or similar devices</p> <p>Automatic Gain Control / Adaptive Feedback Cancellation / Active Noise Control / Auto-Mix</p> <p>Cardioid directional microphone capsule with anti-wind microphone foam, with two-color LED indicator</p> <p>Must realize camera auto tracking (preset) function</p> <p>Garantie 36 luni</p>                                   | 3 buc  | 4 980.00 | 5 976.00   | 14 940.00  | 17 928.00  |
| <b>SubTOTAL</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |        |          | 173 310.00 | 207 972.00 |            |

### Sistem de sonorizare

| Nº              | Denumirea bunurilor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Cant. | Pret<br>f/TVA,<br>MDL | Pret cu<br>TVA, MDL | Suma<br>f/TVA,<br>MDL | Suma cu<br>TVA, MDL |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------------------|---------------------|-----------------------|---------------------|
| 1               | <b>Amplificator AMC MMA240X</b><br>Putere de iesire – 240 W<br>Posibilitate impartire semnal in maxim 5 zone<br>Intrari: 3 x balanced XLR, 3 x stereo RCA, 6 x 6,3mm jack socket, 1 x 3,5mm TRS Jack.<br>Iesire: 6 x phoenix, 2 x 6.3mm Jack<br>Frequency response – 80 Hz - 15 kHz<br>THD –mai putin 0,5% la 1kHz putere<br>S/N ratio - 75 Db<br>Equalizer - 125 Hz, 250 Hz, 500 Hz, 1 kHz, 2 kHz, 4 kHz, 8 kHz, ± 12 dB<br>Phantom power – 15V max.<br>Cu posibilitate de instalat pe masa sau in rack pentru boxe de tip 40hm, 25V, 70V si 100V<br>reglare putere sunet intrari si master<br>Inclus in set toate cablurile și accesorii de instalare și interconectare<br>GARANTIE: 12 luni | 1 buc | 10 695.00             | 12 834.00           | 10 695.00             | 12 834.00           |
| 2               | <b>Speaker AMC COM 440</b><br>Rated power 40 W<br>Transformer power taps 40 W - 20 W<br>Sensitivity 91 dB (1 W/1 m)<br>Frequency response 120 Hz – 20 kHz<br>Maximum SPL 110dB (Pmax/1m) la 8414 Hz<br>Dispersie la 1kHz - 1800 orizontala, 1400 verticala<br>Dimensions 655 mm × 150 mm x 125 mm<br>Difuzoare incorporate: 4 buc de frecvente joase de 4", 1 buc de frecvente inalte de 1,5"<br>Greutate –5.9 kg<br>Garantie 12 luni                                                                                                                                                                                                                                                          | 6 buc | 2 550.00              | 3 060.00            | 15 300.00             | 18 360.00           |
| 3               | <b>Preamplificator-mixer AMC iMix 63</b><br>Tip rackmount, Intrari: 6 x universal combi XLR, 3 x stereo RCA<br>Iesiri: 1 x balanced stereo XLR, 1 x stereo RCA, 2 x 6,3 mm TRS jacks<br>Frecventa de raspuns: 20 Hz - 22 kHz<br>THD: 0,03 % @ 1 kHz<br>Alimentare phantom: +18V<br>Inclus in set toate cablurile și accesorii de instalare și interconectare<br>Garantie 12 luni                                                                                                                                                                                                                                                                                                               | 1 set | 3 435.00              | 4 122.00            | 3 435.00              | 4 122.00            |
| <b>SubTOTAL</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |                       |                     | <b>29 430.00</b>      | <b>35 316.00</b>    |

### Sistem de distribuire semnal video

| Nº | Denumirea bunurilor                                                                                                                                                                                                                            | Cant. | Pret<br>f/TVA,<br>MDL | Pret cu<br>TVA, MDL | Suma<br>f/TVA,<br>MDL | Suma cu<br>TVA, MDL |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------------------|---------------------|-----------------------|---------------------|
| 1  | <b>85" LED TV Samsung UE85AU8000UXUA, Black</b><br>(3840x2160 UHD, SMART TV, PQI 2200Hz, DVB-T/T2/C/S2)<br>(85" Black, 3840x2160 UHD, Smart TV (Tizen OS), PQI 2200Hz, HDR10+, HLG, 3 HDMI, 2 USB, Wi-Fi, DVB-T/T2/C/S2, Smart remote control, | 2 buc | 32 250.00             | 38 700.00           | 64 500.00             | 77 400.00           |

|                 |                                                                                                                                                                                                                   |       |           |           |                  |                  |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------|-----------|------------------|------------------|
|                 | OSD Language: ENG, RO, RU, Speakers 2x10W<br>Dolby Digital Plus, 41.2Kg)<br>Garantie 24 luni                                                                                                                      |       |           |           |                  |                  |
| 2               | <b>Wall Mount Reflecta PLANO Flat 100-10080" Black</b>                                                                                                                                                            | 2 buc | 630.00    | 756.00    | 1 260.00         | 1 512.00         |
| 3               | Matrice HDMI - M5 series Seamless Modular Matrix Switcher, incl.:<br>VW-VL0808 - Digital HD combo matrix 8x8 cabinet;<br>MX-HM4I - 4-channel HDMI input card with audio;<br>MX-HM4O - 4-channel HDMI output card. | 1 buc | 37 080.00 | 44 496.00 | 37 080.00        | 44 496.00        |
| 4               | <b>Cablu HDMI 30m CCBP-HDMI-AOC-30m OPTICAL</b>                                                                                                                                                                   | 1 buc | 1 500.00  | 1 800.00  | 1 500.00         | 1 800.00         |
| 5               | <b>Cablu HDMI 80m CCBP-HDMI-AOC-30m OPTICAL</b>                                                                                                                                                                   | 1 buc | 3 210.00  | 3 852.00  | 3 210.00         | 3 852.00         |
| 6               | <b>Cablu HDMI 10m</b>                                                                                                                                                                                             | 1 buc | 180.00    | 216.00    | 180.00           | 216.00           |
| <b>SubTOTAL</b> |                                                                                                                                                                                                                   |       |           |           | <b>107730.00</b> | <b>129276.00</b> |

### Manopera

| <b>Nº</b>               | <b>Denumirea bunurilor</b>                                                                                                                             | <b>Cant.</b> | <b>Pret f/TVA, MDL</b> | <b>Pret cu TVA, MDL</b> | <b>Suma f/TVA, MDL</b> | <b>Suma cu TVA, MDL</b> |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|-------------------------|------------------------|-------------------------|
| 1                       | <b>Manopera</b> (servicii de instalare, trasare, setare si punere in functiune a echipamentului audio-video, inclusiv materiale, cabluri si accesorii) | serv         | 17 850.00              | 21 420.00               | 17 850.00              | 21 420.00               |
| <b>SubTOTAL</b>         |                                                                                                                                                        |              |                        |                         | <b>17 850.00</b>       | <b>21 420.00</b>        |
| <b>TOTAL PER OFERTA</b> |                                                                                                                                                        |              |                        |                         | <b>328320.00</b>       | <b>393984.00</b>        |

**Total per oferta, fara TVA – 328.320,00 MDL**

**Total per oferta, inclusiv TVA 20% – 393.984,00 MDL**

**Termenul de garantie a echipamentului oferit – 24 luni din ziua dării în primire.**

**Livrarea se efectueaza in termen de pana la 60 zile din data comenzii ferme.**

Numele: Eugeniu Rudenco

Functia: Director

Semnătura: \_\_\_\_\_

L.S.

