

IMPORTANT!

Dear Customers!

In as much as you would like to print the catalogue and place an order by it, please make certain that you adjust the document to 100 % when printing, you can thus avoid minor discrepancies of the potential automatic settings, which can lead to improper sizes and inappropriate order.

CATALOGUE



MEDITŰ KFT. Needle Technology for Surgery

For 30 years the Meditű Kft. has been **manufacturing surgical needles** and with its decades of experience it is sure to guarantee quality to its customers.

Our production facility in Makó in south-eastern Hungary offers the following range of products:

- Surgical needles
- Atraumatic needles
- Needles for Drains
- Special, unique medical needles

The success of our company is based on **paying attention to fulfilling our customers'needs** and **ensuring the highest quality.** Our needles are manufactured from **high-quality stainless steel**. We place great emphasis on following all environ-mental compliances during the manufacturing process as well as with our products themselves.

Meditű Ltd. exports needles to over **40 countries** throughout the world.


Our quality is ensured by fulfilling the requirements of the standards of ISO 9001:2000 and we circulate our products with CE conformity marking.

Туре		Diameter	Length
A	000	1,80	100
В	00	1,60	92
G	0	1,60	85
AR	1	1,40	80
BR	2	1,40	75
GR	3	1,30	70
BT	4	1,30	65
GT	5		60
GI	6	1,20	55
		1,20	
	7	1,10	50
	8	1,00	45
	9	1,00	40
	10	0,90	36
	11	0,80	32
	12	0,80	28
	13	0,70	25
	14	0,70	22
	15	0,60	20
	16	0,60	18
GA	000	2,00	90
GAR	00	1,80	80
GAT	0	1,80	70
	1	1,60	60
	2	1,60	55
	3	1,50	50
	4		45
		1,40	
	5	1,30	40
	6	1,20	35
	7	1,10	30
	8	1,00	25
	9	0,90	22
	10	0,80	19
	11	0,80	16
E	000	1,30	70
ET	00	1,20	60
	0	1,20	55
	1	1,00	47
	2	1,00	40
	3	0,80	32
	4	0,80	28
	5	0,70	22
	6	0,60	18
	7	0,50	15
	8	0,50	12
0.P	8		36
0B		0,60	
0G	1	0,60	30
0A	2	0,50	25
	3	0,50	21
	4	0,50	18
	5	0,50	15
	6	0,50	12
Н	00	1,40	75
HR	0	1,20	60
	1	1,10	52
		1,00	45
	2 3	0,90	38
	4	0,80	30
	5	0,80	22
	, v	0,10	

Туре		Diameter	Length
PB	00	0,80	75
PC	0	0,80	65
PD	1	0,70	55
PH	2	0,70	45
PA	3	0,70	36
F/A	4	0,60	30
	5	0,60	25
	6	0,60	22
	7	0,50	20
	8	0,50	18
	9	0,50	15
	10	0,50	12
AV	1	2,00	100
	2	2,00	90
	3	1,80	80
	4	1,80	70
	5	1,60	60
	6	1,60	55
	7	1,50	50
	8	1,40	45
	9	1,30	40
	10	1,20	35
	11	1,10	30
	12	1,00	25
	13	0,90	22
BV	1	2,00	100
	2	2,00	90
	3	1,80	80
	4	1,80	70
	5	1,60	60
	6	1,60	55
	7		
		1,50	50
	8	1,40	45
	9	1,30	40
	10	1,20	35
	11	1,10	30
	12	1,00	25
	13	0,90	22
BE	1	1,40	80
GE	2	1,40	75
BER	3	1,30	70
GER	4	1,30	65
	5	1,00	60
	6	1,20	55
	7	1,20	
		1,10	52
	8	1,10	50
	9	1,00	47
	10	1,00	45
			10
	11	1,00	40
	12	0,90	38
	12 13	0,90 0,90	38 36
	12	0,90	38
	12 13	0,90 0,90 0,80	38 36
	12 13 14 15	0,90 0,90 0,80 0,80	38 36 34 32
	12 13 14 15 16	0,90 0,90 0,80 0,80 0,80	38 36 34 32 30
	12 13 14 15 16 17	0,90 0,90 0,80 0,80 0,80 0,80	38 36 34 32 30 28
	12 13 14 15 16 17 18	0,90 0,90 0,80 0,80 0,80 0,80 0,80 0,70	38 36 34 32 30 28 25
	12 13 14 15 16 17 18 19	0,90 0,90 0,80 0,80 0,80 0,80 0,70 0,70	38 36 34 32 30 28 25 23
	12 13 14 15 16 17 18 19 20	0,90 0,90 0,80 0,80 0,80 0,80 0,70 0,70 0,70	38 36 34 32 30 28 25 23 22
	12 13 14 15 16 17 18 19	0,90 0,90 0,80 0,80 0,80 0,80 0,70 0,70	38 36 34 32 30 28 25 23

Turne		Diamatan	L a ca actila
Type	0	Diameter	Length
Keith	0	1,00	80
"Keith"R"	1	0,90	75
	2	0,90	70
	3	0,90	65
	4	0,80	60
	5	0,80	55
	6	0,80	50
	7	0,70	45
König	1	1,20	55
Ŭ	2	1,10	50
	3	1,00	45
	4	1,00	40
	5	0,90	36
	6	0,30	34
	7	0,80	32
	8	0,80	30
	9	0,80	26
	10	0,70	23
	11	0,60	20
	12	0,60	18
Neumann	1	0,70	23
	2	0,60	18
Kalt	00	0.35	30
	0	0.35	25
	0 1	0.35	22
	2	0.35	18
	3		16
		0.35	
	4	0.35	12
Mayo	1	1,50	50
Мауо Т	2	1,40	45
	3	1,40	42
	4	1,30	40
PM/S	1	2,00	145
PM/A	2	2,00	130
	3	2,00	115
	4	2,00	100
	5	1,80	85
	6	1,80	75
Payr U	00	0.35	30
i ayi U			
	0	0.35	25
	1	0.35	22
	2	0.35	18
	3	0.05	
		0.35	16
	4	0.35	12
Payr ger.	4 1		12 30
Payr ger.	4	0.35	12
Payr ger.	4 1 2	0.35 0.35 0.35	12 30
Payr ger.	4 1	0.35 0.35 0.35 0.35	12 30 25 22
Payr ger.	4 1 2 3 4	0.35 0.35 0.35 0.35 0.35	12 30 25 22 20
Payr ger.	4 1 2 3 4 5	0.35 0.35 0.35 0.35 0.35 0.35	12 30 25 22 20 16
	4 1 2 3 4 5 6	0.35 0.35 0.35 0.35 0.35 0.35 0.35 0.35	12 30 25 22 20 16 12
Payr ger. Ferguson	4 1 2 3 4 5 6 1	0.35 0.35 0.35 0.35 0.35 0.35 0.35 0.35	12 30 25 22 20 16 12 74
	4 1 2 3 4 5 6 1 2	0.35 0.35 0.35 0.35 0.35 0.35 0.35 0.35	12 30 25 22 20 16 12 74 63
	4 1 2 3 4 5 6 1 2 3	0.35 0.35 0.35 0.35 0.35 0.35 0.35 0.35	12 30 25 22 20 16 12 74 63 50
	4 1 2 3 4 5 6 1 2 3 4 4	0.35 0.35 0.35 0.35 0.35 0.35 0.35 1,40 1,30 1,10 1,00	12 30 25 22 20 16 12 74 63 50 40
	4 1 2 3 4 5 6 1 2 3 4 5 5 5	0.35 0.35 0.35 0.35 0.35 0.35 0.35 1,40 1,30 1,10 1,00 0,80	12 30 25 22 20 16 12 74 63 50 40 34
	4 1 2 3 4 5 6 1 2 3 4 4	0.35 0.35 0.35 0.35 0.35 0.35 0.35 1,40 1,30 1,10 1,00	12 30 25 22 20 16 12 74 63 50 40 34 23
	4 1 2 3 4 5 6 1 2 3 4 5 5 5	0.35 0.35 0.35 0.35 0.35 0.35 0.35 1,40 1,30 1,10 1,00 0,80	12 30 25 22 20 16 12 74 63 50 40 34
Ferguson	4 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 6 6 6 6 6 7 7 8 8 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8	0.35 0.35 0.35 0.35 0.35 0.35 0.35 1,40 1,30 1,10 1,00 0,80 0,70 1,40	12 30 25 22 20 16 12 74 63 50 40 34 23
Ferguson	4 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 2 3 4 5 6 1 1 2 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1	0.35 0.35 0.35 0.35 0.35 0.35 0.35 1,40 1,30 1,10 1,00 0,80 0,70	12 30 25 22 20 16 12 74 63 50 40 34 23 45

The illustrations represent the natural size of the needles.



Ref.-No.

ordering example

B 502	11	-
type of needle	size	non-sterile

Packaging


1 doz. / PE-pouch (non-sterile) individual packaging on request

Special items

We produce also on request. Please contact us.


G / GR / GT ½ -circle

RefNo.:	Eye	Profile
G 503		
G 504		
GR 513		
GR 514		
GT 515		۵
GT 516		۵




E/ET	¹ /2-circle	
RefNo.:	Eye	Profile
E 529 E 530		•
ET 527 ET 528		

E / ET






RefNo.:	Eye	Profile
GA 507		
GA 508		
GAR 497		
GAR 498		
GAT 499		
GAT 500		





B/BR/BT



B / BR / BT %-circle

RefNo.:	Eye	Profile
B 501		
B 502		
BR 509		
BR 510		
BT 511		
BT 512		





Keith / Keith R straight


RefNo.:	Eye	Profile
Keith 517 Keith 518 KeithR 417 KeithR 418		


0	
1	
2	
3	<
4	
5	<
6	
7	I

Keith / Keith R

H / HR

H / HR	%-circle	
RefNo.:	Eye	Profile
H 521 H 522		▼
HR 421 HR 422		•






1.00.00		
KO	ni	
NU		-


Ref.-No.: Eye König 525 König 526




hook-shaped


König







Ferguson



Ferguson ½-circle


Ref.-No.:

Ferguson 545 Ferguson 546






RefNo.:	Eye	Profile
GE 547		
GE 548		
GER 565		
GER 566		




Mayo / Mayo T ½-circle

RefNo.:	Eye	Profile
Mayo 541 Mayo 542		•
MayoT 441 MayoT 442		


Mayo / Mayo T




Intestinal Needles




Intestinal Needles




_ ŏ








	-		
RefNo.:	Eye	Profile	
Neumann 573			1
Neumann 574	\mathbf{D}		2

Vein and Eye Needles









Sales an transportation conditions

Transportation occurs with the following conditions. We also accept special requests for transportation based on prior agreement, which only refers to that particular business or business partner. The validation of the contract expires upon completition of the agreement.

Prices and offers

Our prices and offers do not require engagement on our part without a written delivery agreement. For international customers, the price of delivery is always determined by the actual exchange rate at the time of the order.

Orders: occur when you give a model number, the type of the needle eye's formation and the amount.

Special manufacturing

We accept orders in small amounts as well. When submitting the offer please present a master pattern or at least one dimensional drawing or sketch. In the case of the latter two, the placer of the order should check the manufacture peace/s. As may be easily understood we are not going to start investigation if special designs are protected in some way and therefore we decline any responsibility.

Catalogue types

We reserve the right to change the construction type whenever necessary.

Delivery time

We do our best to deliver precisely, and according to the stipulated time agreed upon. Partial deliveries are also accepted by prior agreement. We reserve the right to withhold delivery or retire from the contract without granting indemnity in cases of improper business behavior on behalf of our partners.

Dispatch

We deliver at our expense regardless of the value of the delivered products using the most favorable packaging and transport methods.

Claims for faculty goods can only be accepted in writing at the latest , two weeks after arrival of delivery.

Payment: must be effected at the term and time agreed upon based on the amount shown on the invoice. In case of delay of paymnet, interest rates will be applied based on actual regulations. The buyer is not permitted to withhold payments or to reckon up any service.

Property: The delivered product- even if they have been manufactured- remain our property and can not be pledged or sold until fully paid for.

Exportation of our products requires our special agreement.