

# UL TYPE EXAMINATION CERTIFICATE

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-4790904163-1  
**Page** 1  
**Date of Issue** 2023-08-25

**Issued to** ZHEJIANG UNIVIEW TECHNOLOGIES CO LTD  
No. 369, Xietong Road, Xixing Sub-district, Binjiang District,  
Hangzhou City, 310051, Zhejiang Province, China

**Manufacturer** ZHEJIANG UNIVIEW TECHNOLOGIES CO LTD  
No. 369, Xietong Road, Xixing Sub-district, Binjiang District,  
Hangzhou City, 310051, Zhejiang Province, China

**Manufacturing site/location** Zhejiang Uniview System Technology Co., Ltd.  
No.1277 Qingfeng South Road(South), Tongxiang Economic  
Development Zone, Tongxiang City, Jiaxing City, 314500,  
Zhejiang, China

TDG Technology Co., Ltd.  
No. 1, Yatai Road, Nanhu district, Jiaxing, Zhejiang 314050, China

TOP-TEK TECHNOLOGY(VIETNAM)CO., LTD.  
No.5, Street 7, VSIP II, Hoa Phu Ward, TDM Town, Binh Duong  
Province, Vietnam

**Product Sample Description** IP Camera

**Designation** IPC2121SRa-xxxxxxx-yyyyyyy-zzzz, see page 2 for additional  
models

**Ratings** (optional)+12Vdc, 1.0A or POE 48V, 0.25A(Except for model

*Jie Qian*

**Operation Leader**

**Jie Qian**

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# UL TYPE EXAMINATION CERTIFICATE

## Low Voltage Directive 2014/35/EU

Certificate No. E359706-4790904163-1  
Page 2  
Date of Issue 2023-08-25

IPC2122SRa-xxxxxxxW-yyyyyyy-zzzz, IPC2122LR3-F40-E,IPC2122CR3-F40-A, IPC2122LR3-F40-E-NB,IPC2122CR3-F40-A-NB,IPC2124LRa-xxxxxxxW-yyyyyyy-zzzz and IPC2122LRa-xxxxxxxW-yyyyyyy-zzzz)  
(optional)+12Vdc, 1.0A for model IPC2122SRa-xxxxxxxW-yyyyyyy-zzzz, IPC2122LR3-F40-E,IPC2122CR3-F40-A, IPC2122LR3-F40-E-NB,IPC2122CR3-F40-A-NB, IPC2124LRa-xxxxxxxW-yyyyyyy-zzzz,IPC2122LRa-xxxxxxxW-yyyyyyy-zzzz

Product Sample Tested and found in compliance with Standard(s)

EN 62368-1:2014+A11:2017

Test Report Nos.

E359706-A6206-IT-3 issued 2023-08-24

Additional information

Additional models:  
IPC2121SRa-xxxxxxx-yyyyyyy-zzzz  
IPC2122SRa-xxxxxxx-yyyyyyy-zzzz  
IPC2125SRa-xxxxxxx-yyyyyyy-zzzz  
IPC2122SRa-xxxxxxxW-yyyyyyy-zzzz  
IPC2124SRa-xxxxxxx-yyyyyyy-zzzz  
IPC2124ERa-xxxxxxx-yyyyyyy-zzzz  
IPC2128SRa-xxxxxxx-yyyyyyy-zzzz  
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;

*Jie Qian*

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



# UL TYPE EXAMINATION CERTIFICATE

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-4790904163-1  
**Page** 3  
**Date of Issue** 2023-08-25

"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;  
"z" can be 0-9,A-Z,a-z or blank, denoting target regional; "a" can be 0-9, L or blank, denoting infrared level; "-" is optional)

IPC2122LRa-xxxxxxx-yyy-yyyy-zzzz

IPC2124LRa-xxxxxxx-yyy-yyyy-zzzz

IPC2125LRa-xxxxxxx-yyy-yyyy-zzzz

IPC2128LRa-xxxxxxx-yyy-yyyy-zzzz

IPC2124LRa-xxxxxxxW-yyy-yyyy-zzzz

("x" can be 0-9, A-Z,a-z or blank, denoting difference in interface;

"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;

"z" can be 0-9,A-Z,a-z or blank, denoting target regional; "a" can be

0-9, A or blank, denoting infrared level; "-" is optional)

IPC2122LRa-xxxxxxxW-yyy-yyyy-zzzz

("x" can be 0-9,A-Z,a-z or blank, denoting difference in interface;"y"

can be 0-9,A-Z,a-z or blank, denoting performance

difference;"z" can be 0-9,A-Z,a-z or blank,denoting target regional;

"a" can be 0-9, A or blank, denoting infrared level;"-" is optional)

IPC2122CRa-xxxxxxx-yyy-yyyy-zzzz

("x" can be 0-9,A-Z,a-z or blank, denoting difference in interface;"y"

*Jie Qian*

**Operation Leader**

**Jie Qian**

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# UL TYPE EXAMINATION CERTIFICATE

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-4790904163-1  
**Page** 4  
**Date of Issue** 2023-08-25

can be 0-9,A-Z,a-z or blank, denoting performance difference;"z"can be 0-9,A-Z,a-z or blank,denoting target regional; "a" can be 0-9, A or blank, denoting infrared level;"-" is optional)

IPC2122LR3-F40-E,IPC2122CR3-F40-A,IPC2122LR3-F40-E-NB,IPC2122CR3-F40-A-NB

IPC2123LRa-xxxxxxx-yyyyyyy-zzzz

("x" can be 0-9,A-Z,a-z or blank, denoting difference in interface;"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;"z"can be 0-9,A-Z,a-z or blank,denoting target regional; "a" can be 0-9, A or blank, denoting infrared level;"-" is optional)

IPC2124SS-xxxxxxx-yyyyyyy-zzzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface; "y" can be 0-9,A-Z,a-z or blank, denoting performance difference; "z" can be 0-9, A-Z, a-z or blank, denoting target regional; "-" is optional)

IPC2122SS-xxxxxxx-yyyyyyy-zzzz

IPC2125SS-xxxxxxx-yyyyyyy-zzzz

IPC2122LB-xxxxxxx-yyyyyyy-zzzz

*Jie Qian*

### Operation Leader

**Jie Qian**

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# UL TYPE EXAMINATION CERTIFICATE

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-4790904163-1  
**Page** 5  
**Date of Issue** 2023-08-25

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional; "-" is optional)

IPC2125SB-xxxxxxx-yyyyyyy-zzzz, IPC2128SS-xxxxxxx-yyyyyyy-zzzz, IPC2128SB-xxxxxxx-yyyyyyy-zzzz  
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;  
"z" can be 0-9,A-Z,a-z or blank, denoting target regional; "-" is optional)

IPC2122SB-xxxxxxx-yyyyyyy-zzzz  
IPC2124SB-xxxxxxx-yyyyyyy-zzzz  
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;  
"z" can be 0-9,A-Z,a-z or blank, denoting target regional; "-" is optional)

IPC2124LE-xxxxxxx-yyyyyyy-zzzz  
IPC2122LB-xxxxxxx-yyyyyyy-zzzz  
IPC2125LE-xxxxxxx-yyyyyyy-zzzz

*Jie Qian*

### Operation Leader

**Jie Qian**

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# UL TYPE EXAMINATION CERTIFICATE

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-4790904163-1  
**Page** 6  
**Date of Issue** 2023-08-25

IPC2123LB-xxxxxxx-yyyyyyy-zzzz

IPC2124LB-xxxxxxx-yyyyyyy-zzzz

IPC2125LB-xxxxxxx-yyyyyyy-zzzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;  
"z" can be 0-9,A-Z,a-z or blank, denoting target regional; "-" is optional)

IPC2122LE-xxxxxxx-yyyyyyy-zzzz

IPC2124LE-xxxxxxx-yyyyyyy-zzzz

IPC2125LE-xxxxxxx-yyyyyyy-zzzz

IPC2128LE-xxxxxxx-yyyyyyy-zzzz

("x" can be 0-9,A-Z,a-z or blank, denoting difference in interface;"y"  
can be 0-9,A-Z,a-z or blank, denoting performance  
difference;"z"can be 0-9,A-Z,a-z or blank,denoting target regional; "-  
" is optional)

IPC2128SE-xxxxxxx-yyyyyyy-zzzz

("x" can be 0-9,A-Z,a-z or blank, denoting difference in interface;"y"  
can be 0-9,A-Z,a-z or blank, denoting performance  
difference;"z"can be 0-9,A-Z,a-z or blank,denoting target regional; "-  
" is optional)

*Jie Qian*

### Operation Leader

**Jie Qian**

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# UL TYPE EXAMINATION CERTIFICATE

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-4790904163-1  
**Page** 7  
**Date of Issue** 2023-08-25

EC-B4F28M

IPC2128LB-xxxxxxxx-yyy-yyyy-zzzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;  
"z" can be 0-9,A-Z,a-z or blank, denoting target regional; "-" is optional)

IPC2105SB-xxxxxxxx-yyy-yyyy-zzzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;  
"z" can be 0-9,A-Z,a-z or blank, denoting target regional; "-" is optional)

*Jie Qian*

**Operation Leader**

**Jie Qian**

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**

