

Zavod Logicroof Ltd

391000
Vostochny promuzel
21 Ryazan
Russian Federation

Tel: 00 7495 925 55 75 Fax: 00 7495 925 81 55

e-mail: pvc@tn.ru

website: www.logicroof.ru



Agrément Certificate

18/5529

Product Sheet 1

LOGICROOF ROOF WATERPROOFING SYSTEMS

LOGICROOF TOTAL WARM ROOF SYSTEM

This Agrément Certificate Product Sheet⁽¹⁾ relates to the Logicroof Total Warm Roof System, a range of PVC waterproofing membranes, insulation boards and vapour control layers (VCLs) for use on flat and pitched warm roofs with limited or pedestrian access, and with suitable protection.

(1) Hereinafter referred to as 'Certificate'.

CERTIFICATION INCLUDES:

- factors relating to compliance with Building Regulations where applicable
- factors relating to additional non-regulatory information where applicable
- independently verified technical specification
- assessment criteria and technical investigations
- design considerations
- installation guidance
- regular surveillance of production
- formal three-yearly review.



KEY FACTORS ASSESSED

Weathertightness — the system, including joints, will resist the passage of moisture to the interior of the building (see section 6).

Thermal performance — the system can be used to improve the thermal performance of a roof (see section 7).

Condensation risk — roofs incorporating the system will adequately limit the risk of interstitial and surface condensation (see section 8).

Properties in relation to fire — the system, when used in a suitable specification, can enable a roof to be unrestricted under the national Building Regulations (see section 9).

Resistance to wind uplift — the system will enable a roof to be unrestricted under the national Building Regulations (see section 10).

Resistance to foot traffic — the system will accept, without damage, the limited foot traffic and loads associated with installation and maintenance (see section 11).

Durability — under normal service conditions, the system will provide a durable waterproof covering with a service life in excess of 25 years (see section 13).

The BBA has awarded this Certificate to the company named above for the system described herein. This system has been assessed by the BBA as being fit for its intended use provided it is installed, used and maintained as set out in this Certificate.

On behalf of the British Board of Agrément

John Albon — Head of Approvals
Construction Products

Claire Curtis-Thomas
Chief Executive

Date of First issue: 21 May 2018

The BBA is a UKAS accredited certification body — Number 113.

The schedule of the current scope of accreditation for product certification is available in pdf format via the UKAS link on the BBA website at www.bbacerts.co.uk
Readers are advised to check the validity and latest issue number of this Agrément Certificate by either referring to the BBA website or contacting the BBA direct.
Any photographs are for illustrative purposes only, do not constitute advice and should not be relied upon.

British Board of Agrément

Bucknalls Lane
Watford
Herts WD25 9BA

©2018

Page 1 of 15

tel: 01923 665300
clientservices@bbacerts.co.uk
www.bbacerts.co.uk